




# ARCUS PLUS

<b>DIN 571</b>			<b>Suruburi pentru lemn cu cap hexagonal</b>				<b>Eur/buc</b>
00571 0001 5 25	571	- Zinc	5	25	Hexagon head wood screws, DIN 571, vZn, Ø5x25	0.014	
00571 0001 5 30	571	- Zinc	5	30	Hexagon head wood screws, DIN 571, vZn, Ø5x30	0.017	
00571 0001 5 35	571	- Zinc	5	35	Hexagon head wood screws, DIN 571, vZn, Ø5x35	0.018	
00571 0001 5 40	571	- Zinc	5	40	Hexagon head wood screws, DIN 571, vZn, Ø5x40	0.022	
00571 0001 5 45	571	- Zinc	5	45	Hexagon head wood screws, DIN 571, vZn, Ø5x45	0.023	
00571 0001 5 50	571	- Zinc	5	50	Hexagon head wood screws, DIN 571, vZn, Ø5x50	0.028	
00571 0001 5 60	571	- Zinc	5	60	Hexagon head wood screws, DIN 571, vZn, Ø5x60	0.029	
00571 0001 5 70	571	- Zinc	5	70	Hexagon head wood screws, DIN 571, vZn, Ø5x70	0.031	
00571 0001 5 80	571	- Zinc	5	80	Hexagon head wood screws, DIN 571, vZn, Ø5x80	0.035	
00571 0001 6 20	571	- Zinc	6	20	Hexagon head wood screws, DIN 571, vZn, Ø6x20	0.015	
00571 0001 6 30	571	- Zinc	6	30	Hexagon head wood screws, DIN 571, vZn, Ø6x30	0.015	
00571 0001 6 35	571	- Zinc	6	35	Hexagon head wood screws, DIN 571, vZn, Ø6x35	0.017	
00571 0001 6 40	571	- Zinc	6	40	Hexagon head wood screws, DIN 571, vZn, Ø6x40	0.019	
00571 0001 6 45	571	- Zinc	6	45	Hexagon head wood screws, DIN 571, vZn, Ø6x45	0.02	
00571 0001 6 50	571	- Zinc	6	50	Hexagon head wood screws, DIN 571, vZn, Ø6x50	0.022	
00571 0001 6 55	571	- Zinc	6	55	Hexagon head wood screws, DIN 571, vZn, Ø6x55	0.023	
00571 0001 6 60	571	- Zinc	6	60	Hexagon head wood screws, DIN 571, vZn, Ø6x60	0.024	
00571 0001 6 65	571	- Zinc	6	65	Hexagon head wood screws, DIN 571, vZn, Ø6x65	0.027	
00571 0001 6 70	571	- Zinc	6	70	Hexagon head wood screws, DIN 571, vZn, Ø6x70	0.028	
00571 0001 6 75	571	- Zinc	6	75	Hexagon head wood screws, DIN 571, vZn, Ø6x75	0.03	
00571 0001 6 80	571	- Zinc	6	80	Hexagon head wood screws, DIN 571, vZn, Ø6x80	0.03	
00571 0001 6 90	571	- Zinc	6	90	Hexagon head wood screws, DIN 571, vZn, Ø6x90	0.036	
00571 0001 6 100	571	- Zinc	6	100	Hexagon head wood screws, DIN 571, vZn, Ø6x100	0.039	
00571 0001 6 110	571	- Zinc	6	110	Hexagon head wood screws, DIN 571, vZn, Ø6x110	0.045	
00571 0001 6 120	571	- Zinc	6	120	Hexagon head wood screws, DIN 571, vZn, Ø6x120	0.047	
00571 0001 6 130	571	- Zinc	6	130	Hexagon head wood screws, DIN 571, vZn, Ø6x130	0.053	
00571 0001 6 140	571	- Zinc	6	140	Hexagon head wood screws, DIN 571, vZn, Ø6x140	0.055	
00571 0001 6 150	571	- Zinc	6	150	Hexagon head wood screws, DIN 571, vZn, Ø6x150	0.058	
00571 0001 6 160	571	- Zinc	6	160	Hexagon head wood screws, DIN 571, vZn, Ø6x160	0.061	
00571 0001 7 60	571	- Zinc	7	60	Hexagon head wood screws, DIN 571, vZn, Ø7x60	0.06	
00571 0001 7 70	571	- Zinc	7	70	Hexagon head wood screws, DIN 571, vZn, Ø7x70	0.067	
00571 0001 7 80	571	- Zinc	7	80	Hexagon head wood screws, DIN 571, vZn, Ø7x80	0.073	
00571 0001 7 90	571	- Zinc	7	90	Hexagon head wood screws, DIN 571, vZn, Ø7x90	0.079	
00571 0001 7 100	571	- Zinc	7	100	Hexagon head wood screws, DIN 571, vZn, Ø7x100	0.084	
00571 0001 7 110	571	- Zinc	7	110	Hexagon head wood screws, DIN 571, vZn, Ø7x110	0.1	
00571 0001 7 120	571	- Zinc	7	120	Hexagon head wood screws, DIN 571, vZn, Ø7x120	0.101	
00571 0001 7 140	571	- Zinc	7	140	Hexagon head wood screws, DIN 571, vZn, Ø7x140	0.12	
00571 0001 7 150	571	- Zinc	7	150	Hexagon head wood screws, DIN 571, vZn, Ø7x150	0.166	
00571 0001 7 160	571	- Zinc	7	160	Hexagon head wood screws, DIN 571, vZn, Ø7x160	0.139	
00571 0001 8 30	571	- Zinc	8	30	Hexagon head wood screws, DIN 571, vZn, Ø8x30	0.029	
00571 0001 8 35	571	- Zinc	8	35	Hexagon head wood screws, DIN 571, vZn, Ø8x35	0.032	
00571 0001 8 40	571	- Zinc	8	40	Hexagon head wood screws, DIN 571, vZn, Ø8x40	0.035	
00571 0001 8 45	571	- Zinc	8	45	Hexagon head wood screws, DIN 571, vZn, Ø8x45	0.04	
00571 0001 8 50	571	- Zinc	8	50	Hexagon head wood screws, DIN 571, vZn, Ø8x50	0.04	

00571 0001 8 60	571	-	Zinc	8	60	Hexagon head wood screws, DIN 571, vZn, Ø8x60	0.044
00571 0001 8 65	571	-	Zinc	8	65	Hexagon head wood screws, DIN 571, vZn, Ø8x65	0.049
00571 0001 8 70	571	-	Zinc	8	70	Hexagon head wood screws, DIN 571, vZn, Ø8x70	0.05
00571 0001 8 75	571	-	Zinc	8	75	Hexagon head wood screws, DIN 571, vZn, Ø8x75	0.056
00571 0001 8 80	571	-	Zinc	8	80	Hexagon head wood screws, DIN 571, vZn, Ø8x80	0.057
00571 0001 8 90	571	-	Zinc	8	90	Hexagon head wood screws, DIN 571, vZn, Ø8x90	0.064
00571 0001 8 100	571	-	Zinc	8	100	Hexagon head wood screws, DIN 571, vZn, Ø8x100	0.069
00571 0001 8 110	571	-	Zinc	8	110	Hexagon head wood screws, DIN 571, vZn, Ø8x110	0.078
00571 0001 8 120	571	-	Zinc	8	120	Hexagon head wood screws, DIN 571, vZn, Ø8x120	0.082
00571 0001 8 130	571	-	Zinc	8	130	Hexagon head wood screws, DIN 571, vZn, Ø8x130	0.09
00571 0001 8 140	571	-	Zinc	8	140	Hexagon head wood screws, DIN 571, vZn, Ø8x140	0.095
00571 0001 8 150	571	-	Zinc	8	150	Hexagon head wood screws, DIN 571, vZn, Ø8x150	0.101
00571 0001 8 160	571	-	Zinc	8	160	Hexagon head wood screws, DIN 571, vZn, Ø8x160	0.106
00571 0001 8 180	571	-	Zinc	8	180	Hexagon head wood screws, DIN 571, vZn, Ø8x180	0.123
00571 0001 8 200	571	-	Zinc	8	200	Hexagon head wood screws, DIN 571, vZn, Ø8x200	0.137
00571 0001 8 220	571	-	Zinc	8	220	Hexagon head wood screws, DIN 571, vZn, Ø8x220	0.178
00571 0001 8 240	571	-	Zinc	8	240	Hexagon head wood screws, DIN 571, vZn, Ø8x240	0.182
00571 0001 8 260	571	-	Zinc	8	260	Hexagon head wood screws, DIN 571, vZn, Ø8x260	0.198
00571 0001 8 280	571	-	Zinc	8	280	Hexagon head wood screws, DIN 571, vZn, Ø8x280	0.228
00571 0001 8 300	571	-	Zinc	8	300	Hexagon head wood screws, DIN 571, vZn, Ø8x300	0.239
00571 0001 10 40	571	-	Zinc	10	40	Hexagon head wood screws, DIN 571, vZn, Ø10x40	0.066
00571 0001 10 45	571	-	Zinc	10	45	Hexagon head wood screws, DIN 571, vZn, Ø10x45	0.071
00571 0001 10 50	571	-	Zinc	10	50	Hexagon head wood screws, DIN 571, vZn, Ø10x50	0.072
00571 0001 10 60	571	-	Zinc	10	60	Hexagon head wood screws, DIN 571, vZn, Ø10x60	0.082
00571 0001 10 70	571	-	Zinc	10	70	Hexagon head wood screws, DIN 571, vZn, Ø10x70	0.093
00571 0001 10 80	571	-	Zinc	10	80	Hexagon head wood screws, DIN 571, vZn, Ø10x80	0.102
00571 0001 10 90	571	-	Zinc	10	90	Hexagon head wood screws, DIN 571, vZn, Ø10x90	0.113
00571 0001 10 100	571	-	Zinc	10	100	Hexagon head wood screws, DIN 571, vZn, Ø10x100	0.117
00571 0001 10 110	571	-	Zinc	10	110	Hexagon head wood screws, DIN 571, vZn, Ø10x110	0.132
00571 0001 10 120	571	-	Zinc	10	120	Hexagon head wood screws, DIN 571, vZn, Ø10x120	0.138
00571 0001 10 130	571	-	Zinc	10	130	Hexagon head wood screws, DIN 571, vZn, Ø10x130	0.153
00571 0001 10 140	571	-	Zinc	10	140	Hexagon head wood screws, DIN 571, vZn, Ø10x140	0.156
00571 0001 10 150	571	-	Zinc	10	150	Hexagon head wood screws, DIN 571, vZn, Ø10x150	0.174
00571 0001 10 160	571	-	Zinc	10	160	Hexagon head wood screws, DIN 571, vZn, Ø10x160	0.17
00571 0001 10 180	571	-	Zinc	10	180	Hexagon head wood screws, DIN 571, vZn, Ø10x180	0.198
00571 0001 10 200	571	-	Zinc	10	200	Hexagon head wood screws, DIN 571, vZn, Ø10x200	0.228
00571 0001 10 220	571	-	Zinc	10	220	Hexagon head wood screws, DIN 571, vZn, Ø10x220	0.253
00571 0001 10 240	571	-	Zinc	10	240	Hexagon head wood screws, DIN 571, vZn, Ø10x240	0.272
00571 0001 10 260	571	-	Zinc	10	260	Hexagon head wood screws, DIN 571, vZn, Ø10x260	0.315
00571 0001 10 280	571	-	Zinc	10	280	Hexagon head wood screws, DIN 571, vZn, Ø10x280	0.327
00571 0001 10 300	571	-	Zinc	10	300	Hexagon head wood screws, DIN 571, vZn, Ø10x300	0.362
00571 0001 12 80	571	-	Zinc	12	80	Hexagon head wood screws, DIN 571, vZn, Ø12x80	0.166
00571 0001 12 90	571	-	Zinc	12	90	Hexagon head wood screws, DIN 571, vZn, Ø12x90	0.173
00571 0001 12 100	571	-	Zinc	12	100	Hexagon head wood screws, DIN 571, vZn, Ø12x100	0.184
00571 0001 12 120	571	-	Zinc	12	120	Hexagon head wood screws, DIN 571, vZn, Ø12x120	0.203
00571 0001 12 140	571	-	Zinc	12	140	Hexagon head wood screws, DIN 571, vZn, Ø12x140	0.244
00571 0001 12 180	571	-	Zinc	12	180	Hexagon head wood screws, DIN 571, vZn, Ø12x180	0.32
00571 0001 12 200	571	-	Zinc	12	200	Hexagon head wood screws, DIN 571, vZn, Ø12x200	0.35
00571 0001 12 220	571	-	Zinc	12	220	Hexagon head wood screws, DIN 571, vZn, Ø12x220	0.387
00571 0001 12 240	571	-	Zinc	12	240	Hexagon head wood screws, DIN 571, vZn, Ø12x240	0.419
00571 0001 12 260	571	-	Zinc	12	260	Hexagon head wood screws, DIN 571, vZn, Ø12x260	0.472
00571 0001 12 280	571	-	Zinc	12	280	Hexagon head wood screws, DIN 571, vZn, Ø12x280	0.491
00571 0001 12 300	571	-	Zinc	12	300	Hexagon head wood screws, DIN 571, vZn, Ø12x300	0.504


DIN 603						Surub cu cap semirotund, cu asigurare patrata (surub torbant)	
---------	---	--	--	--	--	---	--

	603	4.8	Zinc	6	12	Carriage bolts, DIN 603, 4.8, Zn, M6x12	0.021
00603 0001 6 16	603	4.8	Zinc	6	16	Carriage bolts, DIN 603, 4.8, Zn, M6x16	0.022
00603 0001 6 20	603	4.8	Zinc	6	20	Carriage bolts, DIN 603, 4.8, Zn, M6x20	0.025
00603 0001 6 25	603	4.8	Zinc	6	25	Carriage bolts, DIN 603, 4.8, Zn, M6x25	0.026
00603 0001 6 30	603	4.8	Zinc	6	30	Carriage bolts, DIN 603, 4.8, Zn, M6x30	0.029
00603 0001 6 35	603	4.8	Zinc	6	35	Carriage bolts, DIN 603, 4.8, Zn, M6x35	0.032
00603 0001 6 40	603	4.8	Zinc	6	40	Carriage bolts, DIN 603, 4.8, Zn, M6x40	0.034
00603 0001 6 45	603	4.8	Zinc	6	45	Carriage bolts, DIN 603, 4.8, Zn, M6x45	0.038
00603 0001 6 50	603	4.8	Zinc	6	50	Carriage bolts, DIN 603, 4.8, Zn, M6x50	0.039
00603 0001 6 60	603	4.8	Zinc	6	60	Carriage bolts, DIN 603, 4.8, Zn, M6x60	0.044
00603 0001 6 70	603	4.8	Zinc	6	70	Carriage bolts, DIN 603, 4.8, Zn, M6x70	0.049
00603 0001 6 80	603	4.8	Zinc	6	80	Carriage bolts, DIN 603, 4.8, Zn, M6x80	0.056
00603 0001 6 90	603	4.8	Zinc	6	90	Carriage bolts, DIN 603, 4.8, Zn, M6x90	0.061
00603 0001 6 100	603	4.8	Zinc	6	100	Carriage bolts, DIN 603, 4.8, Zn, M6x100	0.071
00603 0001 8 16	603	4.8	Zinc	8	16	Carriage bolts, DIN 603, 4.8, Zn, M8x16	0.043
00603 0001 8 20	603	4.8	Zinc	8	20	Carriage bolts, DIN 603, 4.8, Zn, M8x20	0.044
00603 0001 8 25	603	4.8	Zinc	8	25	Carriage bolts, DIN 603, 4.8, Zn, M8x25	0.05
00603 0001 8 30	603	4.8	Zinc	8	30	Carriage bolts, DIN 603, 4.8, Zn, M8x30	0.055
00603 0001 8 35	603	4.8	Zinc	8	35	Carriage bolts, DIN 603, 4.8, Zn, M8x35	0.06
00603 0001 8 40	603	4.8	Zinc	8	40	Carriage bolts, DIN 603, 4.8, Zn, M8x40	0.062
00603 0001 8 45	603	4.8	Zinc	8	45	Carriage bolts, DIN 603, 4.8, Zn, M8x45	0.072
00603 0001 8 50	603	4.8	Zinc	8	50	Carriage bolts, DIN 603, 4.8, Zn, M8x50	0.071
00603 0001 8 55	603	4.8	Zinc	8	55	Carriage bolts, DIN 603, 4.8, Zn, M8x55	0.08
00603 0001 8 60	603	4.8	Zinc	8	60	Carriage bolts, DIN 603, 4.8, Zn, M8x60	0.091
00603 0001 8 65	603	4.8	Zinc	8	65	Carriage bolts, DIN 603, 4.8, Zn, M8x65	0.083
00603 0001 8 70	603	4.8	Zinc	8	70	Carriage bolts, DIN 603, 4.8, Zn, M8x70	0.09
00603 0001 8 75	603	4.8	Zinc	8	75	Carriage bolts, DIN 603, 4.8, Zn, M8x75	0.103
00603 0001 8 80	603	4.8	Zinc	8	80	Carriage bolts, DIN 603, 4.8, Zn, M8x80	0.098
00603 0001 8 90	603	4.8	Zinc	8	90	Carriage bolts, DIN 603, 4.8, Zn, M8x90	0.122
00603 0001 8 100	603	4.8	Zinc	8	100	Carriage bolts, DIN 603, 4.8, Zn, M8x100	0.119
00603 0001 8 120	603	4.8	Zinc	8	120	Carriage bolts, DIN 603, 4.8, Zn, M8x120	0.158
00603 0001 8 150	603	4.8	Zinc	8	150	Carriage bolts, DIN 603, 4.8, Zn, M8x150	0.199
00603 0001 10 25	603	4.8	Zinc	10	25	Carriage bolts, DIN 603, 4.8, Zn, M10x25	0.088
00603 0001 10 30	603	4.8	Zinc	10	30	Carriage bolts, DIN 603, 4.8, Zn, M10x30	0.089
00603 0001 10 40	603	4.8	Zinc	10	40	Carriage bolts, DIN 603, 4.8, Zn, M10x40	0.121
00603 0001 10 50	603	4.8	Zinc	10	50	Carriage bolts, DIN 603, 4.8, Zn, M10x50	0.12
00603 0001 10 60	603	4.8	Zinc	10	60	Carriage bolts, DIN 603, 4.8, Zn, M10x60	0.136
00603 0001 10 70	603	4.8	Zinc	10	70	Carriage bolts, DIN 603, 4.8, Zn, M10x70	0.154
00603 0001 10 80	603	4.8	Zinc	10	80	Carriage bolts, DIN 603, 4.8, Zn, M10x80	0.191
00603 0001 12 40	603	4.8	Zinc	12	40	Carriage bolts, DIN 603, 4.8, Zn, M12x40	0.215
00603 0001 12 50	603	4.8	Zinc	12	50	Carriage bolts, DIN 603, 4.8, Zn, M12x50	0.219
00603 0001 12 60	603	4.8	Zinc	12	60	Carriage bolts, DIN 603, 4.8, Zn, M12x60	0.221
00603 0001 12 70	603	4.8	Zinc	12	70	Carriage bolts, DIN 603, 4.8, Zn, M12x70	0.222
00603 0001 12 80	603	4.8	Zinc	12	80	Carriage bolts, DIN 603, 4.8, Zn, M12x80	0.274
00603 0001 12 100	603	4.8	Zinc	12	100	Carriage bolts, DIN 603, 4.8, Zn, M12x100	0.311
00603 0001 12 120	603	4.8	Zinc	12	120	Carriage bolts, DIN 603, 4.8, Zn, M12x120	0.407
00603 0001 12 130	603	4.8	Zinc	12	130	Carriage bolts, DIN 603, 4.8, Zn, M12x130	0.443
00603 0001 12 140	603	4.8	Zinc	12	140	Carriage bolts, DIN 603, 4.8, Zn, M12x140	0.464
00603 0001 12 150	603	4.8	Zinc	12	150	Carriage bolts, DIN 603, 4.8, Zn, M12x150	0.501
00603 0001 12 180	603	4.8	Zinc	12	180	Carriage bolts, DIN 603, 4.8, Zn, M12x180	0.683
00603 0001 12 200	603	4.8	Zinc	12	200	Carriage bolts, DIN 603, 4.8, Zn, M12x200	0.706
00603 0001 12 220	603	4.8	Zinc	12	220	Carriage bolts, DIN 603, 4.8, Zn, M12x220	0.717
00603 0001 12 240	603	4.8	Zinc	12	240	Carriage bolts, DIN 603, 4.8, Zn, M12x240	0.826
00603 0001 12 260	603	4.8	Zinc	12	260	Carriage bolts, DIN 603, 4.8, Zn, M12x260	0.884
00603 0001 12 280	603	4.8	Zinc	12	280	Carriage bolts, DIN 603, 4.8, Zn, M12x280	0.809
00603 0001 16 40	603	4.8	Zinc	16	40	Carriage bolts, DIN 603, 4.8, Zn, M16x40	0.402

00603 0001 16 50	603	4.8	Zinc	16	50	Carriage bolts, DIN 603, 4.8, Zn, M16x50	0.432
00603 0001 16 60	603	4.8	Zinc	16	60	Carriage bolts, DIN 603, 4.8, Zn, M16x60	0.485
00603 0001 16 70	603	4.8	Zinc	16	70	Carriage bolts, DIN 603, 4.8, Zn, M16x70	0.574
00603 0001 16 80	603	4.8	Zinc	16	80	Carriage bolts, DIN 603, 4.8, Zn, M16x80	0.625
00603 0001 16 100	603	4.8	Zinc	16	100	Carriage bolts, DIN 603, 4.8, Zn, M16x100	0.727
<b>DIN 975</b>						<b>Tije filetate DIN 975</b>	
00975 0001 4			Zinc	4	1000	Threaded rods, DIN 975, 4.8, vZn, M 4 x 1000	0.222
00975 0001 5	975	4.8	Zinc	5	1000	Threaded rods, DIN 975, 4.8, vZn, M 5 x 1000	0.298
00975 0001 6	975	4.8	Zinc	6	1000	Threaded rods, DIN 975, 4.8, vZn, M 6 x 1000	0.361
00975 0001 8	975	4.8	Zinc	8	1000	Threaded rods, DIN 975, 4.8, vZn, M 8 x 1000	0.585
00975 0001 8 2000	975	4.8	Zinc	8	2000	Threaded rods, DIN 975, 4.8, vZn, M 8 x 2000	1.177
00975 0001 8 3000	975	4.8	Zinc	8	3000	Threaded rods, DIN 975, 4.8, vZn, M 8 x 3000	1.764
00975 0001 10	975	4.8	Zinc	10	1000	Threaded rods, DIN 975, 4.8, vZn, M 10 x 1000	0.91
00975 0001 10 2000	975	4.8	Zinc	10	2000	Threaded rods, DIN 975, 4.8, vZn, M 10 x 2000	1.803
00975 0001 10 3000	975	4.8	Zinc	10	3000	Threaded rods, DIN 975, 4.8, vZn, M 10 x 3000	2.785
00975 0001 12	975	4.8	Zinc	12	1000	Threaded rods, DIN 975, 4.8, vZn, M 12 x 1000	1.341
00975 0001 14	975	4.8	Zinc	14	1000	Threaded rods, DIN 975, 4.8, vZn, M 14 x 1000	1.857
00975 0001 14 2000	975	4.8	Zinc	14	2000	Threaded rods, DIN 975, 4.8, vZn, M 14 x 2000	4.064
00975 0001 16	975	4.8	Zinc	16	1000	Threaded rods, DIN 975, 4.8, vZn, M 16 x 1000	2.473
00975 0001 16 2000	975	4.8	Zinc	16	2000	Threaded rods, DIN 975, 4.8, vZn, M 16 x 2000	5.134
00975 0001 16 3000	975	4.8	Zinc	16	3000	Threaded rods, DIN 975, 4.8, vZn, M 16 x 3000	7.705
00975 0001 18	975	4.8	Zinc	18	1000	Threaded rods, DIN 975, 4.8, vZn, M 18 x 1000	3.07
00975 0001 18 2000	975	4.8	Zinc	18	2000	Threaded rods, DIN 975, 4.8, vZn, M 18 x 2000	8.202
00975 0001 20	975	4.8	Zinc	20	1000	Threaded rods, DIN 975, 4.8, vZn, M 20 x 1000	3.923
00975 0001 20 2000	975	4.8	Zinc	20	2000	Threaded rods, DIN 975, 4.8, vZn, M 20 x 2000	7.97
00975 0001 20 3000	975	4.8	Zinc	20	3000	Threaded rods, DIN 975, 4.8, vZn, M 20 x 3000	11.98
00975 0001 22	975	4.8	Zinc	22	1000	Threaded rods, DIN 975, 4.8, vZn, M 22 x 1000	5.112
00975 0001 24	975	4.8	Zinc	24	1000	Threaded rods, DIN 975, 4.8, vZn, M 24 x 1000	5.875
00975 0001 24 2000	975	4.8	Zinc	24	2000	Threaded rods, DIN 975, 4.8, vZn, M 24 x 2000	12.33
00975 0001 27	975	4.8	Zinc	27	1000	Threaded rods, DIN 975, 4.8, vZn, M 27 x 1000	7.723
00975 0001 30	975	4.8	Zinc	30	1000	Threaded rods, DIN 975, 4.8, vZn, M 30 x 1000	9.192
00975 0001 30 2000	975	4.8	Zinc	30	2000	Threaded rods, DIN 975, 4.8, vZn, M 30 x 2000	20.67
00975 0001 33	975	4.8	Zinc	33	1000	Threaded rods, DIN 975, 4.8, vZn, M 33 x 1000	12.04
00975 0001 36	975	4.8	Zinc	36	1000	Threaded rods, DIN 975, 4.8, vZn, M 36 x 1000	14.12
00975 8801 5	975	8.8	Zinc	5	1000	Threaded rods, DIN 975, 8.8, vZn, M 5 x 1000	0.42
00975 8801 6	975	8.8	Zinc	6	1000	Threaded rods, DIN 975, 8.8, vZn, M 6 x 1000	0.498
00975 8801 8	975	8.8	Zinc	8	1000	Threaded rods, DIN 975, 8.8, vZn, M 8 x 1000	0.793
00975 8801 10	975	8.8	Zinc	10	1000	Threaded rods, DIN 975, 8.8, vZn, M 10 x 1000	1.265
00975 8801 10 2000	975	8.8	Zinc	10	2000	Threaded rods, DIN 975, 8.8, vZn, M 10 x 2000	3.004
00975 8801 10 3000	975	8.8	Zinc	10	3000	Threaded rods, DIN 975, 8.8, vZn, M 10 x 3000	4.559
00975 8801 12	975	8.8	Zinc	12	1000	Threaded rods, DIN 975, 8.8, vZn, M 12 x 1000	1.764
00975 8801 12 2000	975	8.8	Zinc	12	2000	Threaded rods, DIN 975, 8.8, vZn, M 12 x 2000	3.772
00975 8801 12 3000	975	8.8	Zinc	12	3000	Threaded rods, DIN 975, 8.8, vZn, M 12 x 3000	5.554
00975 8801 14	975	8.8	Zinc	14	1000	Threaded rods, DIN 975, 8.8, vZn, M 14 x 1000	2.387
00975 8801 14 2000	975	8.8	Zinc	14	2000	Threaded rods, DIN 975, 8.8, vZn, M 14 x 2000	5.554
00975 8801 16	975	8.8	Zinc	16	1000	Threaded rods, DIN 975, 8.8, vZn, M 16 x 1000	3.223
00975 8801 16 2000	975	8.8	Zinc	16	2000	Threaded rods, DIN 975, 8.8, vZn, M 16 x 2000	6.757
00975 8801 16 3000	975	8.8	Zinc	16	3000	Threaded rods, DIN 975, 8.8, vZn, M 16 x 3000	10.28
00975 8801 18	975	8.8	Zinc	18	1000	Threaded rods, DIN 975, 8.8, vZn, M 18 x 1000	4.041
00975 8801 20	975	8.8	Zinc	20	1000	Threaded rods, DIN 975, 8.8, vZn, M 20 x 1000	5.063
00975 8801 20 2000	975	8.8	Zinc	20	2000	Threaded rods, DIN 975, 8.8, vZn, M 20 x 2000	10.46
00975 8801 20 3000	975	8.8	Zinc	20	3000	Threaded rods, DIN 975, 8.8, vZn, M 20 x 3000	16.01
00975 8801 22	975	8.8	Zinc	22	1000	Threaded rods, DIN 975, 8.8, vZn, M 22 x 1000	6.703
00975 8801 24	975	8.8	Zinc	24	1000	Threaded rods, DIN 975, 8.8, vZn, M 24 x 1000	7.321

00975 8801 24 2000	975	8.8	Zinc	24	2000	Threaded rods, DIN 975, 8.8, vZn, M 24 x 2000	15.88
00975 8801 27	975	8.8	Zinc	27	1000	Threaded rods, DIN 975, 8.8, vZn, M 27 x 1000	9.698
00975 8801 27 2000	975	8.8	Zinc	27	2000	Threaded rods, DIN 975, 8.8, vZn, M 27 x 2000	20.73
00975 8801 27 3000	975	8.8	Zinc	27	3000	Threaded rods, DIN 975, 8.8, vZn, M 27 x 3000	31.33
00975 8801 30	975	8.8	Zinc	30	1000	Threaded rods, DIN 975, 8.8, vZn, M 30 x 1000	12.12
00975 8801 30 2000	975	8.8	Zinc	30	2000	Threaded rods, DIN 975, 8.8, vZn, M 30 x 2000	27.77
00975 8801 36	975	8.8	Zinc	36	1000	Threaded rods, DIN 975, 8.8, vZn, M 36 x 1000	17.83
00975 8801 36 2000	975	8.8	Zinc	36	2000	Threaded rods, DIN 975, 8.8, vZn, M 36 x 2000	37.4
00975 8801 39	975	8.8	Zinc	39	1000	Threaded rods, DIN 975, 8.8, vZn, M 39 x 1000	22.58
00975 8801 42	975	8.8	Zinc	42	1000	Threaded rods, DIN 975, 8.8, vZn, M 42 x 1000	25.63
00975 8801 42 2000	975	8.8	Zinc	42	2000	Threaded rods, DIN 975, 8.8, vZn, M 42 x 2000	52.67
00975 8801 45	975	8.8	Zinc	45	1000	Threaded rods, DIN 975, 8.8, vZn, M 45 x 1000	31.9
00975 8801 48	975	8.8	Zinc	48	1000	Threaded rods, DIN 975, 8.8, vZn, M 48 x 1000	37.89
00975 8801 56	975	8.8	Zinc	56	1000	Threaded rods, DIN 975, 8.8, vZn, M 56 x 1000	64.28

DIN 933					Surub cu cap hexagonal filetat complet		
---------	--	--	--	--	--	--	--



00933 4601 8 16			Zinc	8	16	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x16	0.027
00933 4601 8 20	933	4.8	Zinc	8	20	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x20	0.03
00933 4601 8 25	933	4.8	Zinc	8	25	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x25	0.033
00933 4601 8 30	933	4.8	Zinc	8	30	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x30	0.037
00933 4601 8 35	933	4.8	Zinc	8	35	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x35	0.042
00933 4601 8 40	933	4.8	Zinc	8	40	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x40	0.045
00933 4601 8 45	933	4.8	Zinc	8	45	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x45	0.049
00933 4601 8 50	933	4.8	Zinc	8	50	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x50	0.053
00933 4601 8 60	933	4.8	Zinc	8	60	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x60	0.06
00933 4601 8 70	933	4.8	Zinc	8	70	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x70	0.072
00933 4601 8 80	933	4.8	Zinc	8	80	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x80	0.067
00933 4601 8 90	933	4.8	Zinc	8	90	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x90	0.085
00933 4601 8 100	933	4.8	Zinc	8	100	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M8x100	0.096
00933 4601 10 20	933	4.8	Zinc	10	20	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x20	0.051
00933 4601 10 25	933	4.8	Zinc	10	25	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x25	0.054
00933 4601 10 30	933	4.8	Zinc	10	30	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x30	0.06
00933 4601 10 35	933	4.8	Zinc	10	35	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x35	0.065
00933 4601 10 40	933	4.8	Zinc	10	40	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x40	0.068
00933 4601 10 45	933	4.8	Zinc	10	45	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x45	0.07
00933 4601 10 50	933	4.8	Zinc	10	50	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x50	0.082
00933 4601 10 60	933	4.8	Zinc	10	60	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x60	0.087
00933 4601 10 70	933	4.8	Zinc	10	70	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x70	0.112
00933 4601 10 80	933	4.8	Zinc	10	80	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x80	0.124
00933 4601 10 90	933	4.8	Zinc	10	90	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x90	0.136
00933 4601 10 100	933	4.8	Zinc	10	100	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M10x100	0.148
00933 4601 12 20	933	4.8	Zinc	12	20	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x20	0.075
00933 4601 12 25	933	4.8	Zinc	12	25	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x25	0.078
00933 4601 12 30	933	4.8	Zinc	12	30	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x30	0.086
00933 4601 12 35	933	4.8	Zinc	12	35	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x35	0.094
00933 4601 12 40	933	4.8	Zinc	12	40	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x40	0.102
00933 4601 12 45	933	4.8	Zinc	12	45	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x45	0.11
00933 4601 12 50	933	4.8	Zinc	12	50	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x50	0.115
00933 4601 12 60	933	4.8	Zinc	12	60	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x60	0.133
00933 4601 12 70	933	4.8	Zinc	12	70	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x70	0.151
00933 4601 12 80	933	4.8	Zinc	12	80	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x80	0.178
00933 4601 12 90	933	4.8	Zinc	12	90	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x90	0.195
00933 4601 12 100	933	4.8	Zinc	12	100	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x100	0.213
00933 4601 12 110	933	4.8	Zinc	12	110	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x110	0.238
00933 4601 12 120	933	4.8	Zinc	12	120	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x120	0.306
00933 4601 12 130	933	4.8	Zinc	12	130	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x130	0.327

00933 4601 12 140	933	4.8	Zinc	12	140	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M12x140	0.341
00933 4601 14 40	933	4.8	Zinc	14	40	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M14x40	0.159
00933 4601 14 50	933	4.8	Zinc	14	50	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M14x50	0.183
00933 4601 14 60	933	4.8	Zinc	14	60	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M14x60	0.206
00933 4601 14 70	933	4.8	Zinc	14	70	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M14x70	0.25
00933 4601 14 80	933	4.8	Zinc	14	80	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M14x80	0.273
00933 4601 14 100	933	4.8	Zinc	14	100	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M14x100	0.324
00933 4601 16 30	933	4.8	Zinc	16	30	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x30	0.186
00933 4601 16 35	933	4.8	Zinc	16	35	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x35	0.19
00933 4601 16 40	933	4.8	Zinc	16	40	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x40	0.206
00933 4601 16 45	933	4.8	Zinc	16	45	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x45	0.221
00933 4601 16 50	933	4.8	Zinc	16	50	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x50	0.235
00933 4601 16 60	933	4.8	Zinc	16	60	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x60	0.266
00933 4601 16 70	933	4.8	Zinc	16	70	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x70	0.296
00933 4601 16 80	933	4.8	Zinc	16	80	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x80	0.358
00933 4601 16 90	933	4.8	Zinc	16	90	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x90	0.39
00933 4601 16 100	933	4.8	Zinc	16	100	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x100	0.422
00933 4601 16 110	933	4.8	Zinc	16	110	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x110	0.457
00933 4601 16 120	933	4.8	Zinc	16	120	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x120	0.621
00933 4601 16 130	933	4.8	Zinc	16	130	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x130	0.63
00933 4601 16 140	933	4.8	Zinc	16	140	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x140	0.603
00933 4601 16 150	933	4.8	Zinc	16	150	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M16x150	0.711
00933 4601 20 45	933	4.8	Zinc	20	45	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x45	0.387
00933 4601 20 50	933	4.8	Zinc	20	50	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x50	0.433
00933 4601 20 60	933	4.8	Zinc	20	60	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x60	0.46
00933 4601 20 70	933	4.8	Zinc	20	70	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x70	0.509
00933 4601 20 80	933	4.8	Zinc	20	80	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x80	0.558
00933 4601 20 90	933	4.8	Zinc	20	90	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x90	0.62
00933 4601 20 100	933	4.8	Zinc	20	100	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x100	0.693
00933 4601 20 110	933	4.8	Zinc	20	110	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x110	0.9
00933 4601 20 120	933	4.8	Zinc	20	120	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x120	0.96
00933 4601 20 130	933	4.8	Zinc	20	130	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x130	1.021
00933 4601 20 140	933	4.8	Zinc	20	140	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x140	1.083
00933 4601 20 150	933	4.8	Zinc	20	150	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M20x150	1.144
00933 4601 24 70	933	4.8	Zinc	24	70	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M24x70	0.761
00933 4601 24 80	933	4.8	Zinc	24	80	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M24x80	0.888
00933 4601 24 90	933	4.8	Zinc	24	90	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M24x90	1.003
00933 4601 24 100	933	4.8	Zinc	24	100	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M24x100	1.08
00933 4601 24 110	933	4.8	Zinc	24	110	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M24x110	1.421
00933 4601 24 120	933	4.8	Zinc	24	120	Hexagon cap screws fully threaded, DIN 933, 4.8, vZn, M24x120	1.516
00933 4600 8 20	933	4.8	Plain	8	20	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M8x20	0.027
00933 4600 8 25	933	4.8	Plain	8	25	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M8x25	0.03
00933 4600 8 30	933	4.8	Plain	8	30	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M8x30	0.034
00933 4600 8 35	933	4.8	Plain	8	35	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M8x35	0.038
00933 4600 8 40	933	4.8	Plain	8	40	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M8x40	0.041
00933 4600 8 50	933	4.8	Plain	8	50	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M8x50	0.048
00933 4600 10 25	933	4.8	Plain	10	25	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M10x25	0.049
00933 4600 10 30	933	4.8	Plain	10	30	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M10x30	0.054
00933 4600 10 35	933	4.8	Plain	10	35	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M10x35	0.059
00933 4600 10 40	933	4.8	Plain	10	40	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M10x40	0.062
00933 4600 10 50	933	4.8	Plain	10	50	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M10x50	0.075
00933 4600 10 60	933	4.8	Plain	10	60	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M10x60	0.079
00933 4600 12 30	933	4.8	Plain	12	30	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M12x30	0.078
00933 4600 12 35	933	4.8	Plain	12	35	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M12x35	0.085
00933 4600 12 40	933	4.8	Plain	12	40	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M12x40	0.093
00933 4600 12 45	933	4.8	Plain	12	45	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M12x45	0.1

00933 4600 12 50	933	4.8	Plain	12	50	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M12x50	0.105
00933 4600 12 60	933	4.8	Plain	12	60	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M12x60	0.12
00933 4600 16 30	933	4.8	Plain	16	30	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M16x30	0.169
00933 4600 16 35	933	4.8	Plain	16	35	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M16x35	0.173
00933 4600 16 40	933	4.8	Plain	16	40	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M16x40	0.187
00933 4600 16 45	933	4.8	Plain	16	45	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M16x45	0.201
00933 4600 16 50	933	4.8	Plain	16	50	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M16x50	0.213
00933 4600 16 60	933	4.8	Plain	16	60	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M16x60	0.242
00933 4600 16 70	933	4.8	Plain	16	70	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M16x70	0.269
00933 4600 16 80	933	4.8	Plain	16	80	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M16x80	0.325
00933 4600 16 100	933	4.8	Plain	16	100	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M16x100	0.383
00933 4600 20 50	933	4.8	Plain	20	50	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M20x50	0.393
00933 4600 20 60	933	4.8	Plain	20	60	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M20x60	0.418
00933 4600 20 70	933	4.8	Plain	20	70	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M20x70	0.462
00933 4600 20 80	933	4.8	Plain	20	80	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M20x80	0.507
00933 4600 20 100	933	4.8	Plain	20	100	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M20x100	0.629
00933 4600 24 70	933	4.8	Plain	24	70	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M24x70	0.691
00933 4600 24 80	933	4.8	Plain	24	80	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M24x80	0.807
00933 4600 24 90	933	4.8	Plain	24	90	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M24x90	0.911
00933 4600 24 100	933	4.8	Plain	24	100	Hexagon cap screws fully threaded, DIN 933, 4.8, Bl., M24x100	0.981
00933 6801 6 10	933	6.8	Zinc	6	10	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x10	0.013
00933 6801 6 12	933	6.8	Zinc	6	12	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x12	0.016
00933 6801 6 16	933	6.8	Zinc	6	16	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x16	0.014
00933 6801 6 20	933	6.8	Zinc	6	20	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x20	0.015
00933 6801 6 25	933	6.8	Zinc	6	25	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x25	0.018
00933 6801 6 30	933	6.8	Zinc	6	30	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x30	0.02
00933 6801 6 35	933	6.8	Zinc	6	35	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x35	0.021
00933 6801 6 40	933	6.8	Zinc	6	40	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x40	0.025
00933 6801 6 45	933	6.8	Zinc	6	45	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x45	0.027
00933 6801 6 50	933	6.8	Zinc	6	50	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x50	0.026
00933 6801 6 60	933	6.8	Zinc	6	60	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x60	0.038
00933 6801 6 70	933	6.8	Zinc	6	70	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x70	0.043
00933 6801 6 80	933	6.8	Zinc	6	80	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M6x80	0.048
00933 6801 8 16	933	6.8	Zinc	8	16	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x16	0.028
00933 6801 8 20	933	6.8	Zinc	8	20	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x20	0.031
00933 6801 8 25	933	6.8	Zinc	8	25	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x25	0.035
00933 6801 8 30	933	6.8	Zinc	8	30	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x30	0.039
00933 6801 8 35	933	6.8	Zinc	8	35	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x35	0.043
00933 6801 8 40	933	6.8	Zinc	8	40	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x40	0.047
00933 6801 8 45	933	6.8	Zinc	8	45	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x45	0.051
00933 6801 8 50	933	6.8	Zinc	8	50	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x50	0.055
00933 6801 8 55	933	6.8	Zinc	8	55	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x55	0.059
00933 6801 8 60	933	6.8	Zinc	8	60	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x60	0.063
00933 6801 8 70	933	6.8	Zinc	8	70	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x70	0.075
00933 6801 8 80	933	6.8	Zinc	8	80	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x80	0.069
00933 6801 8 90	933	6.8	Zinc	8	90	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x90	0.088
00933 6801 8 100	933	6.8	Zinc	8	100	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x100	0.099
00933 6801 8 110	933	6.8	Zinc	8	110	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x110	0.109
00933 6801 8 120	933	6.8	Zinc	8	120	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M8x120	0.137
00933 6801 10 16	933	6.8	Zinc	10	16	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x16	0.048
00933 6801 10 20	933	6.8	Zinc	10	20	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x20	0.053
00933 6801 10 25	933	6.8	Zinc	10	25	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x25	0.056
00933 6801 10 30	933	6.8	Zinc	10	30	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x30	0.062
00933 6801 10 35	933	6.8	Zinc	10	35	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x35	0.068
00933 6801 10 40	933	6.8	Zinc	10	40	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x40	0.071
00933 6801 10 45	933	6.8	Zinc	10	45	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x45	0.072

00933 6801 10 50	933	6.8	Zinc	10	50	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x50	0.085
00933 6801 10 55	933	6.8	Zinc	10	55	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x55	0.091
00933 6801 10 60	933	6.8	Zinc	10	60	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x60	0.09
00933 6801 10 70	933	6.8	Zinc	10	70	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x70	0.116
00933 6801 10 80	933	6.8	Zinc	10	80	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x80	0.128
00933 6801 10 90	933	6.8	Zinc	10	90	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x90	0.141
00933 6801 10 100	933	6.8	Zinc	10	100	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x100	0.153
00933 6801 10 110	933	6.8	Zinc	10	110	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x110	0.206
00933 6801 10 120	933	6.8	Zinc	10	120	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M10x120	0.222
00933 6801 12 20	933	6.8	Zinc	12	20	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x20	0.078
00933 6801 12 25	933	6.8	Zinc	12	25	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x25	0.08
00933 6801 12 30	933	6.8	Zinc	12	30	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x30	0.089
00933 6801 12 35	933	6.8	Zinc	12	35	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x35	0.097
00933 6801 12 40	933	6.8	Zinc	12	40	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x40	0.106
00933 6801 12 45	933	6.8	Zinc	12	45	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x45	0.114
00933 6801 12 50	933	6.8	Zinc	12	50	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x50	0.12
00933 6801 12 55	933	6.8	Zinc	12	55	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x55	0.122
00933 6801 12 60	933	6.8	Zinc	12	60	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x60	0.137
00933 6801 12 70	933	6.8	Zinc	12	70	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x70	0.157
00933 6801 12 75	933	6.8	Zinc	12	75	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x75	0.175
00933 6801 12 80	933	6.8	Zinc	12	80	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x80	0.184
00933 6801 12 90	933	6.8	Zinc	12	90	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x90	0.202
00933 6801 12 100	933	6.8	Zinc	12	100	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x100	0.22
00933 6801 12 110	933	6.8	Zinc	12	110	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x110	0.246
00933 6801 12 120	933	6.8	Zinc	12	120	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x120	0.317
00933 6801 12 140	933	6.8	Zinc	12	140	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x140	0.353
00933 6801 12 150	933	6.8	Zinc	12	150	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M12x150	0.382
00933 6801 14 30	933	6.8	Zinc	14	30	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M14x30	0.128
00933 6801 14 35	933	6.8	Zinc	14	35	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M14x35	0.153
00933 6801 14 40	933	6.8	Zinc	14	40	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M14x40	0.165
00933 6801 14 45	933	6.8	Zinc	14	45	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M14x45	0.177
00933 6801 14 50	933	6.8	Zinc	14	50	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M14x50	0.189
00933 6801 14 60	933	6.8	Zinc	14	60	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M14x60	0.213
00933 6801 14 70	933	6.8	Zinc	14	70	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M14x70	0.259
00933 6801 14 80	933	6.8	Zinc	14	80	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M14x80	0.283
00933 6801 14 90	933	6.8	Zinc	14	90	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M14x90	0.309
00933 6801 14 100	933	6.8	Zinc	14	100	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M14x100	0.336
00933 6801 16 25	933	6.8	Zinc	16	25	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x25	0.218
00933 6801 16 30	933	6.8	Zinc	16	30	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x30	0.193
00933 6801 16 35	933	6.8	Zinc	16	35	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x35	0.197
00933 6801 16 40	933	6.8	Zinc	16	40	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x40	0.213
00933 6801 16 45	933	6.8	Zinc	16	45	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x45	0.229
00933 6801 16 50	933	6.8	Zinc	16	50	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x50	0.243
00933 6801 16 55	933	6.8	Zinc	16	55	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x55	0.262
00933 6801 16 60	933	6.8	Zinc	16	60	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x60	0.276
00933 6801 16 65	933	6.8	Zinc	16	65	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x65	0.29
00933 6801 16 70	933	6.8	Zinc	16	70	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x70	0.306
00933 6801 16 75	933	6.8	Zinc	16	75	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x75	0.352
00933 6801 16 80	933	6.8	Zinc	16	80	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x80	0.37
00933 6801 16 90	933	6.8	Zinc	16	90	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x90	0.404
00933 6801 16 100	933	6.8	Zinc	16	100	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x100	0.437
00933 6801 16 110	933	6.8	Zinc	16	110	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x110	0.473
00933 6801 16 120	933	6.8	Zinc	16	120	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x120	0.643
00933 6801 16 130	933	6.8	Zinc	16	130	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x130	0.653
00933 6801 16 140	933	6.8	Zinc	16	140	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x140	0.624
00933 6801 16 150	933	6.8	Zinc	16	150	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M16x150	0.736



00933 6801 18 40	933	6.8	Zinc	18	40	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M18x40	0.424
00933 6801 18 50	933	6.8	Zinc	18	50	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M18x50	0.433
00933 6801 18 60	933	6.8	Zinc	18	60	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M18x60	0.407
00933 6801 18 70	933	6.8	Zinc	18	70	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M18x70	0.449
00933 6801 18 80	933	6.8	Zinc	18	80	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M18x80	0.443
00933 6801 18 90	933	6.8	Zinc	18	90	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M18x90	0.537
00933 6801 18 100	933	6.8	Zinc	18	100	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M18x100	0.642
00933 6801 20 40	933	6.8	Zinc	20	40	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x40	0.406
00933 6801 20 45	933	6.8	Zinc	20	45	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x45	0.401
00933 6801 20 50	933	6.8	Zinc	20	50	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x50	0.448
00933 6801 20 55	933	6.8	Zinc	20	55	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x55	0.452
00933 6801 20 60	933	6.8	Zinc	20	60	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x60	0.476
00933 6801 20 65	933	6.8	Zinc	20	65	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x65	0.526
00933 6801 20 70	933	6.8	Zinc	20	70	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x70	0.527
00933 6801 20 75	933	6.8	Zinc	20	75	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x75	0.78
00933 6801 20 80	933	6.8	Zinc	20	80	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x80	0.578
00933 6801 20 90	933	6.8	Zinc	20	90	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x90	0.636
00933 6801 20 100	933	6.8	Zinc	20	100	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x100	0.717
00933 6801 20 110	933	6.8	Zinc	20	110	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x110	0.932
00933 6801 20 120	933	6.8	Zinc	20	120	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x120	0.994
00933 6801 20 130	933	6.8	Zinc	20	130	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x130	1.057
00933 6801 20 140	933	6.8	Zinc	20	140	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x140	1.122
00933 6801 20 150	933	6.8	Zinc	20	150	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M20x150	1.184
00933 6801 22 60	933	6.8	Zinc	22	60	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M22x60	0.75
00933 6801 22 70	933	6.8	Zinc	22	70	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M22x70	0.826
00933 6801 22 80	933	6.8	Zinc	22	80	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M22x80	0.906
00933 6801 22 90	933	6.8	Zinc	22	90	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M22x90	1.088
00933 6801 22 100	933	6.8	Zinc	22	100	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M22x100	1.229
00933 6801 24 50	933	6.8	Zinc	24	50	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x50	0.697
00933 6801 24 55	933	6.8	Zinc	24	55	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x55	0.723
00933 6801 24 60	933	6.8	Zinc	24	60	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x60	0.781
00933 6801 24 70	933	6.8	Zinc	24	70	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x70	0.788
00933 6801 24 75	933	6.8	Zinc	24	75	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x75	0.935
00933 6801 24 80	933	6.8	Zinc	24	80	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x80	0.92
00933 6801 24 90	933	6.8	Zinc	24	90	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x90	1.039
00933 6801 24 100	933	6.8	Zinc	24	100	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x100	1.118
00933 6801 24 110	933	6.8	Zinc	24	110	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x110	1.471
00933 6801 24 120	933	6.8	Zinc	24	120	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x120	1.569
00933 6801 24 130	933	6.8	Zinc	24	130	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x130	1.432
00933 6801 24 140	933	6.8	Zinc	24	140	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x140	1.56
00933 6801 24 150	933	6.8	Zinc	24	150	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M24x150	1.858
00933 6801 27 60	933	6.8	Zinc	27	60	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M27x60	1.58
00933 6801 27 70	933	6.8	Zinc	27	70	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M27x70	1.724
00933 6801 27 80	933	6.8	Zinc	27	80	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M27x80	1.868
00933 6801 27 90	933	6.8	Zinc	27	90	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M27x90	2.016
00933 6801 27 100	933	6.8	Zinc	27	100	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M27x100	2.114
00933 6801 27 110	933	6.8	Zinc	27	110	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M27x110	2.319
00933 6801 27 120	933	6.8	Zinc	27	120	Hexagon cap screws fully threaded, DIN 933, 6.8, vZn, M27x120	2.409
00933 6800 8 20	933	6.8	Plain	8	20	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M8x20	0.028
00933 6800 8 25	933	6.8	Plain	8	25	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M8x25	0.032
00933 6800 8 30	933	6.8	Plain	8	30	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M8x30	0.036
00933 6800 8 35	933	6.8	Plain	8	35	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M8x35	0.04
00933 6800 8 40	933	6.8	Plain	8	40	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M8x40	0.043
00933 6800 8 50	933	6.8	Plain	8	50	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M8x50	0.05
00933 6800 8 60	933	6.8	Plain	8	60	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M8x60	0.058
00933 6800 10 20	933	6.8	Plain	10	20	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M10x20	0.049

00933 6800 10 25	933	6.8	Plain	10	25	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M10x25	0.051
00933 6800 10 30	933	6.8	Plain	10	30	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M10x30	0.057
00933 6800 10 35	933	6.8	Plain	10	35	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M10x35	0.062
00933 6800 10 40	933	6.8	Plain	10	40	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M10x40	0.065
00933 6800 10 45	933	6.8	Plain	10	45	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M10x45	0.067
00933 6800 10 50	933	6.8	Plain	10	50	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M10x50	0.079
00933 6800 10 60	933	6.8	Plain	10	60	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M10x60	0.083
00933 6800 12 30	933	6.8	Plain	12	30	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M12x30	0.082
00933 6800 12 35	933	6.8	Plain	12	35	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M12x35	0.09
00933 6800 12 40	933	6.8	Plain	12	40	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M12x40	0.098
00933 6800 12 45	933	6.8	Plain	12	45	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M12x45	0.105
00933 6800 12 50	933	6.8	Plain	12	50	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M12x50	0.11
00933 6800 12 60	933	6.8	Plain	12	60	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M12x60	0.127
00933 6800 16 40	933	6.8	Plain	16	40	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M16x40	0.196
00933 6800 16 45	933	6.8	Plain	16	45	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M16x45	0.211
00933 6800 16 50	933	6.8	Plain	16	50	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M16x50	0.224
00933 6800 16 55	933	6.8	Plain	16	55	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M16x55	0.241
00933 6800 16 60	933	6.8	Plain	16	60	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M16x60	0.254
00933 6800 16 65	933	6.8	Plain	16	65	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M16x65	0.267
00933 6800 16 70	933	6.8	Plain	16	70	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M16x70	0.283
00933 6800 16 80	933	6.8	Plain	16	80	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M16x80	0.342
00933 6800 16 90	933	6.8	Plain	16	90	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M16x90	0.372
00933 6800 20 50	933	6.8	Plain	20	50	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M20x50	0.413
00933 6800 20 60	933	6.8	Plain	20	60	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M20x60	0.439
00933 6800 20 70	933	6.8	Plain	20	70	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M20x70	0.486
00933 6800 20 80	933	6.8	Plain	20	80	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M20x80	0.533
00933 6800 20 90	933	6.8	Plain	20	90	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M20x90	0.572
00933 6800 20 100	933	6.8	Plain	20	100	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M20x100	0.662
00933 6800 24 60	933	6.8	Plain	24	60	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M24x60	0.72
00933 6800 24 70	933	6.8	Plain	24	70	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M24x70	0.727
00933 6800 24 80	933	6.8	Plain	24	80	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M24x80	0.848
00933 6800 24 90	933	6.8	Plain	24	90	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M24x90	0.958
00933 6800 24 100	933	6.8	Plain	24	100	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M24x100	1.031
00933 6800 24 120	933	6.8	Plain	24	120	Hexagon cap screws fully threaded, DIN 933, 6.8, Bl., M24x120	1.447
00933 8801 6 8	933	8.8	Zinc	6	8	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 8	0.018
00933 8801 6 10	933	8.8	Zinc	6	10	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 10	0.015
00933 8801 6 12	933	8.8	Zinc	6	12	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 12	0.018
00933 8801 6 14	933	8.8	Zinc	6	14	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 14	0.019
00933 8801 6 16	933	8.8	Zinc	6	16	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 16	0.017
00933 8801 6 20	933	8.8	Zinc	6	20	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 20	0.018
00933 8801 6 25	933	8.8	Zinc	6	25	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 25	0.02
00933 8801 6 30	933	8.8	Zinc	6	30	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 30	0.023
00933 8801 6 35	933	8.8	Zinc	6	35	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 35	0.024
00933 8801 6 40	933	8.8	Zinc	6	40	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 40	0.029
00933 8801 6 45	933	8.8	Zinc	6	45	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 45	0.031
00933 8801 6 50	933	8.8	Zinc	6	50	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 50	0.03
00933 8801 6 55	933	8.8	Zinc	6	55	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 55	0.036
00933 8801 6 60	933	8.8	Zinc	6	60	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 60	0.044
00933 8801 6 70	933	8.8	Zinc	6	70	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 70	0.05
00933 8801 6 80	933	8.8	Zinc	6	80	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 80	0.055
00933 8801 6 90	933	8.8	Zinc	6	90	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 90	0.063
00933 8801 6 100	933	8.8	Zinc	6	100	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 6 x 100	0.081
00933 8801 8 10	933	8.8	Zinc	8	10	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 8 x 10	0.033
00933 8801 8 12	933	8.8	Zinc	8	12	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 8 x 12	0.035
00933 8801 8 14	933	8.8	Zinc	8	14	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 8 x 14	0.034
00933 8801 8 15	933	8.8	Zinc	8	15	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 8 x 15	0.035



00933 8801 12 60	933	8.8	Zinc	12	60	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 60	0.159
00933 8801 12 65	933	8.8	Zinc	12	65	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 65	0.176
00933 8801 12 70	933	8.8	Zinc	12	70	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 70	0.182
00933 8801 12 75	933	8.8	Zinc	12	75	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 75	0.203
00933 8801 12 80	933	8.8	Zinc	12	80	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 80	0.214
00933 8801 12 85	933	8.8	Zinc	12	85	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 85	0.269
00933 8801 12 90	933	8.8	Zinc	12	90	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 90	0.234
00933 8801 12 100	933	8.8	Zinc	12	100	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 100	0.255
00933 8801 12 110	933	8.8	Zinc	12	110	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 110	0.286
00933 8801 12 120	933	8.8	Zinc	12	120	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 120	0.368
00933 8801 12 130	933	8.8	Zinc	12	130	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 130	0.393
00933 8801 12 140	933	8.8	Zinc	12	140	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 140	0.41
00933 8801 12 150	933	8.8	Zinc	12	150	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 150	0.443
00933 8801 12 160	933	8.8	Zinc	12	160	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 160	0.61
00933 8801 12 170	933	8.8	Zinc	12	170	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 170	0.643
00933 8801 12 180	933	8.8	Zinc	12	180	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 180	0.676
00933 8801 12 200	933	8.8	Zinc	12	200	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 12 x 200	0.742
00933 8801 14 25	933	8.8	Zinc	14	25	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 25	0.143
00933 8801 14 30	933	8.8	Zinc	14	30	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 30	0.149
00933 8801 14 35	933	8.8	Zinc	14	35	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 35	0.177
00933 8801 14 40	933	8.8	Zinc	14	40	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 40	0.191
00933 8801 14 45	933	8.8	Zinc	14	45	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 45	0.205
00933 8801 14 50	933	8.8	Zinc	14	50	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 50	0.219
00933 8801 14 55	933	8.8	Zinc	14	55	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 55	0.234
00933 8801 14 60	933	8.8	Zinc	14	60	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 60	0.247
00933 8801 14 65	933	8.8	Zinc	14	65	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 65	0.298
00933 8801 14 70	933	8.8	Zinc	14	70	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 70	0.3
00933 8801 14 80	933	8.8	Zinc	14	80	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 80	0.328
00933 8801 14 90	933	8.8	Zinc	14	90	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 90	0.359
00933 8801 14 100	933	8.8	Zinc	14	100	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 100	0.39
00933 8801 14 110	933	8.8	Zinc	14	110	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 110	0.494
00933 8801 14 120	933	8.8	Zinc	14	120	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 14 x 120	0.53
00933 8801 16 20	933	8.8	Zinc	16	20	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 20	0.248
00933 8801 16 25	933	8.8	Zinc	16	25	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 25	0.253
00933 8801 16 30	933	8.8	Zinc	16	30	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 30	0.224
00933 8801 16 35	933	8.8	Zinc	16	35	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 35	0.228
00933 8801 16 40	933	8.8	Zinc	16	40	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 40	0.247
00933 8801 16 45	933	8.8	Zinc	16	45	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 45	0.265
00933 8801 16 50	933	8.8	Zinc	16	50	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 50	0.282
00933 8801 16 55	933	8.8	Zinc	16	55	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 55	0.304
00933 8801 16 60	933	8.8	Zinc	16	60	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 60	0.32
00933 8801 16 65	933	8.8	Zinc	16	65	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 65	0.336
00933 8801 16 70	933	8.8	Zinc	16	70	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 70	0.355
00933 8801 16 75	933	8.8	Zinc	16	75	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 75	0.409
00933 8801 16 80	933	8.8	Zinc	16	80	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 80	0.43
00933 8801 16 85	933	8.8	Zinc	16	85	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 85	0.465
00933 8801 16 90	933	8.8	Zinc	16	90	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 90	0.468
00933 8801 16 95	933	8.8	Zinc	16	95	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 95	0.668
00933 8801 16 100	933	8.8	Zinc	16	100	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 100	0.507
00933 8801 16 110	933	8.8	Zinc	16	110	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 110	0.549
00933 8801 16 120	933	8.8	Zinc	16	120	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 120	0.746
00933 8801 16 130	933	8.8	Zinc	16	130	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 130	0.757
00933 8801 16 140	933	8.8	Zinc	16	140	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 140	0.724
00933 8801 16 150	933	8.8	Zinc	16	150	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 150	0.854
00933 8801 16 160	933	8.8	Zinc	16	160	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 160	1.178
00933 8801 16 170	933	8.8	Zinc	16	170	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 170	1.235


00933 8801 16 180	933	8.8	Zinc	16	180	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 180	1.296
00933 8801 16 190	933	8.8	Zinc	16	190	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 190	1.357
00933 8801 16 200	933	8.8	Zinc	16	200	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 200	1.418
00933 8801 16 220	933	8.8	Zinc	16	220	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 220	1.887
00933 8801 16 240	933	8.8	Zinc	16	240	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 240	2.023
00933 8801 16 250	933	8.8	Zinc	16	250	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 250	2.098
00933 8801 16 260	933	8.8	Zinc	16	260	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 16 x 260	2.331
00933 8801 18 30	933	8.8	Zinc	18	30	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 30	0.535
00933 8801 18 35	933	8.8	Zinc	18	35	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 35	0.458
00933 8801 18 40	933	8.8	Zinc	18	40	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 40	0.492
00933 8801 18 45	933	8.8	Zinc	18	45	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 45	0.525
00933 8801 18 50	933	8.8	Zinc	18	50	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 50	0.502
00933 8801 18 55	933	8.8	Zinc	18	55	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 55	0.448
00933 8801 18 60	933	8.8	Zinc	18	60	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 60	0.472
00933 8801 18 65	933	8.8	Zinc	18	65	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 65	0.497
00933 8801 18 70	933	8.8	Zinc	18	70	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 70	0.521
00933 8801 18 80	933	8.8	Zinc	18	80	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 80	0.514
00933 8801 18 90	933	8.8	Zinc	18	90	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 90	0.623
00933 8801 18 100	933	8.8	Zinc	18	100	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 100	0.745
00933 8801 18 110	933	8.8	Zinc	18	110	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 110	1.279
00933 8801 18 120	933	8.8	Zinc	18	120	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 120	1.416
00933 8801 18 140	933	8.8	Zinc	18	140	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 140	1.445
00933 8801 18 150	933	8.8	Zinc	18	150	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 150	1.72
00933 8801 18 160	933	8.8	Zinc	18	160	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 18 x 160	2.015
00933 8801 20 30	933	8.8	Zinc	20	30	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 30	0.419
00933 8801 20 35	933	8.8	Zinc	20	35	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 35	0.433
00933 8801 20 40	933	8.8	Zinc	20	40	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 40	0.471
00933 8801 20 45	933	8.8	Zinc	20	45	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 45	0.465
00933 8801 20 50	933	8.8	Zinc	20	50	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 50	0.52
00933 8801 20 55	933	8.8	Zinc	20	55	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 55	0.524
00933 8801 20 60	933	8.8	Zinc	20	60	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 60	0.552
00933 8801 20 70	933	8.8	Zinc	20	70	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 70	0.611
00933 8801 20 75	933	8.8	Zinc	20	75	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 75	0.645
00933 8801 20 80	933	8.8	Zinc	20	80	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 80	0.671
00933 8801 20 85	933	8.8	Zinc	20	85	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 85	0.89
00933 8801 20 100	933	8.8	Zinc	20	100	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 100	0.832
00933 8801 20 110	933	8.8	Zinc	20	110	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 110	1.081
00933 8801 20 120	933	8.8	Zinc	20	120	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 120	1.153
00933 8801 20 130	933	8.8	Zinc	20	130	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 130	1.226
00933 8801 20 140	933	8.8	Zinc	20	140	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 140	1.301
00933 8801 20 150	933	8.8	Zinc	20	150	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 150	1.373
00933 8801 20 160	933	8.8	Zinc	20	160	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 160	1.505
00933 8801 20 170	933	8.8	Zinc	20	170	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 170	1.715
00933 8801 20 180	933	8.8	Zinc	20	180	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 180	1.81
00933 8801 20 190	933	8.8	Zinc	20	190	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 190	2.001
00933 8801 20 200	933	8.8	Zinc	20	200	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 20 x 200	2.582
00933 8801 22 40	933	8.8	Zinc	22	40	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 40	0.791
00933 8801 22 45	933	8.8	Zinc	22	45	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 45	0.844
00933 8801 22 50	933	8.8	Zinc	22	50	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 50	0.798
00933 8801 22 55	933	8.8	Zinc	22	55	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 55	0.827
00933 8801 22 60	933	8.8	Zinc	22	60	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 60	0.869
00933 8801 22 65	933	8.8	Zinc	22	65	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 65	0.857
00933 8801 22 70	933	8.8	Zinc	22	70	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 70	0.959
00933 8801 22 75	933	8.8	Zinc	22	75	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 75	1.156
00933 8801 22 80	933	8.8	Zinc	22	80	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 80	1.051
00933 8801 22 85	933	8.8	Zinc	22	85	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 85	1.497

00933 8801 22 90	933	8.8	Zinc	22	90	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 90	1.262
00933 8801 22 110	933	8.8	Zinc	22	110	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 110	1.658
00933 8801 22 120	933	8.8	Zinc	22	120	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 120	1.648
00933 8801 22 130	933	8.8	Zinc	22	130	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 130	1.728
00933 8801 22 140	933	8.8	Zinc	22	140	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 140	1.86
00933 8801 22 150	933	8.8	Zinc	22	150	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 150	1.941
00933 8801 22 180	933	8.8	Zinc	22	180	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 22 x 180	2.277
00933 8801 24 40	933	8.8	Zinc	24	40	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 40	0.919
00933 8801 24 45	933	8.8	Zinc	24	45	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 45	0.795
00933 8801 24 50	933	8.8	Zinc	24	50	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 50	0.809
00933 8801 24 55	933	8.8	Zinc	24	55	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 55	0.838
00933 8801 24 60	933	8.8	Zinc	24	60	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 60	0.906
00933 8801 24 65	933	8.8	Zinc	24	65	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 65	0.936
00933 8801 24 70	933	8.8	Zinc	24	70	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 70	0.914
00933 8801 24 75	933	8.8	Zinc	24	75	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 75	1.085
00933 8801 24 80	933	8.8	Zinc	24	80	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 80	1.067
00933 8801 24 85	933	8.8	Zinc	24	85	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 85	1.541
00933 8801 24 90	933	8.8	Zinc	24	90	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 90	1.205
00933 8801 24 95	933	8.8	Zinc	24	95	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 95	1.514
00933 8801 24 100	933	8.8	Zinc	24	100	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 100	1.297
00933 8801 24 110	933	8.8	Zinc	24	110	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 110	1.707
00933 8801 24 120	933	8.8	Zinc	24	120	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 120	1.82
00933 8801 24 130	933	8.8	Zinc	24	130	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 130	1.661
00933 8801 24 140	933	8.8	Zinc	24	140	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 140	1.81
00933 8801 24 150	933	8.8	Zinc	24	150	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 150	2.155
00933 8801 24 160	933	8.8	Zinc	24	160	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 160	2.335
00933 8801 24 180	933	8.8	Zinc	24	180	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 180	2.477
00933 8801 24 200	933	8.8	Zinc	24	200	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 24 x 200	3.389
00933 8801 27 60	933	8.8	Zinc	27	60	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 27 x 60	1.833
00933 8801 27 65	933	8.8	Zinc	27	65	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 27 x 65	1.91
00933 8801 27 70	933	8.8	Zinc	27	70	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 27 x 70	2
00933 8801 27 75	933	8.8	Zinc	27	75	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 27 x 75	2.291
00933 8801 27 80	933	8.8	Zinc	27	80	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 27 x 80	2.167
00933 8801 27 85	933	8.8	Zinc	27	85	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 27 x 85	2.872
00933 8801 27 90	933	8.8	Zinc	27	90	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 27 x 90	2.339
00933 8801 27 100	933	8.8	Zinc	27	100	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 27 x 100	2.452
00933 8801 27 110	933	8.8	Zinc	27	110	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 27 x 110	2.69
00933 8801 27 120	933	8.8	Zinc	27	120	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 27 x 120	2.794
00933 8801 30 60	933	8.8	Zinc	30	60	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 60	2.326
00933 8801 30 70	933	8.8	Zinc	30	70	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 70	2.528
00933 8801 30 80	933	8.8	Zinc	30	80	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 80	2.729
00933 8801 30 90	933	8.8	Zinc	30	90	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 90	3.075
00933 8801 30 100	933	8.8	Zinc	30	100	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 100	3.136
00933 8801 30 110	933	8.8	Zinc	30	110	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 110	3.338
00933 8801 30 120	933	8.8	Zinc	30	120	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 120	3.543
00933 8801 30 140	933	8.8	Zinc	30	140	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 140	4.165
00933 8801 30 150	933	8.8	Zinc	30	150	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 150	4.296
00933 8801 30 160	933	8.8	Zinc	30	160	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 160	6.02
00933 8801 30 170	933	8.8	Zinc	30	170	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 170	4.981
00933 8801 30 180	933	8.8	Zinc	30	180	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 180	5.019
00933 8801 30 200	933	8.8	Zinc	30	200	Hexagon cap screws fully threaded, DIN 933, 8.8, vZn, M 30 x 200	6.437
00933 8800 8 16	933	8.8	Plain	8	16	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 8 x 16	0.031
00933 8800 8 20	933	8.8	Plain	8	20	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 8 x 20	0.034
00933 8800 8 25	933	8.8	Plain	8	25	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 8 x 25	0.039
00933 8800 8 30	933	8.8	Plain	8	30	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 8 x 30	0.043
00933 8800 8 40	933	8.8	Plain	8	40	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 8 x 40	0.052



00933 8800 18 80	933	8.8	Plain	18	80	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 18 x 80	0.494
00933 8800 18 90	933	8.8	Plain	18	90	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 18 x 90	0.598
00933 8800 20 35	933	8.8	Plain	20	35	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 35	0.415
00933 8800 20 40	933	8.8	Plain	20	40	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 40	0.453
00933 8800 20 45	933	8.8	Plain	20	45	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 45	0.446
00933 8800 20 50	933	8.8	Plain	20	50	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 50	0.499
00933 8800 20 55	933	8.8	Plain	20	55	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 55	0.503
00933 8800 20 60	933	8.8	Plain	20	60	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 60	0.53
00933 8800 20 65	933	8.8	Plain	20	65	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 65	0.557
00933 8800 20 70	933	8.8	Plain	20	70	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 70	0.587
00933 8800 20 75	933	8.8	Plain	20	75	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 75	0.619
00933 8800 20 80	933	8.8	Plain	20	80	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 80	0.644
00933 8800 20 85	933	8.8	Plain	20	85	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 85	0.855
00933 8800 20 90	933	8.8	Plain	20	90	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 90	0.754
00933 8800 20 100	933	8.8	Plain	20	100	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 20 x 100	0.799
00933 8800 24 50	933	8.8	Plain	24	50	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 50	0.776
00933 8800 24 55	933	8.8	Plain	24	55	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 55	0.805
00933 8800 24 60	933	8.8	Plain	24	60	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 60	0.87
00933 8800 24 65	933	8.8	Plain	24	65	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 65	0.899
00933 8800 24 70	933	8.8	Plain	24	70	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 70	0.878
00933 8800 24 75	933	8.8	Plain	24	75	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 75	1.042
00933 8800 24 80	933	8.8	Plain	24	80	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 80	1.024
00933 8800 24 85	933	8.8	Plain	24	85	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 85	1.479
00933 8800 24 90	933	8.8	Plain	24	90	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 90	1.157
00933 8800 24 100	933	8.8	Plain	24	100	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 100	1.245
00933 8800 24 110	933	8.8	Plain	24	110	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 110	1.639
00933 8800 24 120	933	8.8	Plain	24	120	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 120	1.747
00933 8800 24 130	933	8.8	Plain	24	130	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 130	1.595
00933 8800 24 140	933	8.8	Plain	24	140	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 24 x 140	1.737
00933 8800 27 80	933	8.8	Plain	27	80	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 27 x 80	2.081
00933 8800 27 90	933	8.8	Plain	27	90	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 27 x 90	2.246
00933 8800 27 100	933	8.8	Plain	27	100	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 27 x 100	2.354
00933 8800 27 110	933	8.8	Plain	27	110	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 27 x 110	2.582
00933 8800 27 120	933	8.8	Plain	27	120	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 27 x 120	2.682
00933 8800 30 80	933	8.8	Plain	30	80	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 30 x 80	2.62
00933 8800 30 90	933	8.8	Plain	30	90	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 30 x 90	2.952
00933 8800 30 100	933	8.8	Plain	30	100	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 30 x 100	3.147
00933 8800 30 110	933	8.8	Plain	30	110	Hexagon cap screws fully threaded, DIN 933, 8.8, Bl., M 30 x 110	3.204
00933 1001 12 30	933	11	Zinc	12	30	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 12 x 30	0.166
00933 1001 12 35	933	11	Zinc	12	35	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 12 x 35	0.182
00933 1001 12 40	933	11	Zinc	12	40	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 12 x 40	0.19
00933 1001 12 50	933	11	Zinc	12	50	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 12 x 50	0.23
00933 1001 12 60	933	11	Zinc	12	60	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 12 x 60	0.247
00933 1001 14 60	933	11	Zinc	14	60	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 14 x 60	0.411
00933 1001 16 40	933	11	Zinc	16	40	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 16 x 40	0.398
00933 1001 16 45	933	11	Zinc	16	45	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 16 x 45	0.412
00933 1001 16 50	933	11	Zinc	16	50	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 16 x 50	0.455
00933 1001 16 55	933	11	Zinc	16	55	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 16 x 55	0.481
00933 1001 16 60	933	11	Zinc	16	60	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 16 x 60	0.516
00933 1001 16 70	933	11	Zinc	16	70	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 16 x 70	0.551
00933 1001 20 50	933	11	Zinc	20	50	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 20 x 50	0.777
00933 1001 20 55	933	11	Zinc	20	55	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 20 x 55	0.789
00933 1001 20 60	933	11	Zinc	20	60	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 20 x 60	0.865
00933 1001 20 65	933	11	Zinc	20	65	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 20 x 65	0.878
00933 1001 20 70	933	11	Zinc	20	70	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 20 x 70	0.958
00933 1001 20 90	933	11	Zinc	20	90	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 20 x 90	1.206



00933 1001 20 100	933	11	Zinc	20	100	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 20 x 100	1.144
00933 1001 20 120	933	11	Zinc	20	120	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 20 x 120	1.729
00933 1001 22 60	933	11	Zinc	22	60	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 22 x 60	1.089
00933 1001 22 70	933	11	Zinc	22	70	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 22 x 70	1.207
00933 1001 22 80	933	11	Zinc	22	80	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 22 x 80	1.316
00933 1001 22 90	933	11	Zinc	22	90	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 22 x 90	1.432
00933 1001 22 100	933	11	Zinc	22	100	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 22 x 100	1.553
00933 1001 24 60	933	11	Zinc	24	60	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 24 x 60	1.533
00933 1001 24 65	933	11	Zinc	24	65	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 24 x 65	1.222
00933 1001 24 70	933	11	Zinc	24	70	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 24 x 70	1.685
00933 1001 24 80	933	11	Zinc	24	80	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 24 x 80	1.759
00933 1001 24 90	933	11	Zinc	24	90	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 24 x 90	1.982
00933 1001 24 100	933	11	Zinc	24	100	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 24 x 100	2.05
00933 1001 24 110	933	11	Zinc	24	110	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 24 x 110	2.18
00933 1001 24 120	933	11	Zinc	24	120	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 24 x 120	2.353
00933 1001 27 80	933	11	Zinc	27	80	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 27 x 80	2.683
00933 1001 27 90	933	11	Zinc	27	90	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 27 x 90	2.896
00933 1001 27 100	933	11	Zinc	27	100	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 27 x 100	3.165
00933 1001 27 120	933	11	Zinc	27	120	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 27 x 120	3.469
00933 1001 30 90	933	11	Zinc	30	90	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 30 x 90	4.482
00933 1001 30 110	933	11	Zinc	30	110	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 30 x 110	5.17
00933 1001 30 120	933	11	Zinc	30	120	Hexagon cap screws fully threaded, DIN 933, 10.9, vZn., M 30 x 120	5.489
00933 1000 10 20	933	11	Plain	10	20	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 10 x 20	0.08
00933 1000 10 25	933	11	Plain	10	25	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 10 x 25	0.071
00933 1000 10 30	933	11	Plain	10	30	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 10 x 30	0.09
00933 1000 10 40	933	11	Plain	10	40	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 10 x 40	0.107
00933 1000 10 50	933	11	Plain	10	50	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 10 x 50	0.119
00933 1000 12 35	933	11	Plain	12	35	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 12 x 35	0.141
00933 1000 12 40	933	11	Plain	12	40	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 12 x 40	0.148
00933 1000 12 45	933	11	Plain	12	45	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 12 x 45	0.153
00933 1000 12 50	933	11	Plain	12	50	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 12 x 50	0.171
00933 1000 12 70	933	11	Plain	12	70	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 12 x 70	0.227
00933 1000 12 80	933	11	Plain	12	80	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 12 x 80	0.268
00933 1000 12 100	933	11	Plain	12	100	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 12 x 100	0.32
00933 1000 14 40	933	11	Plain	14	40	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 14 x 40	0.241
00933 1000 14 45	933	11	Plain	14	45	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 14 x 45	0.252
00933 1000 14 50	933	11	Plain	14	50	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 14 x 50	0.281
00933 1000 16 40	933	11	Plain	16	40	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 16 x 40	0.325
00933 1000 16 45	933	11	Plain	16	45	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 16 x 45	0.351
00933 1000 16 50	933	11	Plain	16	50	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 16 x 50	0.371
00933 1000 16 55	933	11	Plain	16	55	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 16 x 55	0.381
00933 1000 16 60	933	11	Plain	16	60	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 16 x 60	0.421
00933 1000 16 70	933	11	Plain	16	70	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 16 x 70	0.45
00933 1000 16 80	933	11	Plain	16	80	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 16 x 80	0.545
00933 1000 20 40	933	11	Plain	20	40	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 20 x 40	0.55
00933 1000 20 45	933	11	Plain	20	45	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 20 x 45	0.609
00933 1000 20 70	933	11	Plain	20	70	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 20 x 70	0.8
00933 1000 20 90	933	11	Plain	20	90	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 20 x 90	0.982
00933 1000 24 60	933	11	Plain	24	60	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 24 x 60	1.378
00933 1000 24 90	933	11	Plain	24	90	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 24 x 90	1.416
00933 1000 24 120	933	11	Plain	24	120	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 24 x 120	2.262
00933 1000 27 110	933	11	Plain	27	110	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 27 x 110	3.367
00933 1000 27 120	933	11	Plain	27	120	Hexagon cap screws fully threaded, DIN 933, 10.9, Bl., M 27 x 120	3.729
<b>DIN 931</b>						<b>Surub cu cap hexagonal partial filetata</b>	
00931 6801 6 100	931	6	Zinc	6	100	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 6 x 100	0.08

00931 6801 8 70	931	6.8	Zinc	8	70	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 8 x 70	0.08
00931 6801 8 80	931	6.8	Zinc	8	80	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 8 x 80	0.094
00931 6801 8 90	931	6.8	Zinc	8	90	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 8 x 90	0.112
00931 6801 8 100	931	6.8	Zinc	8	100	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 8 x 100	0.123
00931 6801 8 110	931	6.8	Zinc	8	110	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 8 x 110	0.128
00931 6801 8 130	931	6.8	Zinc	8	130	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 8 x 130	0.196
00931 6801 8 140	931	6.8	Zinc	8	140	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 8 x 140	0.169
00931 6801 8 150	931	6.8	Zinc	8	150	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 8 x 150	0.18
00931 6801 10 80	931	6.8	Zinc	10	80	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 10 x 80	0.151
00931 6801 10 90	931	6.8	Zinc	10	90	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 10 x 90	0.164
00931 6801 10 100	931	6.8	Zinc	10	100	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 10 x 100	0.179
00931 6801 10 110	931	6.8	Zinc	10	110	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 10 x 110	0.22
00931 6801 10 120	931	6.8	Zinc	10	120	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 10 x 120	0.237
00931 6801 10 140	931	6.8	Zinc	10	140	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 10 x 140	0.277
00931 6801 10 150	931	6.8	Zinc	10	150	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 10 x 150	0.272
00931 6801 12 70	931	6.8	Zinc	12	70	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 12 x 70	0.176
00931 6801 12 80	931	6.8	Zinc	12	80	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 12 x 80	0.219
00931 6801 12 90	931	6.8	Zinc	12	90	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 12 x 90	0.237
00931 6801 12 100	931	6.8	Zinc	12	100	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 12 x 100	0.241
00931 6801 12 110	931	6.8	Zinc	12	110	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 12 x 110	0.28
00931 6801 12 120	931	6.8	Zinc	12	120	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 12 x 120	0.287
00931 6801 12 130	931	6.8	Zinc	12	130	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 12 x 130	0.326
00931 6801 12 140	931	6.8	Zinc	12	140	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 12 x 140	0.384
00931 6801 12 150	931	6.8	Zinc	12	150	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 12 x 150	0.41
00931 6801 12 180	931	6.8	Zinc	12	180	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 12 x 180	0.486
00931 6801 14 70	931	6.8	Zinc	14	70	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 14 x 70	0.277
00931 6801 14 80	931	6.8	Zinc	14	80	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 14 x 80	0.316
00931 6801 14 90	931	6.8	Zinc	14	90	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 14 x 90	0.401
00931 6801 14 100	931	6.8	Zinc	14	100	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 14 x 100	0.411
00931 6801 14 110	931	6.8	Zinc	14	110	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 14 x 110	0.39
00931 6801 14 120	931	6.8	Zinc	14	120	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 14 x 120	0.515
00931 6801 14 140	931	6.8	Zinc	14	140	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 14 x 140	0.581
00931 6801 14 150	931	6.8	Zinc	14	150	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 14 x 150	0.584
00931 6801 16 65	931	6.8	Zinc	16	65	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 65	0.328
00931 6801 16 70	931	6.8	Zinc	16	70	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 70	0.335
00931 6801 16 75	931	6.8	Zinc	16	75	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 75	0.358
00931 6801 16 80	931	6.8	Zinc	16	80	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 80	0.361
00931 6801 16 90	931	6.8	Zinc	16	90	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 90	0.423
00931 6801 16 100	931	6.8	Zinc	16	100	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 100	0.462
00931 6801 16 110	931	6.8	Zinc	16	110	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 110	0.52
00931 6801 16 120	931	6.8	Zinc	16	120	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 120	0.561
00931 6801 16 130	931	6.8	Zinc	16	130	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 130	0.592
00931 6801 16 140	931	6.8	Zinc	16	140	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 140	0.643
00931 6801 16 150	931	6.8	Zinc	16	150	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 150	0.704
00931 6801 16 160	931	6.8	Zinc	16	160	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 160	0.748
00931 6801 16 170	931	6.8	Zinc	16	170	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 170	0.872
00931 6801 16 180	931	6.8	Zinc	16	180	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 180	0.92
00931 6801 16 200	931	6.8	Zinc	16	200	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 16 x 200	1.003
00931 6801 18 110	931	6.8	Zinc	18	110	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 18 x 110	0.764
00931 6801 18 120	931	6.8	Zinc	18	120	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 18 x 120	0.776
00931 6801 20 70	931	6.8	Zinc	20	70	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 20 x 70	0.581
00931 6801 20 80	931	6.8	Zinc	20	80	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 20 x 80	0.596
00931 6801 20 90	931	6.8	Zinc	20	90	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 20 x 90	0.702
00931 6801 20 100	931	6.8	Zinc	20	100	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 20 x 100	0.766
00931 6801 20 110	931	6.8	Zinc	20	110	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 20 x 110	0.878
00931 6801 20 120	931	6.8	Zinc	20	120	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 20 x 120	0.943

00931 6801 20 130	931	6.8	Zinc	20	130	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 20 x 130	1.007
00931 6801 20 140	931	6.8	Zinc	20	140	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 20 x 140	1.069
00931 6801 20 150	931	6.8	Zinc	20	150	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 20 x 150	1.115
00931 6801 22 100	931	6.8	Zinc	22	100	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 22 x 100	1.018
00931 6801 22 110	931	6.8	Zinc	22	110	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 22 x 110	1.181
00931 6801 22 120	931	6.8	Zinc	22	120	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 22 x 120	1.27
00931 6801 24 90	931	6.8	Zinc	24	90	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 24 x 90	1.09
00931 6801 24 100	931	6.8	Zinc	24	100	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 24 x 100	1.193
00931 6801 24 110	931	6.8	Zinc	24	110	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 24 x 110	1.357
00931 6801 24 120	931	6.8	Zinc	24	120	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 24 x 120	1.453
00931 6801 24 130	931	6.8	Zinc	24	130	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 24 x 130	1.52
00931 6801 24 140	931	6.8	Zinc	24	140	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 24 x 140	1.609
00931 6801 24 150	931	6.8	Zinc	24	150	Hexagon cap screws part. threaded, DIN 931, 6.8, vZn, M 24 x 150	1.814
00931 8801 8 30	931	8.8	Zinc	8	30	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 30	0.05
00931 8801 8 40	931	8.8	Zinc	8	40	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 40	0.059
00931 8801 8 45	931	8.8	Zinc	8	45	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 45	0.064
00931 8801 8 50	931	8.8	Zinc	8	50	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 50	0.07
00931 8801 8 55	931	8.8	Zinc	8	55	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 55	0.075
00931 8801 8 60	931	8.8	Zinc	8	60	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 60	0.081
00931 8801 8 70	931	8.8	Zinc	8	70	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 70	0.092
00931 8801 8 80	931	8.8	Zinc	8	80	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 80	0.109
00931 8801 8 90	931	8.8	Zinc	8	90	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 90	0.13
00931 8801 8 100	931	8.8	Zinc	8	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 100	0.143
00931 8801 8 110	931	8.8	Zinc	8	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 110	0.148
00931 8801 8 120	931	8.8	Zinc	8	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 120	0.168
00931 8801 8 130	931	8.8	Zinc	8	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 130	0.228
00931 8801 8 140	931	8.8	Zinc	8	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 140	0.196
00931 8801 8 150	931	8.8	Zinc	8	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 8 x 150	0.209
00931 8801 10 40	931	8.8	Zinc	10	40	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 40	0.11
00931 8801 10 45	931	8.8	Zinc	10	45	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 45	0.111
00931 8801 10 50	931	8.8	Zinc	10	50	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 50	0.112
00931 8801 10 55	931	8.8	Zinc	10	55	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 55	0.135
00931 8801 10 60	931	8.8	Zinc	10	60	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 60	0.144
00931 8801 10 65	931	8.8	Zinc	10	65	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 65	0.167
00931 8801 10 70	931	8.8	Zinc	10	70	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 70	0.155
00931 8801 10 75	931	8.8	Zinc	10	75	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 75	0.157
00931 8801 10 80	931	8.8	Zinc	10	80	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 80	0.175
00931 8801 10 90	931	8.8	Zinc	10	90	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 90	0.191
00931 8801 10 100	931	8.8	Zinc	10	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 100	0.208
00931 8801 10 110	931	8.8	Zinc	10	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 110	0.255
00931 8801 10 120	931	8.8	Zinc	10	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 120	0.275
00931 8801 10 140	931	8.8	Zinc	10	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 140	0.322
00931 8801 10 150	931	8.8	Zinc	10	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 150	0.316
00931 8801 10 160	931	8.8	Zinc	10	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 160	0.501
00931 8801 10 180	931	8.8	Zinc	10	180	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 180	0.558
00931 8801 10 200	931	8.8	Zinc	10	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 200	0.563
00931 8801 10 220	931	8.8	Zinc	10	220	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 220	0.845
00931 8801 10 230	931	8.8	Zinc	10	230	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 230	1.627
00931 8801 10 250	931	8.8	Zinc	10	250	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 250	1.759
00931 8801 10 300	931	8.8	Zinc	10	300	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 10 x 300	2.962
00931 8801 12 40	931	8.8	Zinc	12	40	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 40	0.153
00931 8801 12 45	931	8.8	Zinc	12	45	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 45	0.153
00931 8801 12 50	931	8.8	Zinc	12	50	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 50	0.16
00931 8801 12 55	931	8.8	Zinc	12	55	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 55	0.196
00931 8801 12 60	931	8.8	Zinc	12	60	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 60	0.202
00931 8801 12 65	931	8.8	Zinc	12	65	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 65	0.203

00931 8801 12 70	931	8.8	Zinc	12	70	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 70	0.204
00931 8801 12 75	931	8.8	Zinc	12	75	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 75	0.253
00931 8801 12 80	931	8.8	Zinc	12	80	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 80	0.254
00931 8801 12 85	931	8.8	Zinc	12	85	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 85	0.274
00931 8801 12 90	931	8.8	Zinc	12	90	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 90	0.275
00931 8801 12 100	931	8.8	Zinc	12	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 100	0.279
00931 8801 12 110	931	8.8	Zinc	12	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 110	0.325
00931 8801 12 120	931	8.8	Zinc	12	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 120	0.333
00931 8801 12 130	931	8.8	Zinc	12	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 130	0.378
00931 8801 12 140	931	8.8	Zinc	12	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 140	0.446
00931 8801 12 150	931	8.8	Zinc	12	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 150	0.475
00931 8801 12 160	931	8.8	Zinc	12	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 160	0.505
00931 8801 12 170	931	8.8	Zinc	12	170	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 170	0.557
00931 8801 12 180	931	8.8	Zinc	12	180	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 180	0.564
00931 8801 12 200	931	8.8	Zinc	12	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 200	0.629
00931 8801 12 220	931	8.8	Zinc	12	220	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 220	1.116
00931 8801 12 240	931	8.8	Zinc	12	240	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 240	1.163
00931 8801 12 280	931	8.8	Zinc	12	280	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 280	1.722
00931 8801 12 300	931	8.8	Zinc	12	300	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 12 x 300	1.778
00931 8801 14 50	931	8.8	Zinc	14	50	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 50	0.241
00931 8801 14 60	931	8.8	Zinc	14	60	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 60	0.288
00931 8801 14 65	931	8.8	Zinc	14	65	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 65	0.296
00931 8801 14 70	931	8.8	Zinc	14	70	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 70	0.322
00931 8801 14 80	931	8.8	Zinc	14	80	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 80	0.366
00931 8801 14 85	931	8.8	Zinc	14	85	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 85	0.451
00931 8801 14 90	931	8.8	Zinc	14	90	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 90	0.465
00931 8801 14 95	931	8.8	Zinc	14	95	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 95	0.491
00931 8801 14 100	931	8.8	Zinc	14	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 100	0.476
00931 8801 14 110	931	8.8	Zinc	14	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 110	0.453
00931 8801 14 120	931	8.8	Zinc	14	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 120	0.597
00931 8801 14 130	931	8.8	Zinc	14	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 130	0.616
00931 8801 14 140	931	8.8	Zinc	14	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 140	0.673
00931 8801 14 150	931	8.8	Zinc	14	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 150	0.677
00931 8801 14 160	931	8.8	Zinc	14	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 160	0.754
00931 8801 14 180	931	8.8	Zinc	14	180	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 180	1.028
00931 8801 14 200	931	8.8	Zinc	14	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 200	1.091
00931 8801 14 240	931	8.8	Zinc	14	240	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 240	1.946
00931 8801 14 260	931	8.8	Zinc	14	260	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 14 x 260	2.821
00931 8801 16 55	931	8.8	Zinc	16	55	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 55	0.318
00931 8801 16 60	931	8.8	Zinc	16	60	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 60	0.348
00931 8801 16 65	931	8.8	Zinc	16	65	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 65	0.38
00931 8801 16 70	931	8.8	Zinc	16	70	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 70	0.389
00931 8801 16 75	931	8.8	Zinc	16	75	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 75	0.416
00931 8801 16 80	931	8.8	Zinc	16	80	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 80	0.419
00931 8801 16 85	931	8.8	Zinc	16	85	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 85	0.481
00931 8801 16 90	931	8.8	Zinc	16	90	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 90	0.491
00931 8801 16 95	931	8.8	Zinc	16	95	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 95	0.533
00931 8801 16 100	931	8.8	Zinc	16	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 100	0.536
00931 8801 16 110	931	8.8	Zinc	16	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 110	0.603
00931 8801 16 120	931	8.8	Zinc	16	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 120	0.65
00931 8801 16 130	931	8.8	Zinc	16	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 130	0.686
00931 8801 16 140	931	8.8	Zinc	16	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 140	0.746
00931 8801 16 150	931	8.8	Zinc	16	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 150	0.816
00931 8801 16 160	931	8.8	Zinc	16	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 160	0.868
00931 8801 16 170	931	8.8	Zinc	16	170	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 170	1.012
00931 8801 16 180	931	8.8	Zinc	16	180	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 180	1.067

00931 8801 16 190	931	8.8	Zinc	16	190	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 190	1.143
00931 8801 16 200	931	8.8	Zinc	16	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 200	1.163
00931 8801 16 210	931	8.8	Zinc	16	210	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 210	2.053
00931 8801 16 220	931	8.8	Zinc	16	220	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 220	1.892
00931 8801 16 230	931	8.8	Zinc	16	230	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 230	1.77
00931 8801 16 240	931	8.8	Zinc	16	240	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 240	1.906
00931 8801 16 250	931	8.8	Zinc	16	250	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 250	2.166
00931 8801 16 280	931	8.8	Zinc	16	280	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 280	2.328
00931 8801 16 300	931	8.8	Zinc	16	300	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 300	2.667
00931 8801 16 340	931	8.8	Zinc	16	340	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 16 x 340	5.017
00931 8801 18 60	931	8.8	Zinc	18	60	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 60	0.489
00931 8801 18 65	931	8.8	Zinc	18	65	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 65	0.582
00931 8801 18 70	931	8.8	Zinc	18	70	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 70	0.536
00931 8801 18 75	931	8.8	Zinc	18	75	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 75	0.575
00931 8801 18 80	931	8.8	Zinc	18	80	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 80	0.607
00931 8801 18 90	931	8.8	Zinc	18	90	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 90	0.709
00931 8801 18 100	931	8.8	Zinc	18	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 100	0.728
00931 8801 18 110	931	8.8	Zinc	18	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 110	0.886
00931 8801 18 120	931	8.8	Zinc	18	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 120	0.901
00931 8801 18 130	931	8.8	Zinc	18	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 130	0.96
00931 8801 18 140	931	8.8	Zinc	18	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 140	1.46
00931 8801 18 150	931	8.8	Zinc	18	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 150	1.504
00931 8801 18 160	931	8.8	Zinc	18	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 160	1.461
00931 8801 18 170	931	8.8	Zinc	18	170	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 170	2.313
00931 8801 18 180	931	8.8	Zinc	18	180	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 180	1.989
00931 8801 18 200	931	8.8	Zinc	18	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 18 x 200	1.935
00931 8801 20 65	931	8.8	Zinc	20	65	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 65	0.697
00931 8801 20 70	931	8.8	Zinc	20	70	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 70	0.674
00931 8801 20 75	931	8.8	Zinc	20	75	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 75	0.65
00931 8801 20 80	931	8.8	Zinc	20	80	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 80	0.691
00931 8801 20 85	931	8.8	Zinc	20	85	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 85	0.85
00931 8801 20 90	931	8.8	Zinc	20	90	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 90	0.814
00931 8801 20 95	931	8.8	Zinc	20	95	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 95	0.916
00931 8801 20 100	931	8.8	Zinc	20	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 100	0.889
00931 8801 20 110	931	8.8	Zinc	20	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 110	1.019
00931 8801 20 120	931	8.8	Zinc	20	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 120	1.094
00931 8801 20 130	931	8.8	Zinc	20	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 130	1.169
00931 8801 20 140	931	8.8	Zinc	20	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 140	1.24
00931 8801 20 150	931	8.8	Zinc	20	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 150	1.293
00931 8801 20 160	931	8.8	Zinc	20	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 160	1.414
00931 8801 20 170	931	8.8	Zinc	20	170	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 170	1.512
00931 8801 20 180	931	8.8	Zinc	20	180	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 180	1.652
00931 8801 20 190	931	8.8	Zinc	20	190	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 190	1.671
00931 8801 20 200	931	8.8	Zinc	20	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 200	1.95
00931 8801 20 220	931	8.8	Zinc	20	220	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 220	2.548
00931 8801 20 230	931	8.8	Zinc	20	230	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 230	2.714
00931 8801 20 240	931	8.8	Zinc	20	240	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 240	2.932
00931 8801 20 250	931	8.8	Zinc	20	250	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 250	2.933
00931 8801 20 260	931	8.8	Zinc	20	260	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 260	3.16
00931 8801 20 280	931	8.8	Zinc	20	280	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 280	3.387
00931 8801 20 300	931	8.8	Zinc	20	300	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 20 x 300	4.428
00931 8801 22 70	931	8.8	Zinc	22	70	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 70	1
00931 8801 22 80	931	8.8	Zinc	22	80	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 80	1.065
00931 8801 22 90	931	8.8	Zinc	22	90	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 90	1.168
00931 8801 22 100	931	8.8	Zinc	22	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 100	1.181
00931 8801 22 110	931	8.8	Zinc	22	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 110	1.37

00931 8801 22 120	931	8.8	Zinc	22	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 120	1.473
00931 8801 22 130	931	8.8	Zinc	22	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 130	1.828
00931 8801 22 140	931	8.8	Zinc	22	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 140	1.95
00931 8801 22 150	931	8.8	Zinc	22	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 150	1.969
00931 8801 22 160	931	8.8	Zinc	22	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 160	2.338
00931 8801 22 180	931	8.8	Zinc	22	180	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 180	2.519
00931 8801 22 200	931	8.8	Zinc	22	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 200	2.806
00931 8801 22 240	931	8.8	Zinc	22	240	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 22 x 240	4.664
00931 8801 24 75	931	8.8	Zinc	24	75	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 75	1.043
00931 8801 24 80	931	8.8	Zinc	24	80	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 80	1.108
00931 8801 24 85	931	8.8	Zinc	24	85	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 85	1.527
00931 8801 24 90	931	8.8	Zinc	24	90	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 90	1.264
00931 8801 24 95	931	8.8	Zinc	24	95	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 95	1.661
00931 8801 24 100	931	8.8	Zinc	24	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 100	1.384
00931 8801 24 110	931	8.8	Zinc	24	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 110	1.575
00931 8801 24 120	931	8.8	Zinc	24	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 120	1.685
00931 8801 24 130	931	8.8	Zinc	24	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 130	1.764
00931 8801 24 140	931	8.8	Zinc	24	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 140	1.867
00931 8801 24 150	931	8.8	Zinc	24	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 150	2.104
00931 8801 24 160	931	8.8	Zinc	24	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 160	2.397
00931 8801 24 180	931	8.8	Zinc	24	180	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 180	2.649
00931 8801 24 190	931	8.8	Zinc	24	190	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 190	2.775
00931 8801 24 200	931	8.8	Zinc	24	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 200	2.902
00931 8801 24 210	931	8.8	Zinc	24	210	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 210	3.777
00931 8801 24 220	931	8.8	Zinc	24	220	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 220	3.956
00931 8801 24 240	931	8.8	Zinc	24	240	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 240	4.076
00931 8801 24 250	931	8.8	Zinc	24	250	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 250	4.036
00931 8801 24 260	931	8.8	Zinc	24	260	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 260	4.284
00931 8801 24 280	931	8.8	Zinc	24	280	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 280	5.038
00931 8801 24 300	931	8.8	Zinc	24	300	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 300	5.856
00931 8801 24 340	931	8.8	Zinc	24	340	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 24 x 340	7.742
00931 8801 27 80	931	8.8	Zinc	27	80	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 80	2.235
00931 8801 27 90	931	8.8	Zinc	27	90	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 90	2.436
00931 8801 27 95	931	8.8	Zinc	27	95	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 95	3.156
00931 8801 27 100	931	8.8	Zinc	27	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 100	2.637
00931 8801 27 110	931	8.8	Zinc	27	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 110	2.843
00931 8801 27 120	931	8.8	Zinc	27	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 120	3.04
00931 8801 27 130	931	8.8	Zinc	27	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 130	3.117
00931 8801 27 140	931	8.8	Zinc	27	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 140	3.016
00931 8801 27 150	931	8.8	Zinc	27	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 150	3.338
00931 8801 27 160	931	8.8	Zinc	27	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 160	4.14
00931 8801 27 200	931	8.8	Zinc	27	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 200	5.012
00931 8801 27 220	931	8.8	Zinc	27	220	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 27 x 220	5.472
00931 8801 30 100	931	8.8	Zinc	30	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 100	3.604
00931 8801 30 110	931	8.8	Zinc	30	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 110	3.652
00931 8801 30 120	931	8.8	Zinc	30	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 120	3.879
00931 8801 30 130	931	8.8	Zinc	30	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 130	4.483
00931 8801 30 140	931	8.8	Zinc	30	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 140	4.141
00931 8801 30 150	931	8.8	Zinc	30	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 150	4.375
00931 8801 30 160	931	8.8	Zinc	30	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 160	4.608
00931 8801 30 170	931	8.8	Zinc	30	170	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 170	5.126
00931 8801 30 180	931	8.8	Zinc	30	180	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 180	5.097
00931 8801 30 190	931	8.8	Zinc	30	190	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 190	5.621
00931 8801 30 200	931	8.8	Zinc	30	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 200	5.564
00931 8801 30 220	931	8.8	Zinc	30	220	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 220	6.031
00931 8801 30 240	931	8.8	Zinc	30	240	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 240	6.498

00931 8801 30 250	931	8.8	Zinc	30	250	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 250	7.334
00931 8801 30 260	931	8.8	Zinc	30	260	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 260	8.044
00931 8801 30 280	931	8.8	Zinc	30	280	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 280	9.388
00931 8801 30 300	931	8.8	Zinc	30	300	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 30 x 300	12.62
00931 8801 33 100	931	8.8	Zinc	33	100	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 33 x 100	4.927
00931 8801 33 110	931	8.8	Zinc	33	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 33 x 110	6.118
00931 8801 33 120	931	8.8	Zinc	33	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 33 x 120	5.852
00931 8801 33 130	931	8.8	Zinc	33	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 33 x 130	5.966
00931 8801 33 140	931	8.8	Zinc	33	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 33 x 140	6.551
00931 8801 33 150	931	8.8	Zinc	33	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 33 x 150	6.926
00931 8801 36 110	931	8.8	Zinc	36	110	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 36 x 110	5.775
00931 8801 36 120	931	8.8	Zinc	36	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 36 x 120	8.011
00931 8801 36 130	931	8.8	Zinc	36	130	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 36 x 130	7.133
00931 8801 36 140	931	8.8	Zinc	36	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 36 x 140	7.544
00931 8801 36 150	931	8.8	Zinc	36	150	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 36 x 150	7.955
00931 8801 36 160	931	8.8	Zinc	36	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 36 x 160	8.996
00931 8801 36 180	931	8.8	Zinc	36	180	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 36 x 180	9.186
00931 8801 36 200	931	8.8	Zinc	36	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 36 x 200	11.77
00931 8801 36 220	931	8.8	Zinc	36	220	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 36 x 220	9.907
00931 8801 39 120	931	8.8	Zinc	39	120	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 39 x 120	18.97
00931 8801 39 140	931	8.8	Zinc	39	140	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 39 x 140	20.77
00931 8801 42 160	931	8.8	Zinc	42	160	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 42 x 160	14.06
00931 8801 42 180	931	8.8	Zinc	42	180	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 42 x 180	15.34
00931 8801 42 200	931	8.8	Zinc	42	200	Hexagon cap screws part. threaded, DIN 931, 8.8, vZn, M 42 x 200	17.78
00931 8800 10 40	931	8.8	Plain	10	40	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 40	0.106
00931 8800 10 50	931	8.8	Plain	10	50	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 50	0.108
00931 8800 10 60	931	8.8	Plain	10	60	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 60	0.138
00931 8800 10 70	931	8.8	Plain	10	70	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 70	0.148
00931 8800 10 80	931	8.8	Plain	10	80	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 80	0.168
00931 8800 10 90	931	8.8	Plain	10	90	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 90	0.183
00931 8800 10 100	931	8.8	Plain	10	100	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 100	0.2
00931 8800 10 110	931	8.8	Plain	10	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 110	0.245
00931 8800 10 120	931	8.8	Plain	10	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 120	0.264
00931 8800 10 130	931	8.8	Plain	10	130	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 130	0.301
00931 8800 10 140	931	8.8	Plain	10	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 140	0.309
00931 8800 10 150	931	8.8	Plain	10	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 150	0.303
00931 8800 10 160	931	8.8	Plain	10	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 160	0.481
00931 8800 10 180	931	8.8	Plain	10	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 180	0.536
00931 8800 10 220	931	8.8	Plain	10	220	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 220	0.811
00931 8800 10 240	931	8.8	Plain	10	240	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 240	1.049
00931 8800 10 250	931	8.8	Plain	10	250	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 250	1.689
00931 8800 10 260	931	8.8	Plain	10	260	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 10 x 260	1.177
00931 8800 12 40	931	8.8	Plain	12	40	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 40	0.147
00931 8800 12 45	931	8.8	Plain	12	45	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 45	0.147
00931 8800 12 50	931	8.8	Plain	12	50	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 50	0.154
00931 8800 12 60	931	8.8	Plain	12	60	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 60	0.194
00931 8800 12 65	931	8.8	Plain	12	65	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 65	0.195
00931 8800 12 70	931	8.8	Plain	12	70	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 70	0.196
00931 8800 12 80	931	8.8	Plain	12	80	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 80	0.244
00931 8800 12 90	931	8.8	Plain	12	90	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 90	0.264
00931 8800 12 95	931	8.8	Plain	12	95	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 95	0.296
00931 8800 12 100	931	8.8	Plain	12	100	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 100	0.268
00931 8800 12 110	931	8.8	Plain	12	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 110	0.312
00931 8800 12 120	931	8.8	Plain	12	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 120	0.32
00931 8800 12 130	931	8.8	Plain	12	130	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 130	0.363
00931 8800 12 140	931	8.8	Plain	12	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 140	0.428

00931 8800 12 150	931	8.8	Plain	12	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 150	0.456
00931 8800 12 160	931	8.8	Plain	12	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 160	0.484
00931 8800 12 180	931	8.8	Plain	12	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 180	0.541
00931 8800 12 200	931	8.8	Plain	12	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 200	0.604
00931 8800 12 240	931	8.8	Plain	12	240	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 240	1.116
00931 8800 12 250	931	8.8	Plain	12	250	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 250	1.291
00931 8800 12 300	931	8.8	Plain	12	300	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 12 x 300	1.707
00931 8800 14 50	931	8.8	Plain	14	50	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 50	0.231
00931 8800 14 60	931	8.8	Plain	14	60	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 60	0.276
00931 8800 14 80	931	8.8	Plain	14	80	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 80	0.352
00931 8800 14 85	931	8.8	Plain	14	85	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 85	0.433
00931 8800 14 90	931	8.8	Plain	14	90	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 90	0.446
00931 8800 14 100	931	8.8	Plain	14	100	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 100	0.457
00931 8800 14 110	931	8.8	Plain	14	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 110	0.435
00931 8800 14 120	931	8.8	Plain	14	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 120	0.573
00931 8800 14 140	931	8.8	Plain	14	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 140	0.647
00931 8800 14 150	931	8.8	Plain	14	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 150	0.65
00931 8800 14 160	931	8.8	Plain	14	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 160	0.723
00931 8800 14 170	931	8.8	Plain	14	170	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 170	1.203
00931 8800 14 180	931	8.8	Plain	14	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 180	0.987
00931 8800 14 200	931	8.8	Plain	14	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 200	1.048
00931 8800 14 240	931	8.8	Plain	14	240	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 240	1.868
00931 8800 14 260	931	8.8	Plain	14	260	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 260	2.709
00931 8800 14 280	931	8.8	Plain	14	280	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 280	3.519
00931 8800 14 300	931	8.8	Plain	14	300	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 14 x 300	3.125
00931 8800 16 55	931	8.8	Plain	16	55	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 55	0.305
00931 8800 16 60	931	8.8	Plain	16	60	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 60	0.334
00931 8800 16 65	931	8.8	Plain	16	65	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 65	0.365
00931 8800 16 70	931	8.8	Plain	16	70	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 70	0.373
00931 8800 16 80	931	8.8	Plain	16	80	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 80	0.402
00931 8800 16 90	931	8.8	Plain	16	90	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 90	0.471
00931 8800 16 95	931	8.8	Plain	16	95	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 95	0.511
00931 8800 16 100	931	8.8	Plain	16	100	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 100	0.515
00931 8800 16 110	931	8.8	Plain	16	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 110	0.579
00931 8800 16 120	931	8.8	Plain	16	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 120	0.624
00931 8800 16 130	931	8.8	Plain	16	130	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 130	0.659
00931 8800 16 140	931	8.8	Plain	16	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 140	0.716
00931 8800 16 150	931	8.8	Plain	16	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 150	0.784
00931 8800 16 160	931	8.8	Plain	16	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 160	0.833
00931 8800 16 170	931	8.8	Plain	16	170	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 170	0.971
00931 8800 16 180	931	8.8	Plain	16	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 180	1.024
00931 8800 16 190	931	8.8	Plain	16	190	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 190	1.097
00931 8800 16 200	931	8.8	Plain	16	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 200	1.117
00931 8800 16 220	931	8.8	Plain	16	220	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 220	1.816
00931 8800 16 240	931	8.8	Plain	16	240	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 240	1.83
00931 8800 16 250	931	8.8	Plain	16	250	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 250	2.079
00931 8800 16 280	931	8.8	Plain	16	280	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 280	2.235
00931 8800 16 300	931	8.8	Plain	16	300	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 16 x 300	2.56
00931 8800 18 60	931	8.8	Plain	18	60	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 60	0.469
00931 8800 18 70	931	8.8	Plain	18	70	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 70	0.514
00931 8800 18 80	931	8.8	Plain	18	80	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 80	0.583
00931 8800 18 90	931	8.8	Plain	18	90	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 90	0.68
00931 8800 18 100	931	8.8	Plain	18	100	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 100	0.699
00931 8800 18 110	931	8.8	Plain	18	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 110	0.85
00931 8800 18 120	931	8.8	Plain	18	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 120	0.865
00931 8800 18 130	931	8.8	Plain	18	130	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 130	0.922



00931 8800 18 140	931	8.8	Plain	18	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 140	1.402
00931 8800 18 150	931	8.8	Plain	18	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 150	1.444
00931 8800 18 160	931	8.8	Plain	18	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 160	1.402
00931 8800 18 170	931	8.8	Plain	18	170	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 170	2.22
00931 8800 18 180	931	8.8	Plain	18	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 180	1.91
00931 8800 18 200	931	8.8	Plain	18	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 18 x 200	1.858
00931 8800 20 65	931	8.8	Plain	20	65	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 65	0.669
00931 8800 20 70	931	8.8	Plain	20	70	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 70	0.647
00931 8800 20 75	931	8.8	Plain	20	75	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 75	0.624
00931 8800 20 80	931	8.8	Plain	20	80	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 80	0.663
00931 8800 20 85	931	8.8	Plain	20	85	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 85	0.816
00931 8800 20 90	931	8.8	Plain	20	90	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 90	0.781
00931 8800 20 100	931	8.8	Plain	20	100	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 100	0.853
00931 8800 20 110	931	8.8	Plain	20	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 110	0.978
00931 8800 20 120	931	8.8	Plain	20	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 120	1.05
00931 8800 20 130	931	8.8	Plain	20	130	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 130	1.122
00931 8800 20 140	931	8.8	Plain	20	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 140	1.191
00931 8800 20 150	931	8.8	Plain	20	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 150	1.242
00931 8800 20 160	931	8.8	Plain	20	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 160	1.357
00931 8800 20 170	931	8.8	Plain	20	170	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 170	1.452
00931 8800 20 180	931	8.8	Plain	20	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 180	1.585
00931 8800 20 200	931	8.8	Plain	20	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 200	1.872
00931 8800 20 220	931	8.8	Plain	20	220	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 220	2.446
00931 8800 20 240	931	8.8	Plain	20	240	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 240	2.815
00931 8800 20 250	931	8.8	Plain	20	250	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 250	2.816
00931 8800 20 260	931	8.8	Plain	20	260	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 260	3.033
00931 8800 20 280	931	8.8	Plain	20	280	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 280	3.252
00931 8800 20 300	931	8.8	Plain	20	300	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 20 x 300	4.251
00931 8800 22 70	931	8.8	Plain	22	70	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 70	0.96
00931 8800 22 75	931	8.8	Plain	22	75	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 75	1.002
00931 8800 22 80	931	8.8	Plain	22	80	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 80	1.023
00931 8800 22 90	931	8.8	Plain	22	90	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 90	1.121
00931 8800 22 110	931	8.8	Plain	22	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 110	1.315
00931 8800 22 120	931	8.8	Plain	22	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 120	1.414
00931 8800 22 140	931	8.8	Plain	22	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 140	1.872
00931 8800 22 180	931	8.8	Plain	22	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 180	2.418
00931 8800 22 200	931	8.8	Plain	22	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 200	2.694
00931 8800 22 220	931	8.8	Plain	22	220	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 220	5.991
00931 8800 22 280	931	8.8	Plain	22	280	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 280	8.911
00931 8800 22 300	931	8.8	Plain	22	300	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 22 x 300	8.377
00931 8800 24 70	931	8.8	Plain	24	70	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 70	0.998
00931 8800 24 75	931	8.8	Plain	24	75	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 75	1.001
00931 8800 24 80	931	8.8	Plain	24	80	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 80	1.064
00931 8800 24 85	931	8.8	Plain	24	85	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 85	1.466
00931 8800 24 90	931	8.8	Plain	24	90	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 90	1.214
00931 8800 24 95	931	8.8	Plain	24	95	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 95	1.595
00931 8800 24 100	931	8.8	Plain	24	100	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 100	1.329
00931 8800 24 110	931	8.8	Plain	24	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 110	1.512
00931 8800 24 120	931	8.8	Plain	24	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 120	1.618
00931 8800 24 130	931	8.8	Plain	24	130	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 130	1.693
00931 8800 24 140	931	8.8	Plain	24	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 140	1.792
00931 8800 24 150	931	8.8	Plain	24	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 150	2.02
00931 8800 24 160	931	8.8	Plain	24	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 160	2.301
00931 8800 24 170	931	8.8	Plain	24	170	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 170	2.477
00931 8800 24 200	931	8.8	Plain	24	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 200	2.786
00931 8800 24 220	931	8.8	Plain	24	220	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 220	3.798


00931 8800 24 240	931	8.8	Plain	24	240	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 240	3.913
00931 8800 24 250	931	8.8	Plain	24	250	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 250	3.875
00931 8800 24 260	931	8.8	Plain	24	260	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 260	4.113
00931 8800 24 280	931	8.8	Plain	24	280	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 280	4.836
00931 8800 24 300	931	8.8	Plain	24	300	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 300	5.622
00931 8800 24 320	931	8.8	Plain	24	320	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 320	7.62
00931 8800 24 340	931	8.8	Plain	24	340	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 340	7.432
00931 8800 24 350	931	8.8	Plain	24	350	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 350	8.637
00931 8800 24 360	931	8.8	Plain	24	360	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 24 x 360	9.885
00931 8800 27 80	931	8.8	Plain	27	80	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 80	2.146
00931 8800 27 90	931	8.8	Plain	27	90	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 90	2.339
00931 8800 27 100	931	8.8	Plain	27	100	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 100	2.532
00931 8800 27 110	931	8.8	Plain	27	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 110	2.729
00931 8800 27 120	931	8.8	Plain	27	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 120	2.918
00931 8800 27 140	931	8.8	Plain	27	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 140	2.896
00931 8800 27 150	931	8.8	Plain	27	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 150	3.205
00931 8800 27 160	931	8.8	Plain	27	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 160	3.975
00931 8800 27 180	931	8.8	Plain	27	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 180	4.558
00931 8800 27 200	931	8.8	Plain	27	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 200	4.811
00931 8800 27 220	931	8.8	Plain	27	220	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 220	5.253
00931 8800 27 240	931	8.8	Plain	27	240	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 240	6.054
00931 8800 27 260	931	8.8	Plain	27	260	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 27 x 260	6.88
00931 8800 30 80	931	8.8	Plain	30	80	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 80	3.069
00931 8800 30 90	931	8.8	Plain	30	90	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 90	3.046
00931 8800 30 100	931	8.8	Plain	30	100	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 100	3.46
00931 8800 30 110	931	8.8	Plain	30	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 110	3.506
00931 8800 30 120	931	8.8	Plain	30	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 120	3.724
00931 8800 30 130	931	8.8	Plain	30	130	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 130	4.304
00931 8800 30 140	931	8.8	Plain	30	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 140	3.975
00931 8800 30 150	931	8.8	Plain	30	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 150	4.2
00931 8800 30 160	931	8.8	Plain	30	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 160	4.424
00931 8800 30 170	931	8.8	Plain	30	170	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 170	4.921
00931 8800 30 180	931	8.8	Plain	30	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 180	4.893
00931 8800 30 190	931	8.8	Plain	30	190	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 190	5.396
00931 8800 30 200	931	8.8	Plain	30	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 200	5.341
00931 8800 30 220	931	8.8	Plain	30	220	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 220	5.79
00931 8800 30 230	931	8.8	Plain	30	230	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 230	6.272
00931 8800 30 240	931	8.8	Plain	30	240	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 240	6.238
00931 8800 30 250	931	8.8	Plain	30	250	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 250	7.04
00931 8800 30 260	931	8.8	Plain	30	260	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 260	7.722
00931 8800 30 280	931	8.8	Plain	30	280	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 280	9.013
00931 8800 30 300	931	8.8	Plain	30	300	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 30 x 300	12.11
00931 8800 33 100	931	8.8	Plain	33	100	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 33 x 100	4.73
00931 8800 33 110	931	8.8	Plain	33	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 33 x 110	5.873
00931 8800 33 120	931	8.8	Plain	33	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 33 x 120	5.618
00931 8800 33 130	931	8.8	Plain	33	130	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 33 x 130	6.245
00931 8800 33 140	931	8.8	Plain	33	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 33 x 140	6.288
00931 8800 33 150	931	8.8	Plain	33	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 33 x 150	6.649
00931 8800 33 160	931	8.8	Plain	33	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 33 x 160	6.985
00931 8800 33 180	931	8.8	Plain	33	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 33 x 180	7.726
00931 8800 36 100	931	8.8	Plain	36	100	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 100	5.49
00931 8800 36 110	931	8.8	Plain	36	110	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 110	5.544
00931 8800 36 120	931	8.8	Plain	36	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 120	7.691
00931 8800 36 130	931	8.8	Plain	36	130	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 130	6.848
00931 8800 36 140	931	8.8	Plain	36	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 140	7.242
00931 8800 36 150	931	8.8	Plain	36	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 150	7.636

00931 8800 36 160	931	8.8	Plain	36	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 160	8.637
00931 8800 36 170	931	8.8	Plain	36	170	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 170	8.7
00931 8800 36 180	931	8.8	Plain	36	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 180	8.819
00931 8800 36 200	931	8.8	Plain	36	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 200	11.3
00931 8800 36 220	931	8.8	Plain	36	220	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 220	9.51
00931 8800 36 230	931	8.8	Plain	36	230	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 230	10.92
00931 8800 36 240	931	8.8	Plain	36	240	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 240	10.74
00931 8800 36 280	931	8.8	Plain	36	280	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 36 x 280	13.19
00931 8800 39 120	931	8.8	Plain	39	120	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 39 x 120	11.38
00931 8800 39 160	931	8.8	Plain	39	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 39 x 160	13.79
00931 8800 39 180	931	8.8	Plain	39	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 39 x 180	15.15
00931 8800 39 240	931	8.8	Plain	39	240	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 39 x 240	18.81
00931 8800 42 140	931	8.8	Plain	42	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 42 x 140	13.21
00931 8800 42 150	931	8.8	Plain	42	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 42 x 150	13.93
00931 8800 42 160	931	8.8	Plain	42	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 42 x 160	13.5
00931 8800 42 170	931	8.8	Plain	42	170	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 42 x 170	14.31
00931 8800 42 180	931	8.8	Plain	42	180	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 42 x 180	14.72
00931 8800 42 190	931	8.8	Plain	42	190	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 42 x 190	15.64
00931 8800 42 200	931	8.8	Plain	42	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 42 x 200	17.07
00931 8800 42 240	931	8.8	Plain	42	240	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 42 x 240	20.97
00931 8800 42 250	931	8.8	Plain	42	250	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 42 x 250	24.79
00931 8800 42 300	931	8.8	Plain	42	300	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 42 x 300	27.43
00931 8800 48 130	931	8.8	Plain	48	130	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 48 x 130	16.93
00931 8800 48 140	931	8.8	Plain	48	140	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 48 x 140	24.25
00931 8800 48 150	931	8.8	Plain	48	150	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 48 x 150	25.52
00931 8800 48 160	931	8.8	Plain	48	160	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 48 x 160	26.79
00931 8800 48 200	931	8.8	Plain	48	200	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 48 x 200	31.54
00931 8800 48 280	931	8.8	Plain	48	280	Hexagon cap screws part. threaded, DIN 931, 8.8, Bl., M 48 x 280	34.4
00931 1001 16 50	931	11	Zinc	16	50	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 50	0.515
00931 1001 16 55	931	11	Zinc	16	55	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 55	0.518
00931 1001 16 60	931	11	Zinc	16	60	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 60	0.576
00931 1001 16 65	931	11	Zinc	16	65	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 65	0.589
00931 1001 16 70	931	11	Zinc	16	70	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 70	0.651
00931 1001 16 75	931	11	Zinc	16	75	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 75	0.662
00931 1001 16 80	931	11	Zinc	16	80	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 80	0.726
00931 1001 16 90	931	11	Zinc	16	90	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 90	0.692
00931 1001 16 100	931	11	Zinc	16	100	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 100	0.796
00931 1001 16 110	931	11	Zinc	16	110	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 110	0.944
00931 1001 16 130	931	11	Zinc	16	130	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 130	0.943
00931 1001 16 140	931	11	Zinc	16	140	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 140	1.088
00931 1001 16 150	931	11	Zinc	16	150	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 150	1.274
00931 1001 16 160	931	11	Zinc	16	160	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 160	1.443
00931 1001 16 180	931	11	Zinc	16	180	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 180	1.675
00931 1001 16 200	931	11	Zinc	16	200	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 16 x 200	1.776
00931 1001 20 65	931	11	Zinc	20	65	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 65	0.985
00931 1001 20 70	931	11	Zinc	20	70	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 70	0.877
00931 1001 20 75	931	11	Zinc	20	75	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 75	1.093
00931 1001 20 80	931	11	Zinc	20	80	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 80	0.919
00931 1001 20 90	931	11	Zinc	20	90	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 90	0.957
00931 1001 20 100	931	11	Zinc	20	100	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 100	1.081
00931 1001 20 120	931	11	Zinc	20	120	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 120	1.64
00931 1001 20 130	931	11	Zinc	20	130	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 130	1.819
00931 1001 20 140	931	11	Zinc	20	140	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 140	1.86
00931 1001 20 150	931	11	Zinc	20	150	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 150	2.057
00931 1001 20 160	931	11	Zinc	20	160	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 160	2.321
00931 1001 20 180	931	11	Zinc	20	180	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 180	2.675

00931 1001 20 200	931	11	Zinc	20	200	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 200	2.545
00931 1001 20 210	931	11	Zinc	20	210	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 20 x 210	4.348
00931 1001 22 70	931	11	Zinc	22	70	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 70	1.414
00931 1001 22 80	931	11	Zinc	22	80	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 80	1.565
00931 1001 22 90	931	11	Zinc	22	90	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 90	1.674
00931 1001 22 100	931	11	Zinc	22	100	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 100	1.816
00931 1001 22 110	931	11	Zinc	22	110	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 110	1.986
00931 1001 22 120	931	11	Zinc	22	120	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 120	2.134
00931 1001 22 130	931	11	Zinc	22	130	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 130	2.234
00931 1001 22 140	931	11	Zinc	22	140	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 140	2.382
00931 1001 22 150	931	11	Zinc	22	150	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 150	2.531
00931 1001 22 160	931	11	Zinc	22	160	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 160	2.71
00931 1001 22 180	931	11	Zinc	22	180	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 180	3.012
00931 1001 22 200	931	11	Zinc	22	200	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 22 x 200	3.386
00931 1001 24 65	931	11	Zinc	24	65	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 65	1.563
00931 1001 24 70	931	11	Zinc	24	70	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 70	1.588
00931 1001 24 75	931	11	Zinc	24	75	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 75	1.607
00931 1001 24 80	931	11	Zinc	24	80	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 80	1.798
00931 1001 24 90	931	11	Zinc	24	90	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 90	2.043
00931 1001 24 100	931	11	Zinc	24	100	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 100	2.215
00931 1001 24 110	931	11	Zinc	24	110	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 110	2.509
00931 1001 24 120	931	11	Zinc	24	120	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 120	2.664
00931 1001 24 130	931	11	Zinc	24	130	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 130	3.101
00931 1001 24 140	931	11	Zinc	24	140	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 140	3.43
00931 1001 24 150	931	11	Zinc	24	150	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 150	3.489
00931 1001 24 180	931	11	Zinc	24	180	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 180	4.237
00931 1001 24 200	931	11	Zinc	24	200	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 200	3.97
00931 1001 24 240	931	11	Zinc	24	240	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 240	7.958
00931 1001 24 260	931	11	Zinc	24	260	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 24 x 260	8.215
00931 1001 27 85	931	11	Zinc	27	85	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 27 x 85	3.233
00931 1001 27 90	931	11	Zinc	27	90	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 27 x 90	3.372
00931 1001 27 110	931	11	Zinc	27	110	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 27 x 110	3.863
00931 1001 27 120	931	11	Zinc	27	120	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 27 x 120	4.137
00931 1001 27 130	931	11	Zinc	27	130	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 27 x 130	4.261
00931 1001 27 140	931	11	Zinc	27	140	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 27 x 140	4.528
00931 1001 27 150	931	11	Zinc	27	150	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 27 x 150	4.827
00931 1001 27 160	931	11	Zinc	27	160	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 27 x 160	5.101
00931 1001 27 180	931	11	Zinc	27	180	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 27 x 180	5.617
00931 1001 27 200	931	11	Zinc	27	200	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 27 x 200	6.247
00931 1001 30 100	931	11	Zinc	30	100	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 30 x 100	5.442
00931 1001 30 110	931	11	Zinc	30	110	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 30 x 110	5.844
00931 1001 30 120	931	11	Zinc	30	120	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 30 x 120	6.346
00931 1001 30 130	931	11	Zinc	30	130	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 30 x 130	6.759
00931 1001 30 150	931	11	Zinc	30	150	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 30 x 150	7.576
00931 1001 30 160	931	11	Zinc	30	160	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 30 x 160	7.985
00931 1001 30 180	931	11	Zinc	30	180	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 30 x 180	8.803
00931 1001 30 200	931	11	Zinc	30	200	Hexagon cap screws part. threaded, DIN 931, 10.9, vZn., M 30 x 200	9.506
00931 1000 10 40	931	11	Plain	10	40	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 40	0.117
00931 1000 10 45	931	11	Plain	10	45	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 45	0.138
00931 1000 10 50	931	11	Plain	10	50	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 50	0.129
00931 1000 10 55	931	11	Plain	10	55	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 55	0.138
00931 1000 10 60	931	11	Plain	10	60	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 60	0.148
00931 1000 10 70	931	11	Plain	10	70	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 70	0.175
00931 1000 10 80	931	11	Plain	10	80	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 80	0.203
00931 1000 10 90	931	11	Plain	10	90	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 90	0.238
00931 1000 10 100	931	11	Plain	10	100	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 100	0.236

00931 1000 10 110	931	11	Plain	10	110	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 110	0.365
00931 1000 10 120	931	11	Plain	10	120	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 120	0.309
00931 1000 10 130	931	11	Plain	10	130	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 130	0.408
00931 1000 10 140	931	11	Plain	10	140	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 10 x 140	0.42
00931 1000 12 45	931	11	Plain	12	45	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 45	0.182
00931 1000 12 50	931	11	Plain	12	50	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 50	0.191
00931 1000 12 55	931	11	Plain	12	55	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 55	0.206
00931 1000 12 60	931	11	Plain	12	60	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 60	0.212
00931 1000 12 65	931	11	Plain	12	65	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 65	0.231
00931 1000 12 70	931	11	Plain	12	70	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 70	0.256
00931 1000 12 75	931	11	Plain	12	75	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 75	0.26
00931 1000 12 80	931	11	Plain	12	80	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 80	0.286
00931 1000 12 90	931	11	Plain	12	90	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 90	0.304
00931 1000 12 100	931	11	Plain	12	100	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 100	0.346
00931 1000 12 110	931	11	Plain	12	110	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 110	0.396
00931 1000 12 120	931	11	Plain	12	120	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 120	0.424
00931 1000 12 130	931	11	Plain	12	130	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 130	0.428
00931 1000 12 140	931	11	Plain	12	140	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 140	0.637
00931 1000 12 150	931	11	Plain	12	150	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 150	0.653
00931 1000 12 160	931	11	Plain	12	160	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 160	0.822
00931 1000 12 180	931	11	Plain	12	180	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 180	0.882
00931 1000 12 200	931	11	Plain	12	200	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 12 x 200	0.848
00931 1000 14 50	931	11	Plain	14	50	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 50	0.326
00931 1000 14 60	931	11	Plain	14	60	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 60	0.359
00931 1000 14 80	931	11	Plain	14	80	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 80	0.468
00931 1000 14 90	931	11	Plain	14	90	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 90	0.487
00931 1000 14 100	931	11	Plain	14	100	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 100	0.601
00931 1000 14 110	931	11	Plain	14	110	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 110	0.684
00931 1000 14 120	931	11	Plain	14	120	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 120	0.773
00931 1000 14 130	931	11	Plain	14	130	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 130	0.631
00931 1000 14 140	931	11	Plain	14	140	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 140	1.017
00931 1000 14 150	931	11	Plain	14	150	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 150	1.039
00931 1000 14 160	931	11	Plain	14	160	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 160	1.147
00931 1000 14 180	931	11	Plain	14	180	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 14 x 180	1.227
00931 1000 16 50	931	11	Plain	16	50	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 50	0.419
00931 1000 16 55	931	11	Plain	16	55	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 55	0.394
00931 1000 16 60	931	11	Plain	16	60	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 60	0.404
00931 1000 16 65	931	11	Plain	16	65	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 65	0.439
00931 1000 16 70	931	11	Plain	16	70	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 70	0.457
00931 1000 16 75	931	11	Plain	16	75	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 75	0.503
00931 1000 16 80	931	11	Plain	16	80	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 80	0.51
00931 1000 16 85	931	11	Plain	16	85	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 85	0.646
00931 1000 16 90	931	11	Plain	16	90	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 90	0.562
00931 1000 16 100	931	11	Plain	16	100	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 100	0.637
00931 1000 16 110	931	11	Plain	16	110	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 110	0.769
00931 1000 16 120	931	11	Plain	16	120	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 120	0.864
00931 1000 16 130	931	11	Plain	16	130	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 130	0.814
00931 1000 16 140	931	11	Plain	16	140	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 140	0.975
00931 1000 16 150	931	11	Plain	16	150	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 150	0.997
00931 1000 16 160	931	11	Plain	16	160	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 160	1.352
00931 1000 16 170	931	11	Plain	16	170	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 170	1.374
00931 1000 16 180	931	11	Plain	16	180	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 180	1.508
00931 1000 16 200	931	11	Plain	16	200	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 200	1.598
00931 1000 16 220	931	11	Plain	16	220	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 220	2.253
00931 1000 16 240	931	11	Plain	16	240	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 240	3.49
00931 1000 16 250	931	11	Plain	16	250	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 16 x 250	3.685

00931 1000 18 60	931	11	Plain	18	60	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 60	0.641
00931 1000 18 70	931	11	Plain	18	70	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 70	0.75
00931 1000 18 80	931	11	Plain	18	80	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 80	0.8
00931 1000 18 90	931	11	Plain	18	90	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 90	0.911
00931 1000 18 100	931	11	Plain	18	100	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 100	0.89
00931 1000 18 110	931	11	Plain	18	110	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 110	0.997
00931 1000 18 120	931	11	Plain	18	120	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 120	1.21
00931 1000 18 130	931	11	Plain	18	130	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 130	1.622
00931 1000 18 140	931	11	Plain	18	140	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 140	1.802
00931 1000 18 150	931	11	Plain	18	150	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 150	1.847
00931 1000 18 160	931	11	Plain	18	160	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 160	2.037
00931 1000 18 180	931	11	Plain	18	180	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 180	2.171
00931 1000 18 200	931	11	Plain	18	200	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 18 x 200	2.489
00931 1000 20 65	931	11	Plain	20	65	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 65	0.789
00931 1000 20 70	931	11	Plain	20	70	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 70	0.8
00931 1000 20 75	931	11	Plain	20	75	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 75	0.772
00931 1000 20 80	931	11	Plain	20	80	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 80	0.883
00931 1000 20 90	931	11	Plain	20	90	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 90	0.887
00931 1000 20 100	931	11	Plain	20	100	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 100	1.049
00931 1000 20 110	931	11	Plain	20	110	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 110	1.237
00931 1000 20 120	931	11	Plain	20	120	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 120	1.276
00931 1000 20 130	931	11	Plain	20	130	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 130	1.415
00931 1000 20 140	931	11	Plain	20	140	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 140	1.446
00931 1000 20 160	931	11	Plain	20	160	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 160	2.094
00931 1000 20 170	931	11	Plain	20	170	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 170	2.115
00931 1000 20 180	931	11	Plain	20	180	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 180	2.318
00931 1000 20 200	931	11	Plain	20	200	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 200	2.168
00931 1000 20 220	931	11	Plain	20	220	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 220	3.215
00931 1000 20 240	931	11	Plain	20	240	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 240	3.349
00931 1000 20 250	931	11	Plain	20	250	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 250	4.217
00931 1000 20 260	931	11	Plain	20	260	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 20 x 260	3.608
00931 1000 22 70	931	11	Plain	22	70	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 70	1.215
00931 1000 22 80	931	11	Plain	22	80	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 80	1.292
00931 1000 22 90	931	11	Plain	22	90	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 90	1.474
00931 1000 22 100	931	11	Plain	22	100	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 100	1.436
00931 1000 22 110	931	11	Plain	22	110	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 110	1.534
00931 1000 22 120	931	11	Plain	22	120	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 120	1.786
00931 1000 22 130	931	11	Plain	22	130	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 130	2.119
00931 1000 22 140	931	11	Plain	22	140	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 140	2.409
00931 1000 22 150	931	11	Plain	22	150	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 150	2.664
00931 1000 22 160	931	11	Plain	22	160	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 160	3.166
00931 1000 22 180	931	11	Plain	22	180	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 180	3.662
00931 1000 22 200	931	11	Plain	22	200	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 22 x 200	3.054
00931 1000 24 70	931	11	Plain	24	70	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 70	1.229
00931 1000 24 75	931	11	Plain	24	75	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 75	1.482
00931 1000 24 80	931	11	Plain	24	80	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 80	1.391
00931 1000 24 85	931	11	Plain	24	85	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 85	1.625
00931 1000 24 90	931	11	Plain	24	90	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 90	1.518
00931 1000 24 100	931	11	Plain	24	100	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 100	1.646
00931 1000 24 110	931	11	Plain	24	110	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 110	1.981
00931 1000 24 120	931	11	Plain	24	120	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 120	1.942
00931 1000 24 130	931	11	Plain	24	130	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 130	2.421
00931 1000 24 140	931	11	Plain	24	140	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 140	2.471
00931 1000 24 160	931	11	Plain	24	160	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 160	2.543
00931 1000 24 170	931	11	Plain	24	170	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 170	2.72
00931 1000 24 180	931	11	Plain	24	180	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 180	3.177

00931 1000 24 200	931	11	Plain	24	200	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 200	3.136
00931 1000 24 220	931	11	Plain	24	220	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 220	4.388
00931 1000 24 240	931	11	Plain	24	240	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 240	4.555
00931 1000 24 280	931	11	Plain	24	280	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 280	5.447
00931 1000 24 300	931	11	Plain	24	300	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 24 x 300	7.294
00931 1000 27 80	931	11	Plain	27	80	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 80	2.565
00931 1000 27 90	931	11	Plain	27	90	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 90	2.91
00931 1000 27 100	931	11	Plain	27	100	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 100	2.755
00931 1000 27 110	931	11	Plain	27	110	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 110	3.038
00931 1000 27 120	931	11	Plain	27	120	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 120	3.631
00931 1000 27 130	931	11	Plain	27	130	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 130	2.85
00931 1000 27 140	931	11	Plain	27	140	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 140	3.56
00931 1000 27 150	931	11	Plain	27	150	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 150	4.065
00931 1000 27 160	931	11	Plain	27	160	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 160	4.62
00931 1000 27 180	931	11	Plain	27	180	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 180	4.695
00931 1000 27 200	931	11	Plain	27	200	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 200	5.593
00931 1000 27 220	931	11	Plain	27	220	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 220	6.482
00931 1000 27 240	931	11	Plain	27	240	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 240	7.282
00931 1000 27 260	931	11	Plain	27	260	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 260	7.791
00931 1000 27 280	931	11	Plain	27	280	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 27 x 280	8.352
00931 1000 30 80	931	11	Plain	30	80	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 80	4.114
00931 1000 30 90	931	11	Plain	30	90	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 90	5.123
00931 1000 30 100	931	11	Plain	30	100	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 100	5.518
00931 1000 30 110	931	11	Plain	30	110	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 110	5.838
00931 1000 30 120	931	11	Plain	30	120	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 120	5.09
00931 1000 30 130	931	11	Plain	30	130	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 130	5.423
00931 1000 30 140	931	11	Plain	30	140	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 140	6.773
00931 1000 30 150	931	11	Plain	30	150	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 150	6.087
00931 1000 30 160	931	11	Plain	30	160	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 160	7.438
00931 1000 30 170	931	11	Plain	30	170	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 170	7.729
00931 1000 30 180	931	11	Plain	30	180	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 180	7.313
00931 1000 30 200	931	11	Plain	30	200	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 200	6.996
00931 1000 30 220	931	11	Plain	30	220	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 220	7.977
00931 1000 30 240	931	11	Plain	30	240	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 240	8.946
00931 1000 30 250	931	11	Plain	30	250	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 250	9.245
00931 1000 30 260	931	11	Plain	30	260	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 260	9.589
00931 1000 30 280	931	11	Plain	30	280	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 280	10.36
00931 1000 30 300	931	11	Plain	30	300	Hexagon cap screws part. threaded, DIN 931, 10.9, Bl., M 30 x 300	10.88
<b>DIN 912</b>						<b>Surub cap cilindric locas hexagonal inbus</b>	
00912 8801 10 100			Zinc	10	100	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 100	0.244
00912 8801 10 110	912	8.8	Zinc	10	110	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 110	0.289
00912 8801 10 120	912	8.8	Zinc	10	120	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 120	0.312
00912 8801 10 130	912	8.8	Zinc	10	130	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 130	0.336
00912 8801 10 140	912	8.8	Zinc	10	140	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 140	0.36
00912 8801 10 150	912	8.8	Zinc	10	150	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 150	0.396
00912 8801 10 16	912	8.8	Zinc	10	16	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 16	0.069
00912 8801 10 160	912	8.8	Zinc	10	160	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 160	0.57
00912 8801 10 170	912	8.8	Zinc	10	170	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 170	0.511
00912 8801 10 180	912	8.8	Zinc	10	180	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 180	0.521
00912 8801 10 20	912	8.8	Zinc	10	20	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 20	0.073
00912 8801 10 25	912	8.8	Zinc	10	25	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 25	0.08
00912 8801 10 30	912	8.8	Zinc	10	30	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 30	0.088
00912 8801 10 35	912	8.8	Zinc	10	35	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 35	0.096
00912 8801 10 40	912	8.8	Zinc	10	40	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 40	0.104
00912 8801 10 45	912	8.8	Zinc	10	45	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 45	0.119

00912 8801 10 50	912	8.8	Zinc	10	50	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 50	0.124
00912 8801 10 55	912	8.8	Zinc	10	55	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 55	0.134
00912 8801 10 60	912	8.8	Zinc	10	60	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 60	0.145
00912 8801 10 65	912	8.8	Zinc	10	65	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 65	0.155
00912 8801 10 70	912	8.8	Zinc	10	70	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 70	0.165
00912 8801 10 75	912	8.8	Zinc	10	75	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 75	0.189
00912 8801 10 80	912	8.8	Zinc	10	80	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 80	0.169
00912 8801 10 90	912	8.8	Zinc	10	90	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 90	0.219
00912 8801 10 95	912	8.8	Zinc	10	95	Socket head cap screws, DIN 912, 8.8, vZn, M 10 X 95	0.253
00912 8801 12 100	912	8.8	Zinc	12	100	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 100	0.318
00912 8801 12 110	912	8.8	Zinc	12	110	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 110	0.398
00912 8801 12 120	912	8.8	Zinc	12	120	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 120	0.432
00912 8801 12 130	912	8.8	Zinc	12	130	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 130	0.465
00912 8801 12 140	912	8.8	Zinc	12	140	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 140	0.498
00912 8801 12 150	912	8.8	Zinc	12	150	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 150	0.532
00912 8801 12 160	912	8.8	Zinc	12	160	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 160	0.71
00912 8801 12 180	912	8.8	Zinc	12	180	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 180	0.794
00912 8801 12 20	912	8.8	Zinc	12	20	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 20	0.104
00912 8801 12 25	912	8.8	Zinc	12	25	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 25	0.113
00912 8801 12 30	912	8.8	Zinc	12	30	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 30	0.124
00912 8801 12 35	912	8.8	Zinc	12	35	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 35	0.13
00912 8801 12 40	912	8.8	Zinc	12	40	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 40	0.147
00912 8801 12 45	912	8.8	Zinc	12	45	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 45	0.143
00912 8801 12 50	912	8.8	Zinc	12	50	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 50	0.172
00912 8801 12 55	912	8.8	Zinc	12	55	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 55	0.186
00912 8801 12 60	912	8.8	Zinc	12	60	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 60	0.187
00912 8801 12 65	912	8.8	Zinc	12	65	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 65	0.197
00912 8801 12 70	912	8.8	Zinc	12	70	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 70	0.226
00912 8801 12 80	912	8.8	Zinc	12	80	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 80	0.236
00912 8801 12 90	912	8.8	Zinc	12	90	Socket head cap screws, DIN 912, 8.8, vZn, M 12 X 90	0.29
00912 8801 14 30	912	8.8	Zinc	14	30	Socket head cap screws, DIN 912, 8.8, vZn, M 14 X 30	0.141
00912 8801 14 35	912	8.8	Zinc	14	35	Socket head cap screws, DIN 912, 8.8, vZn, M 14 X 35	0.208
00912 8801 14 40	912	8.8	Zinc	14	40	Socket head cap screws, DIN 912, 8.8, vZn, M 14 X 40	0.237
00912 8801 14 45	912	8.8	Zinc	14	45	Socket head cap screws, DIN 912, 8.8, vZn, M 14 X 45	0.244
00912 8801 14 50	912	8.8	Zinc	14	50	Socket head cap screws, DIN 912, 8.8, vZn, M 14 X 50	0.262
00912 8801 14 60	912	8.8	Zinc	14	60	Socket head cap screws, DIN 912, 8.8, vZn, M 14 X 60	0.286
00912 8801 14 70	912	8.8	Zinc	14	70	Socket head cap screws, DIN 912, 8.8, vZn, M 14 X 70	0.345
00912 8801 14 80	912	8.8	Zinc	14	80	Socket head cap screws, DIN 912, 8.8, vZn, M 14 X 80	0.356
00912 8801 14 90	912	8.8	Zinc	14	90	Socket head cap screws, DIN 912, 8.8, vZn, M 14 X 90	0.364
00912 8801 16 100	912	8.8	Zinc	16	100	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 100	0.636
00912 8801 16 110	912	8.8	Zinc	16	110	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 110	0.691
00912 8801 16 120	912	8.8	Zinc	16	120	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 120	0.746
00912 8801 16 130	912	8.8	Zinc	16	130	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 130	0.786
00912 8801 16 140	912	8.8	Zinc	16	140	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 140	0.93
00912 8801 16 150	912	8.8	Zinc	16	150	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 150	0.98
00912 8801 16 160	912	8.8	Zinc	16	160	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 160	0.983
00912 8801 16 30	912	8.8	Zinc	16	30	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 30	0.229
00912 8801 16 35	912	8.8	Zinc	16	35	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 35	0.274
00912 8801 16 40	912	8.8	Zinc	16	40	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 40	0.296
00912 8801 16 45	912	8.8	Zinc	16	45	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 45	0.317
00912 8801 16 50	912	8.8	Zinc	16	50	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 50	0.344
00912 8801 16 55	912	8.8	Zinc	16	55	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 55	0.37
00912 8801 16 60	912	8.8	Zinc	16	60	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 60	0.397
00912 8801 16 65	912	8.8	Zinc	16	65	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 65	0.431
00912 8801 16 70	912	8.8	Zinc	16	70	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 70	0.448
00912 8801 16 75	912	8.8	Zinc	16	75	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 75	0.462



00912 8801 16 80	912	8.8	Zinc	16	80	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 80	0.501
00912 8801 16 90	912	8.8	Zinc	16	90	Socket head cap screws, DIN 912, 8.8, vZn, M 16 X 90	0.461
00912 8801 20 100	912	8.8	Zinc	20	100	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 100	0.946
00912 8801 20 110	912	8.8	Zinc	20	110	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 110	0.881
00912 8801 20 120	912	8.8	Zinc	20	120	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 120	1.166
00912 8801 20 130	912	8.8	Zinc	20	130	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 130	1.252
00912 8801 20 140	912	8.8	Zinc	20	140	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 140	1.239
00912 8801 20 150	912	8.8	Zinc	20	150	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 150	1.423
00912 8801 20 160	912	8.8	Zinc	20	160	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 160	1.715
00912 8801 20 180	912	8.8	Zinc	20	180	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 180	1.73
00912 8801 20 200	912	8.8	Zinc	20	200	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 200	2.104
00912 8801 20 40	912	8.8	Zinc	20	40	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 40	0.513
00912 8801 20 45	912	8.8	Zinc	20	45	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 45	0.523
00912 8801 20 50	912	8.8	Zinc	20	50	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 50	0.559
00912 8801 20 55	912	8.8	Zinc	20	55	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 55	0.595
00912 8801 20 60	912	8.8	Zinc	20	60	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 60	0.63
00912 8801 20 65	912	8.8	Zinc	20	65	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 65	0.666
00912 8801 20 70	912	8.8	Zinc	20	70	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 70	0.702
00912 8801 20 75	912	8.8	Zinc	20	75	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 75	0.668
00912 8801 20 80	912	8.8	Zinc	20	80	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 80	0.713
00912 8801 20 90	912	8.8	Zinc	20	90	Socket head cap screws, DIN 912, 8.8, vZn, M 20 X 90	0.864
00912 8801 22 150	912	8.8	Zinc	22	150	Socket head cap screws, DIN 912, 8.8, vZn, M 22 X 150	5.264
00912 8801 24 110	912	8.8	Zinc	24	110	Socket head cap screws, DIN 912, 8.8, vZn, M 24 X 110	1.865
00912 8801 4 10	912	8.8	Zinc	4	10	Socket head cap screws, DIN 912, 8.8, vZn, M 4 X 10	0.012
00912 8801 4 12	912	8.8	Zinc	4	12	Socket head cap screws, DIN 912, 8.8, vZn, M 4 X 12	0.013
00912 8801 4 16	912	8.8	Zinc	4	16	Socket head cap screws, DIN 912, 8.8, vZn, M 4 X 16	0.018
00912 8801 4 20	912	8.8	Zinc	4	20	Socket head cap screws, DIN 912, 8.8, vZn, M 4 X 20	0.019
00912 8801 4 25	912	8.8	Zinc	4	25	Socket head cap screws, DIN 912, 8.8, vZn, M 4 X 25	0.02
00912 8801 4 30	912	8.8	Zinc	4	30	Socket head cap screws, DIN 912, 8.8, vZn, M 4 X 30	0.026
00912 8801 4 35	912	8.8	Zinc	4	35	Socket head cap screws, DIN 912, 8.8, vZn, M 4 X 35	0.03
00912 8801 4 8	912	8.8	Zinc	4	8	Socket head cap screws, DIN 912, 8.8, vZn, M 4 X 8	0.014
00912 8801 5 10	912	8.8	Zinc	5	10	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 10	0.017
00912 8801 5 12	912	8.8	Zinc	5	12	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 12	0.021
00912 8801 5 130	912	8.8	Zinc	5	130	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 130	0.501
00912 8801 5 14	912	8.8	Zinc	5	14	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 14	0.023
00912 8801 5 16	912	8.8	Zinc	5	16	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 16	0.017
00912 8801 5 20	912	8.8	Zinc	5	20	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 20	0.018
00912 8801 5 25	912	8.8	Zinc	5	25	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 25	0.023
00912 8801 5 30	912	8.8	Zinc	5	30	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 30	0.027
00912 8801 5 35	912	8.8	Zinc	5	35	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 35	0.03
00912 8801 5 40	912	8.8	Zinc	5	40	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 40	0.034
00912 8801 5 45	912	8.8	Zinc	5	45	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 45	0.038
00912 8801 5 50	912	8.8	Zinc	5	50	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 50	0.041
00912 8801 5 60	912	8.8	Zinc	5	60	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 60	0.049
00912 8801 5 85	912	8.8	Zinc	5	85	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 85	0.118
00912 8801 5 90	912	8.8	Zinc	5	90	Socket head cap screws, DIN 912, 8.8, vZn, M 5 X 90	0.114
00912 8801 6 10	912	8.8	Zinc	6	10	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 10	0.025
00912 8801 6 12	912	8.8	Zinc	6	12	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 12	0.023
00912 8801 6 120	912	8.8	Zinc	6	120	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 120	0.228
00912 8801 6 14	912	8.8	Zinc	6	14	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 14	0.024
00912 8801 6 140	912	8.8	Zinc	6	140	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 140	0.206
00912 8801 6 150	912	8.8	Zinc	6	150	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 150	0.28
00912 8801 6 16	912	8.8	Zinc	6	16	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 16	0.022
00912 8801 6 18	912	8.8	Zinc	6	18	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 18	0.027
00912 8801 6 20	912	8.8	Zinc	6	20	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 20	0.023
00912 8801 6 25	912	8.8	Zinc	6	25	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 25	0.027

00912 8801 6 30	912	8.8	Zinc	6	30	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 30	0.03
00912 8801 6 35	912	8.8	Zinc	6	35	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 35	0.036
00912 8801 6 40	912	8.8	Zinc	6	40	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 40	0.04
00912 8801 6 45	912	8.8	Zinc	6	45	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 45	0.041
00912 8801 6 50	912	8.8	Zinc	6	50	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 50	0.041
00912 8801 6 55	912	8.8	Zinc	6	55	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 55	0.047
00912 8801 6 60	912	8.8	Zinc	6	60	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 60	0.055
00912 8801 6 70	912	8.8	Zinc	6	70	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 70	0.067
00912 8801 6 80	912	8.8	Zinc	6	80	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 80	0.104
00912 8801 6 90	912	8.8	Zinc	6	90	Socket head cap screws, DIN 912, 8.8, vZn, M 6 X 90	0.115
00912 8801 8 100	912	8.8	Zinc	8	100	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 100	0.146
00912 8801 8 110	912	8.8	Zinc	8	110	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 110	0.181
00912 8801 8 12	912	8.8	Zinc	8	12	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 12	0.041
00912 8801 8 120	912	8.8	Zinc	8	120	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 120	0.206
00912 8801 8 130	912	8.8	Zinc	8	130	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 130	0.26
00912 8801 8 140	912	8.8	Zinc	8	140	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 140	0.236
00912 8801 8 150	912	8.8	Zinc	8	150	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 150	0.297
00912 8801 8 16	912	8.8	Zinc	8	16	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 16	0.039
00912 8801 8 18	912	8.8	Zinc	8	18	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 18	0.048
00912 8801 8 20	912	8.8	Zinc	8	20	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 20	0.046
00912 8801 8 25	912	8.8	Zinc	8	25	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 25	0.049
00912 8801 8 30	912	8.8	Zinc	8	30	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 30	0.051
00912 8801 8 35	912	8.8	Zinc	8	35	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 35	0.057
00912 8801 8 40	912	8.8	Zinc	8	40	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 40	0.068
00912 8801 8 45	912	8.8	Zinc	8	45	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 45	0.063
00912 8801 8 50	912	8.8	Zinc	8	50	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 50	0.081
00912 8801 8 55	912	8.8	Zinc	8	55	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 55	0.084
00912 8801 8 60	912	8.8	Zinc	8	60	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 60	0.08
00912 8801 8 65	912	8.8	Zinc	8	65	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 65	0.101
00912 8801 8 70	912	8.8	Zinc	8	70	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 70	0.107
00912 8801 8 75	912	8.8	Zinc	8	75	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 75	0.114
00912 8801 8 80	912	8.8	Zinc	8	80	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 80	0.122
00912 8801 8 85	912	8.8	Zinc	8	85	Socket head cap screws, DIN 912, 8.8, vZn, M 8 X 85	0.178
00912 8800 10 100	912	8.8	Plain	10	100	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 100	0.229
00912 8800 10 110	912	8.8	Plain	10	110	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 110	0.271
00912 8800 10 120	912	8.8	Plain	10	120	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 120	0.294
00912 8800 10 130	912	8.8	Plain	10	130	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 130	0.316
00912 8800 10 140	912	8.8	Plain	10	140	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 140	0.339
00912 8800 10 150	912	8.8	Plain	10	150	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 150	0.372
00912 8800 10 16	912	8.8	Plain	10	16	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 16	0.065
00912 8800 10 160	912	8.8	Plain	10	160	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 160	0.536
00912 8800 10 20	912	8.8	Plain	10	20	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 20	0.068
00912 8800 10 22	912	8.8	Plain	10	22	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 22	0.084
00912 8800 10 25	912	8.8	Plain	10	25	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 25	0.076
00912 8800 10 30	912	8.8	Plain	10	30	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 30	0.083
00912 8800 10 35	912	8.8	Plain	10	35	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 35	0.09
00912 8800 10 40	912	8.8	Plain	10	40	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 40	0.098
00912 8800 10 45	912	8.8	Plain	10	45	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 45	0.112
00912 8800 10 50	912	8.8	Plain	10	50	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 50	0.117
00912 8800 10 55	912	8.8	Plain	10	55	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 55	0.126
00912 8800 10 60	912	8.8	Plain	10	60	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 60	0.136
00912 8800 10 70	912	8.8	Plain	10	70	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 70	0.155
00912 8800 10 75	912	8.8	Plain	10	75	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 75	0.178
00912 8800 10 80	912	8.8	Plain	10	80	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 80	0.159
00912 8800 10 90	912	8.8	Plain	10	90	Socket head cap screws, DIN 912, 8.8, Bl., M 10 X 90	0.206
00912 8800 12 100	912	8.8	Plain	12	100	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 100	0.299


00912 8800 12 110	912	8.8	Plain	12	110	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 110	0.374
00912 8800 12 120	912	8.8	Plain	12	120	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 120	0.406
00912 8800 12 130	912	8.8	Plain	12	130	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 130	0.437
00912 8800 12 140	912	8.8	Plain	12	140	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 140	0.468
00912 8800 12 160	912	8.8	Plain	12	160	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 160	0.668
00912 8800 12 170	912	8.8	Plain	12	170	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 170	0.711
00912 8800 12 180	912	8.8	Plain	12	180	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 180	0.746
00912 8800 12 20	912	8.8	Plain	12	20	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 20	0.098
00912 8800 12 25	912	8.8	Plain	12	25	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 25	0.106
00912 8800 12 30	912	8.8	Plain	12	30	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 30	0.117
00912 8800 12 35	912	8.8	Plain	12	35	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 35	0.122
00912 8800 12 40	912	8.8	Plain	12	40	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 40	0.138
00912 8800 12 45	912	8.8	Plain	12	45	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 45	0.134
00912 8800 12 50	912	8.8	Plain	12	50	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 50	0.162
00912 8800 12 55	912	8.8	Plain	12	55	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 55	0.175
00912 8800 12 60	912	8.8	Plain	12	60	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 60	0.176
00912 8800 12 65	912	8.8	Plain	12	65	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 65	0.185
00912 8800 12 70	912	8.8	Plain	12	70	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 70	0.212
00912 8800 12 75	912	8.8	Plain	12	75	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 75	0.232
00912 8800 12 80	912	8.8	Plain	12	80	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 80	0.222
00912 8800 12 90	912	8.8	Plain	12	90	Socket head cap screws, DIN 912, 8.8, Bl., M 12 X 90	0.272
00912 8800 14 100	912	8.8	Plain	14	100	Socket head cap screws, DIN 912, 8.8, Bl., M 14 X 100	0.443
00912 8800 14 120	912	8.8	Plain	14	120	Socket head cap screws, DIN 912, 8.8, Bl., M 14 X 120	0.482
00912 8800 14 30	912	8.8	Plain	14	30	Socket head cap screws, DIN 912, 8.8, Bl., M 14 X 30	0.132
00912 8800 14 35	912	8.8	Plain	14	35	Socket head cap screws, DIN 912, 8.8, Bl., M 14 X 35	0.196
00912 8800 14 40	912	8.8	Plain	14	40	Socket head cap screws, DIN 912, 8.8, Bl., M 14 X 40	0.211
00912 8800 14 50	912	8.8	Plain	14	50	Socket head cap screws, DIN 912, 8.8, Bl., M 14 X 50	0.247
00912 8800 14 60	912	8.8	Plain	14	60	Socket head cap screws, DIN 912, 8.8, Bl., M 14 X 60	0.268
00912 8800 14 70	912	8.8	Plain	14	70	Socket head cap screws, DIN 912, 8.8, Bl., M 14 X 70	0.324
00912 8800 14 80	912	8.8	Plain	14	80	Socket head cap screws, DIN 912, 8.8, Bl., M 14 X 80	0.334
00912 8800 14 90	912	8.8	Plain	14	90	Socket head cap screws, DIN 912, 8.8, Bl., M 14 X 90	0.342
00912 8800 16 100	912	8.8	Plain	16	100	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 100	0.598
00912 8800 16 110	912	8.8	Plain	16	110	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 110	0.65
00912 8800 16 120	912	8.8	Plain	16	120	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 120	0.691
00912 8800 16 130	912	8.8	Plain	16	130	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 130	0.739
00912 8800 16 140	912	8.8	Plain	16	140	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 140	0.874
00912 8800 16 150	912	8.8	Plain	16	150	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 150	0.922
00912 8800 16 160	912	8.8	Plain	16	160	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 160	0.924
00912 8800 16 170	912	8.8	Plain	16	170	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 170	1.038
00912 8800 16 180	912	8.8	Plain	16	180	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 180	1.196
00912 8800 16 200	912	8.8	Plain	16	200	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 200	1.273
00912 8800 16 30	912	8.8	Plain	16	30	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 30	0.215
00912 8800 16 35	912	8.8	Plain	16	35	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 35	0.258
00912 8800 16 40	912	8.8	Plain	16	40	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 40	0.278
00912 8800 16 45	912	8.8	Plain	16	45	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 45	0.298
00912 8800 16 50	912	8.8	Plain	16	50	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 50	0.324
00912 8800 16 55	912	8.8	Plain	16	55	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 55	0.348
00912 8800 16 60	912	8.8	Plain	16	60	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 60	0.373
00912 8800 16 65	912	8.8	Plain	16	65	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 65	0.405
00912 8800 16 70	912	8.8	Plain	16	70	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 70	0.422
00912 8800 16 75	912	8.8	Plain	16	75	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 75	0.435
00912 8800 16 80	912	8.8	Plain	16	80	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 80	0.471
00912 8800 16 90	912	8.8	Plain	16	90	Socket head cap screws, DIN 912, 8.8, Bl., M 16 X 90	0.434
00912 8800 18 100	912	8.8	Plain	18	100	Socket head cap screws, DIN 912, 8.8, Bl., M 18 X 100	0.856
00912 8800 18 60	912	8.8	Plain	18	60	Socket head cap screws, DIN 912, 8.8, Bl., M 18 X 60	0.581
00912 8800 18 70	912	8.8	Plain	18	70	Socket head cap screws, DIN 912, 8.8, Bl., M 18 X 70	0.645

00912 8800 18 75	912	8.8	Plain	18	75	Socket head cap screws, DIN 912, 8.8, Bl., M 18 X 75	0.734
00912 8800 18 80	912	8.8	Plain	18	80	Socket head cap screws, DIN 912, 8.8, Bl., M 18 X 80	0.715
00912 8800 20 100	912	8.8	Plain	20	100	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 100	0.889
00912 8800 20 110	912	8.8	Plain	20	110	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 110	0.828
00912 8800 20 120	912	8.8	Plain	20	120	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 120	1.096
00912 8800 20 130	912	8.8	Plain	20	130	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 130	1.177
00912 8800 20 140	912	8.8	Plain	20	140	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 140	1.164
00912 8800 20 150	912	8.8	Plain	20	150	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 150	1.337
00912 8800 20 160	912	8.8	Plain	20	160	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 160	1.612
00912 8800 20 170	912	8.8	Plain	20	170	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 170	1.7
00912 8800 20 180	912	8.8	Plain	20	180	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 180	1.711
00912 8800 20 200	912	8.8	Plain	20	200	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 200	1.978
00912 8800 20 40	912	8.8	Plain	20	40	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 40	0.482
00912 8800 20 45	912	8.8	Plain	20	45	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 45	0.492
00912 8800 20 50	912	8.8	Plain	20	50	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 50	0.525
00912 8800 20 55	912	8.8	Plain	20	55	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 55	0.559
00912 8800 20 60	912	8.8	Plain	20	60	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 60	0.593
00912 8800 20 65	912	8.8	Plain	20	65	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 65	0.626
00912 8800 20 70	912	8.8	Plain	20	70	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 70	0.66
00912 8800 20 75	912	8.8	Plain	20	75	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 75	0.628
00912 8800 20 80	912	8.8	Plain	20	80	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 80	0.671
00912 8800 20 90	912	8.8	Plain	20	90	Socket head cap screws, DIN 912, 8.8, Bl., M 20 X 90	0.813
00912 8800 22 100	912	8.8	Plain	22	100	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 100	1.711
00912 8800 22 110	912	8.8	Plain	22	110	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 110	2.048
00912 8800 22 120	912	8.8	Plain	22	120	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 120	2.062
00912 8800 22 140	912	8.8	Plain	22	140	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 140	2.333
00912 8800 22 150	912	8.8	Plain	22	150	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 150	2.925
00912 8800 22 160	912	8.8	Plain	22	160	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 160	3.67
00912 8800 22 180	912	8.8	Plain	22	180	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 180	4.429
00912 8800 22 200	912	8.8	Plain	22	200	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 200	4.843
00912 8800 22 50	912	8.8	Plain	22	50	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 50	1.08
00912 8800 22 60	912	8.8	Plain	22	60	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 60	1.192
00912 8800 22 70	912	8.8	Plain	22	70	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 70	1.203
00912 8800 22 80	912	8.8	Plain	22	80	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 80	1.071
00912 8800 22 90	912	8.8	Plain	22	90	Socket head cap screws, DIN 912, 8.8, Bl., M 22 X 90	1.581
00912 8800 24 100	912	8.8	Plain	24	100	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 100	1.516
00912 8800 24 110	912	8.8	Plain	24	110	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 110	1.753
00912 8800 24 120	912	8.8	Plain	24	120	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 120	1.822
00912 8800 24 140	912	8.8	Plain	24	140	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 140	1.89
00912 8800 24 150	912	8.8	Plain	24	150	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 150	2.294
00912 8800 24 160	912	8.8	Plain	24	160	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 160	2.421
00912 8800 24 180	912	8.8	Plain	24	180	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 180	2.674
00912 8800 24 200	912	8.8	Plain	24	200	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 200	3.086
00912 8800 24 220	912	8.8	Plain	24	220	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 220	4.751
00912 8800 24 240	912	8.8	Plain	24	240	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 240	5.13
00912 8800 24 250	912	8.8	Plain	24	250	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 250	5.662
00912 8800 24 40	912	8.8	Plain	24	40	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 40	0.918
00912 8800 24 45	912	8.8	Plain	24	45	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 45	0.969
00912 8800 24 50	912	8.8	Plain	24	50	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 50	1.057
00912 8800 24 60	912	8.8	Plain	24	60	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 60	1.052
00912 8800 24 65	912	8.8	Plain	24	65	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 65	1.1
00912 8800 24 70	912	8.8	Plain	24	70	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 70	0.964
00912 8800 24 75	912	8.8	Plain	24	75	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 75	1.243
00912 8800 24 80	912	8.8	Plain	24	80	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 80	1.272
00912 8800 24 85	912	8.8	Plain	24	85	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 85	1.386
00912 8800 24 90	912	8.8	Plain	24	90	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 90	1.387

00912 8800 24 95	912	8.8	Plain	24	95	Socket head cap screws, DIN 912, 8.8, Bl., M 24 X 95	4.225
00912 8800 30 100	912	8.8	Plain	30	100	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 100	4.073
00912 8800 30 110	912	8.8	Plain	30	110	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 110	4.353
00912 8800 30 120	912	8.8	Plain	30	120	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 120	5.542
00912 8800 30 140	912	8.8	Plain	30	140	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 140	5.411
00912 8800 30 150	912	8.8	Plain	30	150	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 150	6.291
00912 8800 30 160	912	8.8	Plain	30	160	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 160	5.753
00912 8800 30 180	912	8.8	Plain	30	180	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 180	6.313
00912 8800 30 220	912	8.8	Plain	30	220	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 220	6.557
00912 8800 30 250	912	8.8	Plain	30	250	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 250	6.75
00912 8800 30 260	912	8.8	Plain	30	260	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 260	8.1
00912 8800 30 270	912	8.8	Plain	30	270	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 270	11.95
00912 8800 30 280	912	8.8	Plain	30	280	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 280	8.486
00912 8800 30 300	912	8.8	Plain	30	300	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 300	10.76
00912 8800 30 60	912	8.8	Plain	30	60	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 60	3.277
00912 8800 30 70	912	8.8	Plain	30	70	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 70	3.043
00912 8800 30 80	912	8.8	Plain	30	80	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 80	4.263
00912 8800 30 90	912	8.8	Plain	30	90	Socket head cap screws, DIN 912, 8.8, Bl., M 30 X 90	4.603
00912 8800 36 100	912	8.8	Plain	36	100	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 100	8.613
00912 8800 36 110	912	8.8	Plain	36	110	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 110	9.174
00912 8800 36 120	912	8.8	Plain	36	120	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 120	9.734
00912 8800 36 130	912	8.8	Plain	36	130	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 130	10.29
00912 8800 36 140	912	8.8	Plain	36	140	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 140	11.04
00912 8800 36 150	912	8.8	Plain	36	150	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 150	12.6
00912 8800 36 160	912	8.8	Plain	36	160	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 160	11.98
00912 8800 36 180	912	8.8	Plain	36	180	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 180	13.1
00912 8800 36 200	912	8.8	Plain	36	200	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 200	14.22
00912 8800 36 220	912	8.8	Plain	36	220	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 220	13.58
00912 8800 36 250	912	8.8	Plain	36	250	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 250	14.04
00912 8800 36 280	912	8.8	Plain	36	280	Socket head cap screws, DIN 912, 8.8, Bl., M 36 X 280	19.81
00912 8800 4 8	912	8.8	Plain	4	8	Socket head cap screws, DIN 912, 8.8, Bl., M 4 X 8	0.019
00912 8800 5 10	912	8.8	Plain	5	10	Socket head cap screws, DIN 912, 8.8, Bl., M 5 X 10	0.016
00912 8800 5 12	912	8.8	Plain	5	12	Socket head cap screws, DIN 912, 8.8, Bl., M 5 X 12	0.02
00912 8800 5 14	912	8.8	Plain	5	14	Socket head cap screws, DIN 912, 8.8, Bl., M 5 X 14	0.022
00912 8800 5 16	912	8.8	Plain	5	16	Socket head cap screws, DIN 912, 8.8, Bl., M 5 X 16	0.016
00912 8800 5 20	912	8.8	Plain	5	20	Socket head cap screws, DIN 912, 8.8, Bl., M 5 X 20	0.017
00912 8800 5 25	912	8.8	Plain	5	25	Socket head cap screws, DIN 912, 8.8, Bl., M 5 X 25	0.022
00912 8800 5 30	912	8.8	Plain	5	30	Socket head cap screws, DIN 912, 8.8, Bl., M 5 X 30	0.025
00912 8800 5 35	912	8.8	Plain	5	35	Socket head cap screws, DIN 912, 8.8, Bl., M 5 X 35	0.028
00912 8800 5 40	912	8.8	Plain	5	40	Socket head cap screws, DIN 912, 8.8, Bl., M 5 X 40	0.032
00912 8800 6 10	912	8.8	Plain	6	10	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 10	0.023
00912 8800 6 12	912	8.8	Plain	6	12	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 12	0.021
00912 8800 6 16	912	8.8	Plain	6	16	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 16	0.021
00912 8800 6 18	912	8.8	Plain	6	18	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 18	0.026
00912 8800 6 20	912	8.8	Plain	6	20	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 20	0.022
00912 8800 6 25	912	8.8	Plain	6	25	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 25	0.026
00912 8800 6 30	912	8.8	Plain	6	30	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 30	0.028
00912 8800 6 35	912	8.8	Plain	6	35	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 35	0.033
00912 8800 6 40	912	8.8	Plain	6	40	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 40	0.037
00912 8800 6 45	912	8.8	Plain	6	45	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 45	0.038
00912 8800 6 50	912	8.8	Plain	6	50	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 50	0.039
00912 8800 6 55	912	8.8	Plain	6	55	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 55	0.044
00912 8800 6 60	912	8.8	Plain	6	60	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 60	0.052
00912 8800 6 70	912	8.8	Plain	6	70	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 70	0.063
00912 8800 6 80	912	8.8	Plain	6	80	Socket head cap screws, DIN 912, 8.8, Bl., M 6 X 80	0.098
00912 8800 8 100	912	8.8	Plain	8	100	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 100	0.137

00912 8800 8 110	912	8.8	Plain	8	110	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 110	0.17
00912 8800 8 120	912	8.8	Plain	8	120	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 120	0.194
00912 8800 8 130	912	8.8	Plain	8	130	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 130	0.245
00912 8800 8 14	912	8.8	Plain	8	14	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 14	0.036
00912 8800 8 16	912	8.8	Plain	8	16	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 16	0.037
00912 8800 8 18	912	8.8	Plain	8	18	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 18	0.045
00912 8800 8 20	912	8.8	Plain	8	20	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 20	0.043
00912 8800 8 25	912	8.8	Plain	8	25	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 25	0.046
00912 8800 8 30	912	8.8	Plain	8	30	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 30	0.048
00912 8800 8 35	912	8.8	Plain	8	35	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 35	0.054
00912 8800 8 40	912	8.8	Plain	8	40	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 40	0.064
00912 8800 8 45	912	8.8	Plain	8	45	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 45	0.06
00912 8800 8 50	912	8.8	Plain	8	50	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 50	0.076
00912 8800 8 55	912	8.8	Plain	8	55	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 55	0.079
00912 8800 8 60	912	8.8	Plain	8	60	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 60	0.074
00912 8800 8 65	912	8.8	Plain	8	65	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 65	0.095
00912 8800 8 70	912	8.8	Plain	8	70	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 70	0.101
00912 8800 8 80	912	8.8	Plain	8	80	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 80	0.115
00912 8800 8 90	912	8.8	Plain	8	90	Socket head cap screws, DIN 912, 8.8, Bl., M 8 X 90	0.131
00912 1000 10 100	912	11	Plain	10	100	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 100	0.251
00912 1000 10 120	912	11	Plain	10	120	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 120	0.325
00912 1000 10 20	912	11	Plain	10	20	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 20	0.081
00912 1000 10 25	912	11	Plain	10	25	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 25	0.09
00912 1000 10 30	912	11	Plain	10	30	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 30	0.098
00912 1000 10 35	912	11	Plain	10	35	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 35	0.107
00912 1000 10 40	912	11	Plain	10	40	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 40	0.116
00912 1000 10 45	912	11	Plain	10	45	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 45	0.129
00912 1000 10 50	912	11	Plain	10	50	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 50	0.138
00912 1000 10 60	912	11	Plain	10	60	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 60	0.148
00912 1000 10 70	912	11	Plain	10	70	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 70	0.183
00912 1000 10 80	912	11	Plain	10	80	Socket head cap screws, DIN 912, 10.9, Bl., M 10 X 80	0.206
00912 1000 12 100	912	11	Plain	12	100	Socket head cap screws, DIN 912, 10.9, Bl., M 12 X 100	0.297
00912 1000 12 110	912	11	Plain	12	110	Socket head cap screws, DIN 912, 10.9, Bl., M 12 X 110	0.414
00912 1000 12 25	912	11	Plain	12	25	Socket head cap screws, DIN 912, 10.9, Bl., M 12 X 25	0.133
00912 1000 12 30	912	11	Plain	12	30	Socket head cap screws, DIN 912, 10.9, Bl., M 12 X 30	0.138
00912 1000 12 35	912	11	Plain	12	35	Socket head cap screws, DIN 912, 10.9, Bl., M 12 X 35	0.151
00912 1000 12 40	912	11	Plain	12	40	Socket head cap screws, DIN 912, 10.9, Bl., M 12 X 40	0.164
00912 1000 12 45	912	11	Plain	12	45	Socket head cap screws, DIN 912, 10.9, Bl., M 12 X 45	0.176
00912 1000 12 50	912	11	Plain	12	50	Socket head cap screws, DIN 912, 10.9, Bl., M 12 X 50	0.192
00912 1000 12 60	912	11	Plain	12	60	Socket head cap screws, DIN 912, 10.9, Bl., M 12 X 60	0.223
00912 1000 12 70	912	11	Plain	12	70	Socket head cap screws, DIN 912, 10.9, Bl., M 12 X 70	0.251
00912 1000 12 80	912	11	Plain	12	80	Socket head cap screws, DIN 912, 10.9, Bl., M 12 X 80	0.259
00912 1000 16 100	912	11	Plain	16	100	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 100	0.751
00912 1000 16 120	912	11	Plain	16	120	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 120	0.88
00912 1000 16 140	912	11	Plain	16	140	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 140	1.009
00912 1000 16 160	912	11	Plain	16	160	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 160	1.59
00912 1000 16 180	912	11	Plain	16	180	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 180	1.77
00912 1000 16 30	912	11	Plain	16	30	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 30	0.287
00912 1000 16 35	912	11	Plain	16	35	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 35	0.255
00912 1000 16 40	912	11	Plain	16	40	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 40	0.336
00912 1000 16 45	912	11	Plain	16	45	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 45	0.365
00912 1000 16 50	912	11	Plain	16	50	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 50	0.391
00912 1000 16 60	912	11	Plain	16	60	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 60	0.451
00912 1000 16 70	912	11	Plain	16	70	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 70	0.51
00912 1000 16 80	912	11	Plain	16	80	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 80	0.569
00912 1000 16 90	912	11	Plain	16	90	Socket head cap screws, DIN 912, 10.9, Bl., M 16 X 90	0.628

00912 1000 20 100	912	11	Plain	20	100	Socket head cap screws, DIN 912, 10.9, Bl., M 20 X 100	1.125
00912 1000 20 110	912	11	Plain	20	110	Socket head cap screws, DIN 912, 10.9, Bl., M 20 X 110	1.01
00912 1000 20 120	912	11	Plain	20	120	Socket head cap screws, DIN 912, 10.9, Bl., M 20 X 120	1.318
00912 1000 20 140	912	11	Plain	20	140	Socket head cap screws, DIN 912, 10.9, Bl., M 20 X 140	1.253
00912 1000 20 150	912	11	Plain	20	150	Socket head cap screws, DIN 912, 10.9, Bl., M 20 X 150	1.374
00912 1000 20 160	912	11	Plain	20	160	Socket head cap screws, DIN 912, 10.9, Bl., M 20 X 160	1.969
00912 1000 20 180	912	11	Plain	20	180	Socket head cap screws, DIN 912, 10.9, Bl., M 20 X 180	2.193
00912 1000 20 50	912	11	Plain	20	50	Socket head cap screws, DIN 912, 10.9, Bl., M 20 X 50	0.635
00912 1000 20 60	912	11	Plain	20	60	Socket head cap screws, DIN 912, 10.9, Bl., M 20 X 60	0.716
00912 1000 20 70	912	11	Plain	20	70	Socket head cap screws, DIN 912, 10.9, Bl., M 20 X 70	0.798
00912 1000 20 80	912	11	Plain	20	80	Socket head cap screws, DIN 912, 10.9, Bl., M 20 X 80	0.89
00912 1000 8 16	912	11	Plain	8	16	Socket head cap screws, DIN 912, 10.9, Bl., M 8 X 16	0.065
00912 1000 8 20	912	11	Plain	8	20	Socket head cap screws, DIN 912, 10.9, Bl., M 8 X 20	0.07
00912 1000 8 25	912	11	Plain	8	25	Socket head cap screws, DIN 912, 10.9, Bl., M 8 X 25	0.073
00912 1000 8 30	912	11	Plain	8	30	Socket head cap screws, DIN 912, 10.9, Bl., M 8 X 30	0.076
00912 1000 8 40	912	11	Plain	8	40	Socket head cap screws, DIN 912, 10.9, Bl., M 8 X 40	0.099
00912 1000 8 45	912	11	Plain	8	45	Socket head cap screws, DIN 912, 10.9, Bl., M 8 X 45	0.113
00912 1000 8 50	912	11	Plain	8	50	Socket head cap screws, DIN 912, 10.9, Bl., M 8 X 50	0.127
00912 1000 8 85	912	11	Plain	8	85	Socket head cap screws, DIN 912, 10.9, Bl., M 8 X 85	0.218


<b>DIN 934</b>						<b>Piulite hexagonale</b>	
00934 5001 6			Zinc	6		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M6	0.005
00934 5001 8	934	5	Zinc	8		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M8	0.01
00934 5001 10	934	5	Zinc	10		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M10	0.023
00934 5001 12	934	5	Zinc	12		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M12	0.033
00934 5001 14	934	5	Zinc	14		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M14	0.05
00934 5001 16	934	5	Zinc	16		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M16	0.067
00934 5001 18	934	5	Zinc	18		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M18	0.098
00934 5001 20	934	5	Zinc	20		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M20	0.129
00934 5001 22	934	5	Zinc	22		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M22	0.159
00934 5001 24	934	5	Zinc	24		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M24	0.238
00934 5001 27	934	5	Zinc	27		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M27	0.369
00934 5001 30	934	5	Zinc	30		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M30	0.511
00934 5001 33	934	5	Zinc	33		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M33	0.701
00934 5001 36	934	5	Zinc	36		Hexagon nuts - 0,8d, DIN 934, 5, vZn, M36	0.945
00934 5000 8	934	5	Plain	8		Hexagon nuts - 0,8d, DIN 934, 5, Bl., M8	0.009
00934 5000 10	934	5	Plain	10		Hexagon nuts - 0,8d, DIN 934, 5, Bl., M10	0.021
00934 5000 12	934	5	Plain	12		Hexagon nuts - 0,8d, DIN 934, 5, Bl., M12	0.031
00934 5000 14	934	5	Plain	14		Hexagon nuts - 0,8d, DIN 934, 5, Bl., M14	0.046
00934 5000 16	934	5	Plain	16		Hexagon nuts - 0,8d, DIN 934, 5, Bl., M16	0.062
00934 5000 20	934	5	Plain	20		Hexagon nuts - 0,8d, DIN 934, 5, Bl., M20	0.118
00934 5000 24	934	5	Plain	24		Hexagon nuts - 0,8d, DIN 934, 5, Bl., M24	0.221
00934 8001 3	934	8	Zinc	3		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M3	0.002
00934 8001 4	934	8	Zinc	4		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M4	0.003
00934 8001 5	934	8	Zinc	5		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M5	0.003
00934 8001 6	934	8	Zinc	6		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M6	0.005
00934 8001 8	934	8	Zinc	8		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M8	0.012
00934 8001 10	934	8	Zinc	10		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M10	0.025
00934 8001 10 1	934	8	Zinc	10x1		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M10x1	0.05
00934 8001 10 125	934	8	Zinc	10x1,25		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M10x1.25	0.119
00934 8001 12	934	8	Zinc	12		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M12	0.037
00934 8001 12 125	934	8	Zinc	12x1,25		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M12x1.25	0.073
00934 8001 14	934	8	Zinc	14		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M14	0.055
00934 8001 14 15	934	8	Zinc	14x1,5		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M14x1.5	0.107
00934 8001 16	934	8	Zinc	16		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M16	0.075
00934 8001 16 15	934	8	Zinc	16x1,5		Hexagon nuts - 0,8d, DIN 934, 8, vZn, M16x1.5	0.125

00934 8001 18	934	8	Zinc	18	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M18	0.117
00934 8001 18 15	934	8	Zinc	18x1,5	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M18x1.5	0.175
00934 8001 20	934	8	Zinc	20	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M20	0.16
00934 8001 20 15	934	8	Zinc	20x1,5	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M20x1.5	0.233
00934 8001 22	934	8	Zinc	22	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M22	0.197
00934 8001 22 15	934	8	Zinc	22x1,5	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M22x1.5	0.283
00934 8001 24	934	8	Zinc	24	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M24	0.322
00934 8001 24 15	934	8	Zinc	24x1,5	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M24x1.5	0.453
00934 8001 24 2	934	8	Zinc	24x2	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M24x2	0.481
00934 8001 27	934	8	Zinc	27	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M27	0.505
00934 8001 27 2	934	8	Zinc	27x2	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M27x2	0.95
00934 8001 30	934	8	Zinc	30	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M30	0.718
00934 8001 33	934	8	Zinc	33	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M33	0.899
00934 8001 33 2	934	8	Zinc	33x2	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M33x2	1.265
00934 8001 36	934	8	Zinc	36	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M36	1.213
00934 8001 39	934	8	Zinc	39	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M39	1.631
00934 8001 42	934	8	Zinc	42	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M42	2.175
00934 8001 45	934	8	Zinc	45	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M45	2.752
00934 8001 48	934	8	Zinc	48	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M48	3.446
00934 8001 56	934	8	Zinc	56	Hexagon nuts - 0,8d, DIN 934, 8, vZn, M56	5.972
00934 8000 6	934	8	Plain	6	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M6	0.005
00934 8000 8	934	8	Plain	8	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M8	0.011
00934 8000 10	934	8	Plain	10	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M10	0.024
00934 8000 12	934	8	Plain	12	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M12	0.035
00934 8000 14	934	8	Plain	14	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M14	0.052
00934 8000 16	934	8	Plain	16	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M16	0.071
00934 8000 18	934	8	Plain	18	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M18	0.117
00934 8000 20	934	8	Plain	20	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M20	0.153
00934 8000 22	934	8	Plain	22	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M22	0.199
00934 8000 24	934	8	Plain	24	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M24	0.284
00934 8000 27	934	8	Plain	27	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M27	0.469
00934 8000 30	934	8	Plain	30	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M30	0.636
00934 8000 33	934	8	Plain	33	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M33	0.904
00934 8000 36	934	8	Plain	36	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M36	1.188
00934 8000 39	934	8	Plain	39	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M39	1.547
00934 8000 42	934	8	Plain	42	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M42	1.974
00934 8000 48	934	8	Plain	48	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M48	3.095
00934 8000 52	934	8	Plain	52	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M52	4.433
00934 8000 56	934	8	Plain	56	Hexagon nuts - 0,8d, DIN 934, 8, Bl., M56	4.893
00934 1001 12	934	10	Zinc	12	Hexagon nuts - 0,8d, DIN 934, 10, vZn, M12	0.071
00934 1001 14	934	10	Zinc	14	Hexagon nuts - 0,8d, DIN 934, 10, vZn, M14	0.096
00934 1001 16	934	10	Zinc	16	Hexagon nuts - 0,8d, DIN 934, 10, vZn, M16	0.101
00934 1001 18	934	10	Zinc	18	Hexagon nuts - 0,8d, DIN 934, 10, vZn, M18	0.202
00934 1001 20	934	10	Zinc	20	Hexagon nuts - 0,8d, DIN 934, 10, vZn, M20	0.227
00934 1001 22	934	10	Zinc	22	Hexagon nuts - 0,8d, DIN 934, 10, vZn, M22	0.382
00934 1001 24	934	10	Zinc	24	Hexagon nuts - 0,8d, DIN 934, 10, vZn, M24	0.397
00934 1001 27	934	10	Zinc	27	Hexagon nuts - 0,8d, DIN 934, 10, vZn, M27	0.63
00934 1001 30	934	10	Zinc	30	Hexagon nuts - 0,8d, DIN 934, 10, vZn, M30	0.878
00934 1001 36	934	10	Zinc	36	Hexagon nuts - 0,8d, DIN 934, 10, vZn, M36	2.275
00934 1000 8	934	10	Plain	8	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M8	0.016
00934 1000 10	934	10	Plain	10	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M10	0.031
00934 1000 12	934	10	Plain	12	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M12	0.044
00934 1000 14	934	10	Plain	14	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M14	0.064
00934 1000 16	934	10	Plain	16	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M16	0.087
00934 1000 16 15	934	10	Plain	16x1,5	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M16 X 1,5	0.104
00934 1000 18	934	10	Plain	18	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M18	0.18



00934 1000 18 15	934	10	Plain	18x1,5	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M18 X 1,5	0.249
00934 1000 20	934	10	Plain	20	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M20	0.166
00934 1000 20 15	934	10	Plain	20x1,5	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M20 X 1,5	0.199
00934 1000 22	934	10	Plain	22	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M22	0.358
00934 1000 22 15	934	10	Plain	22x1,5	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M22 X 1,5	0.43
00934 1000 24	934	10	Plain	24	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M24	0.291
00934 1000 24 15	934	10	Plain	24x1,5	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M24 X 1,5	0.349
00934 1000 27	934	10	Plain	27	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M27	0.563
00934 1000 30	934	10	Plain	30	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M30	0.718
00934 1000 30 2	934	10	Plain	30x2	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M30 X 2	1.19
00934 1000 36	934	10	Plain	36	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M36	1.209
00934 1000 42	934	10	Plain	42	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M42	4.026
00934 1000 48	934	10	Plain	48	Hexagon nuts - 0,8d, DIN 934, 10, Bl., M48	6.24

DIN 6914





Surub de inalta rezistenta pentru constructii metalice

06914 1022 12 100	14399-4	11	HDG	12	100	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 100	0.868
06914 1022 12 110	14399-4	11	HDG	12	110	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 110	0.939
06914 1022 12 120	14399-4	11	HDG	12	120	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 120	1.291
06914 1022 12 30	14399-4	11	HDG	12	30	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 30	0.394
06914 1022 12 35	14399-4	11	HDG	12	35	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 35	0.432
06914 1022 12 40	14399-4	11	HDG	12	40	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 40	0.454
06914 1022 12 45	14399-4	11	HDG	12	45	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 45	0.478
06914 1022 12 50	14399-4	11	HDG	12	50	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 50	0.505
06914 1022 12 55	14399-4	11	HDG	12	55	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 55	0.54
06914 1022 12 60	14399-4	11	HDG	12	60	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 60	0.569
06914 1022 12 65	14399-4	11	HDG	12	65	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 65	0.594
06914 1022 12 70	14399-4	11	HDG	12	70	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 70	0.633
06914 1022 12 75	14399-4	11	HDG	12	75	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 75	0.701
06914 1022 12 80	14399-4	11	HDG	12	80	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 80	0.726
06914 1022 12 85	14399-4	11	HDG	12	85	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 85	0.756
06914 1022 12 90	14399-4	11	HDG	12	90	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 90	0.787
06914 1022 12 95	14399-4	11	HDG	12	95	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 12 x 95	0.817
06914 1022 16 100	14399-4	11	HDG	16	100	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 100	1.304
06914 1022 16 105	14399-4	11	HDG	16	105	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 105	1.469
06914 1022 16 110	14399-4	11	HDG	16	110	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 110	1.526
06914 1022 16 115	14399-4	11	HDG	16	115	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 115	1.649
06914 1022 16 120	14399-4	11	HDG	16	120	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 120	1.686
06914 1022 16 125	14399-4	11	HDG	16	125	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 125	1.862
06914 1022 16 130	14399-4	11	HDG	16	130	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 130	1.933
06914 1022 16 140	14399-4	11	HDG	16	140	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 140	2.052
06914 1022 16 150	14399-4	11	HDG	16	150	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 150	2.172
06914 1022 16 160	14399-4	11	HDG	16	160	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 160	2.261
06914 1022 16 170	14399-4	11	HDG	16	170	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 170	2.36
06914 1022 16 180	14399-4	11	HDG	16	180	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 180	2.431
06914 1022 16 190	14399-4	11	HDG	16	190	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 190	2.537
06914 1022 16 200	14399-4	11	HDG	16	200	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 200	2.715
06914 1022 16 35	14399-4	11	HDG	16	35	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 35	0.678
06914 1022 16 40	14399-4	11	HDG	16	40	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 40	0.705
06914 1022 16 45	14399-4	11	HDG	16	45	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 45	0.758
06914 1022 16 50	14399-4	11	HDG	16	50	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 50	0.81
06914 1022 16 55	14399-4	11	HDG	16	55	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 55	0.862
06914 1022 16 60	14399-4	11	HDG	16	60	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 60	0.887
06914 1022 16 65	14399-4	11	HDG	16	65	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 65	0.914

06914 1022 16 70	14399-4	11	HDG	16	70	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 70	0.967
06914 1022 16 75	14399-4	11	HDG	16	75	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 75	1.018
06914 1022 16 80	14399-4	11	HDG	16	80	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 80	1.071
06914 1022 16 85	14399-4	11	HDG	16	85	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 85	1.147
06914 1022 16 90	14399-4	11	HDG	16	90	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 90	1.2
06914 1022 16 95	14399-4	11	HDG	16	95	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 16 x 95	1.251
06914 1022 20 100	14399-4	11	HDG	20	100	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 100	1.88
06914 1022 20 105	14399-4	11	HDG	20	105	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 105	2.06
06914 1022 20 110	14399-4	11	HDG	20	110	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 110	2.078
06914 1022 20 115	14399-4	11	HDG	20	115	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 115	2.158
06914 1022 20 120	14399-4	11	HDG	20	120	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 120	2.176
06914 1022 20 125	14399-4	11	HDG	20	125	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 125	2.277
06914 1022 20 130	14399-4	11	HDG	20	130	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 130	2.295
06914 1022 20 135	14399-4	11	HDG	20	135	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 135	2.784
06914 1022 20 140	14399-4	11	HDG	20	140	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 140	2.858
06914 1022 20 145	14399-4	11	HDG	20	145	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 145	3.08
06914 1022 20 150	14399-4	11	HDG	20	150	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 150	3.146
06914 1022 20 155	14399-4	11	HDG	20	155	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 155	3.218
06914 1022 20 160	14399-4	11	HDG	20	160	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 160	3.407
06914 1022 20 170	14399-4	11	HDG	20	170	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 170	3.731
06914 1022 20 180	14399-4	11	HDG	20	180	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 180	3.89
06914 1022 20 210	14399-4	11	HDG	20	210	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 210	5.833
06914 1022 20 40	14399-4	11	HDG	20	40	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 40	1.273
06914 1022 20 45	14399-4	11	HDG	20	45	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 45	1.327
06914 1022 20 50	14399-4	11	HDG	20	50	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 50	1.381
06914 1022 20 55	14399-4	11	HDG	20	55	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 55	1.43
06914 1022 20 60	14399-4	11	HDG	20	60	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 60	1.475
06914 1022 20 65	14399-4	11	HDG	20	65	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 65	1.474
06914 1022 20 70	14399-4	11	HDG	20	70	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 70	1.554
06914 1022 20 75	14399-4	11	HDG	20	75	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 75	1.645
06914 1022 20 80	14399-4	11	HDG	20	80	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 80	1.699
06914 1022 20 85	14399-4	11	HDG	20	85	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 85	1.805
06914 1022 20 90	14399-4	11	HDG	20	90	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 90	1.858
06914 1022 20 95	14399-4	11	HDG	20	95	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 20 x 95	1.866
06914 1022 22 100	14399-4	11	HDG	22	100	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 100	2.589
06914 1022 22 105	14399-4	11	HDG	22	105	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 105	2.702
06914 1022 22 110	14399-4	11	HDG	22	110	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 110	2.788
06914 1022 22 115	14399-4	11	HDG	22	115	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 115	2.927
06914 1022 22 120	14399-4	11	HDG	22	120	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 120	3.013
06914 1022 22 130	14399-4	11	HDG	22	130	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 130	3.238
06914 1022 22 60	14399-4	11	HDG	22	60	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 60	2.082
06914 1022 22 65	14399-4	11	HDG	22	65	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 65	2.139
06914 1022 22 70	14399-4	11	HDG	22	70	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 70	2.195
06914 1022 22 75	14399-4	11	HDG	22	75	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 75	2.225
06914 1022 22 80	14399-4	11	HDG	22	80	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 80	2.281
06914 1022 22 85	14399-4	11	HDG	22	85	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 85	2.338
06914 1022 22 90	14399-4	11	HDG	22	90	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 90	2.45
06914 1022 22 95	14399-4	11	HDG	22	95	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 22 x 95	2.506
06914 1022 24 100	14399-4	11	HDG	24	100	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 100	2.997
06914 1022 24 105	14399-4	11	HDG	24	105	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 105	3.134
06914 1022 24 110	14399-4	11	HDG	24	110	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 110	3.161
06914 1022 24 115	14399-4	11	HDG	24	115	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 115	3.328
06914 1022 24 120	14399-4	11	HDG	24	120	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 120	3.356
06914 1022 24 125	14399-4	11	HDG	24	125	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 125	3.526
06914 1022 24 130	14399-4	11	HDG	24	130	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 130	3.555
06914 1022 24 135	14399-4	11	HDG	24	135	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 135	3.722

06914 1022 24 140	14399-4	11	HDG	24	140	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 140	3.754
06914 1022 24 145	14399-4	11	HDG	24	145	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 145	3.913
06914 1022 24 150	14399-4	11	HDG	24	150	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 150	3.939
06914 1022 24 155	14399-4	11	HDG	24	155	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 155	4.617
06914 1022 24 160	14399-4	11	HDG	24	160	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 160	4.728
06914 1022 24 165	14399-4	11	HDG	24	165	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 165	4.897
06914 1022 24 170	14399-4	11	HDG	24	170	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 170	5.062
06914 1022 24 180	14399-4	11	HDG	24	180	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 180	5.265
06914 1022 24 190	14399-4	11	HDG	24	190	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 190	5.516
06914 1022 24 200	14399-4	11	HDG	24	200	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 200	5.798
06914 1022 24 50	14399-4	11	HDG	24	50	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 50	2.378
06914 1022 24 55	14399-4	11	HDG	24	55	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 55	2.405
06914 1022 24 60	14399-4	11	HDG	24	60	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 60	2.384
06914 1022 24 65	14399-4	11	HDG	24	65	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 65	2.378
06914 1022 24 70	14399-4	11	HDG	24	70	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 70	2.513
06914 1022 24 75	14399-4	11	HDG	24	75	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 75	2.595
06914 1022 24 80	14399-4	11	HDG	24	80	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 80	2.678
06914 1022 24 85	14399-4	11	HDG	24	85	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 85	2.82
06914 1022 24 90	14399-4	11	HDG	24	90	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 90	2.829
06914 1022 24 95	14399-4	11	HDG	24	95	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 24 x 95	2.965
06914 1022 27 100	14399-4	11	HDG	27	100	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 100	4.758
06914 1022 27 105	14399-4	11	HDG	27	105	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 105	4.873
06914 1022 27 110	14399-4	11	HDG	27	110	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 110	4.988
06914 1022 27 115	14399-4	11	HDG	27	115	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 115	5.074
06914 1022 27 120	14399-4	11	HDG	27	120	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 120	5.219
06914 1022 27 125	14399-4	11	HDG	27	125	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 125	5.361
06914 1022 27 130	14399-4	11	HDG	27	130	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 130	5.508
06914 1022 27 135	14399-4	11	HDG	27	135	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 135	5.766
06914 1022 27 140	14399-4	11	HDG	27	140	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 140	5.969
06914 1022 27 145	14399-4	11	HDG	27	145	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 145	6.17
06914 1022 27 150	14399-4	11	HDG	27	150	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 150	6.315
06914 1022 27 160	14399-4	11	HDG	27	160	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 160	6.66
06914 1022 27 165	14399-4	11	HDG	27	165	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 165	7.248
06914 1022 27 170	14399-4	11	HDG	27	170	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 170	7.468
06914 1022 27 180	14399-4	11	HDG	27	180	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 180	7.83
06914 1022 27 190	14399-4	11	HDG	27	190	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 190	8.126
06914 1022 27 200	14399-4	11	HDG	27	200	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 200	8.432
06914 1022 27 210	14399-4	11	HDG	27	210	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 210	8.775
06914 1022 27 220	14399-4	11	HDG	27	220	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 220	9.283
06914 1022 27 60	14399-4	11	HDG	27	60	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 60	3.836
06914 1022 27 65	14399-4	11	HDG	27	65	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 65	3.92
06914 1022 27 70	14399-4	11	HDG	27	70	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 70	4.008
06914 1022 27 75	14399-4	11	HDG	27	75	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 75	4.094
06914 1022 27 80	14399-4	11	HDG	27	80	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 80	4.209
06914 1022 27 85	14399-4	11	HDG	27	85	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 85	4.324
06914 1022 27 90	14399-4	11	HDG	27	90	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 90	4.498
06914 1022 27 95	14399-4	11	HDG	27	95	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 27 x 95	4.613
06914 1022 30 100	14399-4	11	HDG	30	100	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 100	5.887
06914 1022 30 105	14399-4	11	HDG	30	105	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 105	6.033
06914 1022 30 110	14399-4	11	HDG	30	110	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 110	6.15
06914 1022 30 115	14399-4	11	HDG	30	115	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 115	6.298
06914 1022 30 120	14399-4	11	HDG	30	120	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 120	6.442
06914 1022 30 125	14399-4	11	HDG	30	125	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 125	6.591
06914 1022 30 130	14399-4	11	HDG	30	130	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 130	6.736
06914 1022 30 135	14399-4	11	HDG	30	135	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 135	6.883
06914 1022 30 140	14399-4	11	HDG	30	140	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 140	7.028

06914 1022 30 145	14399-4	11	HDG	30	145	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 145	7.177	
06914 1022 30 150	14399-4	11	HDG	30	150	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 150	7.321	
06914 1022 30 155	14399-4	11	HDG	30	155	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 155	7.469	
06914 1022 30 160	14399-4	11	HDG	30	160	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 160	7.615	
06914 1022 30 165	14399-4	11	HDG	30	165	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 165	8.951	
06914 1022 30 170	14399-4	11	HDG	30	170	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 170	9.112	
06914 1022 30 175	14399-4	11	HDG	30	175	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 175	9.32	
06914 1022 30 180	14399-4	11	HDG	30	180	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 180	9.45	
06914 1022 30 185	14399-4	11	HDG	30	185	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 185	9.678	
06914 1022 30 190	14399-4	11	HDG	30	190	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 190	10.11	
06914 1022 30 200	14399-4	11	HDG	30	200	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 200	10.74	
06914 1022 30 220	14399-4	11	HDG	30	220	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 220	13.46	
06914 1022 30 70	14399-4	11	HDG	30	70	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 70	5.155	
06914 1022 30 75	14399-4	11	HDG	30	75	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 75	5.244	
06914 1022 30 80	14399-4	11	HDG	30	80	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 80	5.361	
06914 1022 30 85	14399-4	11	HDG	30	85	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 85	5.478	
06914 1022 30 90	14399-4	11	HDG	30	90	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 90	5.595	
06914 1022 30 95	14399-4	11	HDG	30	95	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 30 x 95	5.74	
06914 1022 36 100	14399-4	11	HDG	36	100	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 100	12.27	
06914 1022 36 105	14399-4	11	HDG	36	105	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 105	12.56	
06914 1022 36 110	14399-4	11	HDG	36	110	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 110	12.54	
06914 1022 36 115	14399-4	11	HDG	36	115	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 115	12.81	
06914 1022 36 120	14399-4	11	HDG	36	120	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 120	12.78	
06914 1022 36 125	14399-4	11	HDG	36	125	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 125	13.02	
06914 1022 36 130	14399-4	11	HDG	36	130	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 130	13.02	
06914 1022 36 135	14399-4	11	HDG	36	135	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 135	13.15	
06914 1022 36 140	14399-4	11	HDG	36	140	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 140	13.27	
06914 1022 36 145	14399-4	11	HDG	36	145	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 145	13.69	
06914 1022 36 150	14399-4	11	HDG	36	150	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 150	13.69	
06914 1022 36 155	14399-4	11	HDG	36	155	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 155	14.15	
06914 1022 36 160	14399-4	11	HDG	36	160	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 160	14.15	
06914 1022 36 165	14399-4	11	HDG	36	165	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 165	18.53	
06914 1022 36 170	14399-4	11	HDG	36	170	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 170	18.76	
06914 1022 36 175	14399-4	11	HDG	36	175	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 175	19.07	
06914 1022 36 180	14399-4	11	HDG	36	180	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 180	19.26	
06914 1022 36 185	14399-4	11	HDG	36	185	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 185	19.49	
06914 1022 36 190	14399-4	11	HDG	36	190	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 190	19.67	
06914 1022 36 195	14399-4	11	HDG	36	195	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 195	19.97	
06914 1022 36 200	14399-4	11	HDG	36	200	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 200	20.19	
06914 1022 36 210	14399-4	11	HDG	36	210	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 210	20.62	
06914 1022 36 215	14399-4	11	HDG	36	215	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 215	20.8	
06914 1022 36 220	14399-4	11	HDG	36	220	Heavy hex bolts, EN 14399-4, HDG, 10.9, HDG, M 36 x 220	21.04	
<b>DIN 6915</b>				<b>Piulita de inalta rezistenta pentru constructii metalice</b>				
06915 1022 12		10	HDG	12		Heavy hex nuts, EN 14399-4, HDG, M 12	0.236	
06915 1022 16	14399-4	10	HDG	16		Heavy hex nuts, EN 14399-4, HDG, M 16	0.348	
06915 1022 20	14399-4	10	HDG	20		Heavy hex nuts, EN 14399-4, HDG, M 20	0.531	
06915 1022 22	14399-4	10	HDG	22		Heavy hex nuts, EN 14399-4, HDG, M 22	0.732	
06915 1022 24	14399-4	10	HDG	24		Heavy hex nuts, EN 14399-4, HDG, M 24	0.971	
06915 1022 27	14399-4	10	HDG	27		Heavy hex nuts, EN 14399-4, HDG, M 27	1.414	
06915 1022 30	14399-4	10	HDG	30		Heavy hex nuts, EN 14399-4, HDG, M 30	2.226	
06915 1022 36	14399-4	10	HDG	36		Heavy hex nuts, EN 14399-4, HDG, M 36	5.173	
<b>DIN 6916</b>				<b>Saiba de inalta rezistenta pentru garnituri HV, TZN</b>				


06916 0022 12	14399-6	300H	HDG	12	Washers EN 14399-6, 300HV, HDG, M 12 (13 x 24 x 3)	0.082
06916 0022 16	14399-6	300H	HDG	16	Washers EN 14399-6, 300HV, HDG, M 16 (17 x 30 x 4)	0.131
06916 0022 20	14399-6	300H	HDG	20	Washers EN 14399-6, 300HV, HDG, M 20 (21 x 37 x 4)	0.187
06916 0022 22	14399-6	300H	HDG	22	Washers EN 14399-6, 300HV, HDG, M 22 (23 x 39 x 4)	0.254
06916 0022 24	14399-6	300H	HDG	24	Washers EN 14399-6, 300HV, HDG, M 24 (25 x 44 x 4)	0.27
06916 0022 27	14399-6	300H	HDG	27	Washers EN 14399-6, 300HV, HDG, M 27 (28 x 50 x 5)	0.495
06916 0022 30	14399-6	300H	HDG	30	Washers EN 14399-6, 300HV, HDG, M 30 (31 x 56 x 5)	0.976
06916 0022 36	14399-6	300H	HDG	36	Washers EN 14399-6, 300HV, HDG, M 36 (37 x 66 x 6)	1.681

DIN 94					SPLINT	
--------	---	--	--	--	--------	--

00094 0001 2 16		Zinc	2	16	Cotter pins, DIN 94, 4.8, vZn, Ø 2 x 16	0.003
00094 0001 2 20	94	Zinc	2	20	Cotter pins, DIN 94, 4.8, vZn, Ø 2 x 20	0.003
00094 0001 2 25	94	Zinc	2	25	Cotter pins, DIN 94, 4.8, vZn, Ø 2 x 25	0.004
00094 0001 2 32	94	Zinc	2	32	Cotter pins, DIN 94, 4.8, vZn, Ø 2 x 32	0.005
00094 0001 2.5 16	94	Zinc	3	16	Cotter pins, DIN 94, 4.8, vZn, Ø 2,5 x 16	0.004
00094 0001 2.5 20	94	Zinc	3	20	Cotter pins, DIN 94, 4.8, vZn, Ø 2,5 x 20	0.005
00094 0001 2.5 25	94	Zinc	3	25	Cotter pins, DIN 94, 4.8, vZn, Ø 2,5 x 25	0.006
00094 0001 2.5 32	94	Zinc	3	32	Cotter pins, DIN 94, 4.8, vZn, Ø 2,5 x 32	0.007
00094 0001 3 16	94	Zinc	3	16	Cotter pins, DIN 94, 4.8, vZn, Ø 3,2 x 16	0.006
00094 0001 3 18	94	Zinc	3	18	Cotter pins, DIN 94, 4.8, vZn, Ø 3,2 x 18	0.006
00094 0001 3 20	94	Zinc	3	20	Cotter pins, DIN 94, 4.8, vZn, Ø 3,2 x 20	0.007
00094 0001 3 25	94	Zinc	3	25	Cotter pins, DIN 94, 4.8, vZn, Ø 3,2 x 25	0.008
00094 0001 3 28	94	Zinc	3	28	Cotter pins, DIN 94, 4.8, vZn, Ø 3,2 x 28	0.008
00094 0001 3 32	94	Zinc	3	32	Cotter pins, DIN 94, 4.8, vZn, Ø 3,2 x 32	0.009
00094 0001 3 36	94	Zinc	3	36	Cotter pins, DIN 94, 4.8, vZn, Ø 3,2 x 36	0.01
00094 0001 3 40	94	Zinc	3	40	Cotter pins, DIN 94, 4.8, vZn, Ø 3,2 x 40	0.011
00094 0001 3 50	94	Zinc	3	50	Cotter pins, DIN 94, 4.8, vZn, Ø 3,2 x 50	0.014
00094 0001 4 25	94	Zinc	4	25	Cotter pins, DIN 94, 4.8, vZn, Ø 4 x 25	0.013
00094 0001 4 32	94	Zinc	4	32	Cotter pins, DIN 94, 4.8, vZn, Ø 4 x 32	0.015
00094 0001 4 36	94	Zinc	4	36	Cotter pins, DIN 94, 4.8, vZn, Ø 4 x 36	0.017
00094 0001 4 40	94	Zinc	4	40	Cotter pins, DIN 94, 4.8, vZn, Ø 4 x 40	0.018
00094 0001 4 45	94	Zinc	4	45	Cotter pins, DIN 94, 4.8, vZn, Ø 4 x 45	0.02
00094 0001 4 50	94	Zinc	4	50	Cotter pins, DIN 94, 4.8, vZn, Ø 4 x 50	0.022
00094 0001 4 56	94	Zinc	4	56	Cotter pins, DIN 94, 4.8, vZn, Ø 4 x 56	0.024
00094 0001 4 63	94	Zinc	4	63	Cotter pins, DIN 94, 4.8, vZn, Ø 4 x 63	0.027
00094 0001 4 71	94	Zinc	4	71	Cotter pins, DIN 94, 4.8, vZn, Ø 4 x 71	0.03
00094 0001 5 32	94	Zinc	5	32	Cotter pins, DIN 94, 4.8, vZn, Ø 5 x 32	0.024
00094 0001 5 36	94	Zinc	5	36	Cotter pins, DIN 94, 4.8, vZn, Ø 5 x 36	0.026
00094 0001 5 40	94	Zinc	5	40	Cotter pins, DIN 94, 4.8, vZn, Ø 5 x 40	0.029
00094 0001 5 45	94	Zinc	5	45	Cotter pins, DIN 94, 4.8, vZn, Ø 5 x 45	0.031
00094 0001 5 50	94	Zinc	5	50	Cotter pins, DIN 94, 4.8, vZn, Ø 5 x 50	0.034
00094 0001 5 56	94	Zinc	5	56	Cotter pins, DIN 94, 4.8, vZn, Ø 5 x 56	0.038
00094 0001 5 63	94	Zinc	5	63	Cotter pins, DIN 94, 4.8, vZn, Ø 5 x 63	0.041
00094 0001 5 71	94	Zinc	5	71	Cotter pins, DIN 94, 4.8, vZn, Ø 5 x 71	0.046
00094 0001 5 80	94	Zinc	5	80	Cotter pins, DIN 94, 4.8, vZn, Ø 5 x 80	0.051
00094 0001 5 90	94	Zinc	5	90	Cotter pins, DIN 94, 4.8, vZn, Ø 5 x 90	0.056
00094 0001 5 100	94	Zinc	5	100	Cotter pins, DIN 94, 4.8, vZn, Ø 5 x 100	0.105
00094 0001 6.3 32	94	Zinc	6	32	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 32	0.043
00094 0001 6.3 36	94	Zinc	6	36	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 36	0.046
00094 0001 6.3 40	94	Zinc	6	40	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 40	0.05
00094 0001 6.3 45	94	Zinc	6	45	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 45	0.055
00094 0001 6.3 50	94	Zinc	6	50	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 50	0.059
00094 0001 6.3 56	94	Zinc	6	56	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 56	0.065
00094 0001 6.3 63	94	Zinc	6	63	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 63	0.071
00094 0001 6.3 71	94	Zinc	6	71	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 71	0.079

00094 0001 63 80	94	Zinc	6	80	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 80	0.087
00094 0001 63 90	94	Zinc	6	90	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 90	0.096
00094 0001 63 100	94	Zinc	6	100	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 100	0.106
00094 0001 63 112	94	Zinc	6	112	Cotter pins, DIN 94, 4.8, vZn, Ø 6,3 x 112	0.117
00094 0001 8 40	94	Zinc	8	40	Cotter pins, DIN 94, 4.8, vZn, Ø 8 x 40	0.087
00094 0001 8 45	94	Zinc	8	45	Cotter pins, DIN 94, 4.8, vZn, Ø 8 x 45	0.094
00094 0001 8 50	94	Zinc	8	50	Cotter pins, DIN 94, 4.8, vZn, Ø 8 x 50	0.102
00094 0001 8 63	94	Zinc	8	63	Cotter pins, DIN 94, 4.8, vZn, Ø 8 x 63	0.121
00094 0001 8 71	94	Zinc	8	71	Cotter pins, DIN 94, 4.8, vZn, Ø 8 x 71	0.134
00094 0001 8 80	94	Zinc	8	80	Cotter pins, DIN 94, 4.8, vZn, Ø 8 x 80	0.147
00094 0001 8 90	94	Zinc	8	90	Cotter pins, DIN 94, 4.8, vZn, Ø 8 x 90	0.162
00094 0001 8 100	94	Zinc	8	100	Cotter pins, DIN 94, 4.8, vZn, Ø 8 x 100	0.177
00094 0001 8 112	94	Zinc	8	112	Cotter pins, DIN 94, 4.8, vZn, Ø 8 x 112	0.195
00094 0001 8 125	94	Zinc	8	125	Cotter pins, DIN 94, 4.8, vZn, Ø 8 x 125	0.215
00094 0001 8 140	94	Zinc	8	140	Cotter pins, DIN 94, 4.8, vZn, Ø 8 x 140	0.324
00094 0001 10 56	94	Zinc	10	56	Cotter pins, DIN 94, 4.8, vZn, Ø 10 x 56	0.192
00094 0001 10 63	94	Zinc	10	63	Cotter pins, DIN 94, 4.8, vZn, Ø 10 x 63	0.209
00094 0001 10 71	94	Zinc	10	71	Cotter pins, DIN 94, 4.8, vZn, Ø 10 x 71	0.228
00094 0001 10 80	94	Zinc	10	80	Cotter pins, DIN 94, 4.8, vZn, Ø 10 x 80	0.25
00094 0001 10 90	94	Zinc	10	90	Cotter pins, DIN 94, 4.8, vZn, Ø 10 x 90	0.274
00094 0001 10 100	94	Zinc	10	100	Cotter pins, DIN 94, 4.8, vZn, Ø 10 x 100	0.298
00094 0001 10 112	94	Zinc	10	112	Cotter pins, DIN 94, 4.8, vZn, Ø 10 x 112	0.327
00094 0001 10 125	94	Zinc	10	125	Cotter pins, DIN 94, 4.8, vZn, Ø 10 x 125	0.359
00094 0001 13 80	94	Zinc	13	80	Cotter pins, DIN 94, 4.8, vZn, Ø 13 x 80	0.464
00094 0001 13 90	94	Zinc	13	90	Cotter pins, DIN 94, 4.8, vZn, Ø 13 x 90	0.503
00094 0001 13 100	94	Zinc	13	100	Cotter pins, DIN 94, 4.8, vZn, Ø 13 x 100	0.541
00094 0001 13 112	94	Zinc	13	112	Cotter pins, DIN 94, 4.8, vZn, Ø 13 x 112	0.607

# DIN 84



## Surub cu cap cilindric crestat

00084 4801 3 6	84	4.8	Zinc	3	6	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 3 X 6	0.006
00084 4801 3 8	84	4.8	Zinc	3	8	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 3 X 8	0.006
00084 4801 3 10	84	4.8	Zinc	3	10	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 3 X 10	0.006
00084 4801 3 12	84	4.8	Zinc	3	12	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 3 X 12	0.006
00084 4801 3 16	84	4.8	Zinc	3	16	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 3 X 16	0.007
00084 4801 3 20	84	4.8	Zinc	3	20	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 3 X 20	0.007
00084 4801 3 40	84	4.8	Zinc	3	40	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 3 X 40	0.013
00084 4801 4 6	84	4.8	Zinc	4	6	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 6	0.008
00084 4801 4 8	84	4.8	Zinc	4	8	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 8	0.007
00084 4801 4 10	84	4.8	Zinc	4	10	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 10	0.007
00084 4801 4 12	84	4.8	Zinc	4	12	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 12	0.008
00084 4801 4 14	84	4.8	Zinc	4	14	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 14	0.009
00084 4801 4 16	84	4.8	Zinc	4	16	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 16	0.009
00084 4801 4 20	84	4.8	Zinc	4	20	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 20	0.01
00084 4801 4 25	84	4.8	Zinc	4	25	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 25	0.011
00084 4801 4 30	84	4.8	Zinc	4	30	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 30	0.013
00084 4801 4 35	84	4.8	Zinc	4	35	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 35	0.014
00084 4801 4 40	84	4.8	Zinc	4	40	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 40	0.015
00084 4801 4 50	84	4.8	Zinc	4	50	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 4 X 50	0.018
00084 4801 5 10	84	4.8	Zinc	5	10	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 10	0.011
00084 4801 5 12	84	4.8	Zinc	5	12	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 12	0.013
00084 4801 5 14	84	4.8	Zinc	5	14	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 14	0.013
00084 4801 5 16	84	4.8	Zinc	5	16	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 16	0.013
00084 4801 5 20	84	4.8	Zinc	5	20	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 20	0.015
00084 4801 5 22	84	4.8	Zinc	5	22	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 22	0.019
00084 4801 5 25	84	4.8	Zinc	5	25	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 25	0.02

00084 4801 5 30	84	4.8	Zinc	5	30	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 30	0.019
00084 4801 5 35	84	4.8	Zinc	5	35	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 35	0.022
00084 4801 5 40	84	4.8	Zinc	5	40	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 40	0.023
00084 4801 5 45	84	4.8	Zinc	5	45	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 45	0.03
00084 4801 5 50	84	4.8	Zinc	5	50	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 50	0.031
00084 4801 5 55	84	4.8	Zinc	5	55	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 55	0.038
00084 4801 5 60	84	4.8	Zinc	5	60	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 5 X 60	0.043
00084 4801 6 10	84	4.8	Zinc	6	10	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 10	0.016
00084 4801 6 12	84	4.8	Zinc	6	12	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 12	0.016
00084 4801 6 16	84	4.8	Zinc	6	16	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 16	0.019
00084 4801 6 20	84	4.8	Zinc	6	20	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 20	0.023
00084 4801 6 25	84	4.8	Zinc	6	25	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 25	0.025
00084 4801 6 30	84	4.8	Zinc	6	30	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 30	0.027
00084 4801 6 35	84	4.8	Zinc	6	35	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 35	0.034
00084 4801 6 40	84	4.8	Zinc	6	40	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 40	0.04
00084 4801 6 45	84	4.8	Zinc	6	45	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 45	0.04
00084 4801 6 50	84	4.8	Zinc	6	50	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 50	0.048
00084 4801 6 60	84	4.8	Zinc	6	60	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 60	0.06
00084 4801 6 80	84	4.8	Zinc	6	80	Slotted Cheese head machine screws, DIN 84A, 4.8, vZn, M 6 X 80	0.063

<b>DIN 963</b>						<b>Surub cu cap inecat crestat</b>	
----------------	---	--	--	--	--	------------------------------------	--

00963 4801 3 5	963	4.8	Zinc	3	5	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 3 X 5	0.007
00963 4801 3 6	963	4.8	Zinc	3	6	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 3 X 6	0.007
00963 4801 3 8	963	4.8	Zinc	3	8	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 3 X 8	0.006
00963 4801 3 10	963	4.8	Zinc	3	10	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 3 X 10	0.006
00963 4801 3 12	963	4.8	Zinc	3	12	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 3 X 12	0.006
00963 4801 3 16	963	4.8	Zinc	3	16	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 3 X 16	0.007
00963 4801 3 20	963	4.8	Zinc	3	20	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 3 X 20	0.007
00963 4801 3 25	963	4.8	Zinc	3	25	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 3 X 25	0.009
00963 4801 3 30	963	4.8	Zinc	3	30	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 3 X 30	0.01
00963 4801 4 6	963	4.8	Zinc	4	6	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 4 X 6	0.007
00963 4801 4 8	963	4.8	Zinc	4	8	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 4 X 8	0.007
00963 4801 4 10	963	4.8	Zinc	4	10	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 4 X 10	0.007
00963 4801 4 12	963	4.8	Zinc	4	12	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 4 X 12	0.009
00963 4801 4 16	963	4.8	Zinc	4	16	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 4 X 16	0.01
00963 4801 4 20	963	4.8	Zinc	4	20	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 4 X 20	0.01
00963 4801 4 25	963	4.8	Zinc	4	25	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 4 X 25	0.012
00963 4801 4 35	963	4.8	Zinc	4	35	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 4 X 35	0.016
00963 4801 4 40	963	4.8	Zinc	4	40	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 4 X 40	0.016
00963 4801 4 45	963	4.8	Zinc	4	45	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 4 X 45	0.019
00963 4801 5 12	963	4.8	Zinc	5	12	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 5 X 12	0.012
00963 4801 5 16	963	4.8	Zinc	5	16	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 5 X 16	0.012
00963 4801 5 18	963	4.8	Zinc	5	18	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 5 X 18	0.014
00963 4801 5 20	963	4.8	Zinc	5	20	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 5 X 20	0.014
00963 4801 5 25	963	4.8	Zinc	5	25	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 5 X 25	0.019
00963 4801 5 30	963	4.8	Zinc	5	30	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 5 X 30	0.021
00963 4801 5 35	963	4.8	Zinc	5	35	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 5 X 35	0.026
00963 4801 5 40	963	4.8	Zinc	5	40	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 5 X 40	0.025
00963 4801 5 45	963	4.8	Zinc	5	45	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 5 X 45	0.035
00963 4801 5 50	963	4.8	Zinc	5	50	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 5 X 50	0.032
00963 4801 6 10	963	4.8	Zinc	6	10	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 6 X 10	0.016
00963 4801 6 12	963	4.8	Zinc	6	12	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 6 X 12	0.016
00963 4801 6 16	963	4.8	Zinc	6	16	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 6 X 16	0.017
00963 4801 6 20	963	4.8	Zinc	6	20	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 6 X 20	0.02
00963 4801 6 25	963	4.8	Zinc	6	25	Slotted countersunk flat head machine screws, DIN 963, 4.8, vZn, M 6 X 25	0.025





00965 4801 6 70	965	4.8	Zinc	6	70	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn	0.041
00965 4801 8 16	965	4.8	Zinc	8	16	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 8 X 16 -H	0.027
00965 4801 8 20	965	4.8	Zinc	8	20	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 8 X 20 -H	0.031
00965 4801 8 25	965	4.8	Zinc	8	25	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 8 X 25 -H	0.036
00965 4801 8 30	965	4.8	Zinc	8	30	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 8 X 30 -H	0.039
00965 4801 8 35	965	4.8	Zinc	8	35	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 8 X 35 -H	0.047
00965 4801 8 40	965	4.8	Zinc	8	40	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 8 X 40 -H	0.054
00965 4801 8 45	965	4.8	Zinc	8	45	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 8 X 45 -H	0.059
00965 4801 8 50	965	4.8	Zinc	8	50	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 8 X 50 -H	0.063
00965 4801 10 20	965	4.8	Zinc	10	20	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 10 X 20 -H	0.104
00965 4801 10 25	965	4.8	Zinc	10	25	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 10 X 25 -H	0.115
00965 4801 10 30	965	4.8	Zinc	10	30	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 10 X 30 -H	0.126
00965 4801 10 40	965	4.8	Zinc	10	40	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 10 X 40 -H	0.147
00965 4801 10 50	965	4.8	Zinc	10	50	Cross recessed flat head machine screws Ph, DIN 965, 4.8, vZn, M 10 X 50 -H	0.17


DIN 7981			Surub pentru tabla cu cap bombat si locas crestat cruciform , autofiletant	
----------	---	--	--	--

07981 0001 22 45	7981	4.8	Zinc	2	4.5	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 2,2 x 4,5	0.003
07981 0001 22 65	7981	4.8	Zinc	2	6.5	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 2,2 x 6,5	0.003
07981 0001 22 95	7981	4.8	Zinc	2	9.5	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 2,2 x 9,5	0.003
07981 0001 22 13	7981	4.8	Zinc	2	13	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 2,2 x 13	0.004
07981 0001 29 65	7981	4.8	Zinc	3	6.5	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 2,9 x 6,5	0.004
07981 0001 29 95	7981	4.8	Zinc	3	9.5	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 2,9 x 9,5	0.005
07981 0001 29 13	7981	4.8	Zinc	3	13	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 2,9 x 13	0.005
07981 0001 29 16	7981	4.8	Zinc	3	16	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 2,9 x 16	0.005
07981 0001 29 19	7981	4.8	Zinc	3	19	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 2,9 x 19	0.005
07981 0001 29 22	7981	4.8	Zinc	3	22	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 2,9 x 22	0.006
07981 0001 29 25	7981	4.8	Zinc	3	25	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 2,9 x 25	0.006
07981 0001 35 65	7981	4.8	Zinc	4	6.5	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,5 x 6,5	0.004
07981 0001 35 95	7981	4.8	Zinc	4	9.5	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,5 x 9,5	0.005
07981 0001 35 13	7981	4.8	Zinc	4	13	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,5 x 13	0.005
07981 0001 35 16	7981	4.8	Zinc	4	16	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,5 x 16	0.006
07981 0001 35 32	7981	4.8	Zinc	4	32	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,5 x 32	0.01
07981 0001 39 65	7981	4.8	Zinc	4	6.5	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,9 x 6,5	0.005
07981 0001 39 95	7981	4.8	Zinc	4	9.5	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,9 x 9,5	0.006
07981 0001 39 13	7981	4.8	Zinc	4	13	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,9 x 13	0.006
07981 0001 39 16	7981	4.8	Zinc	4	16	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,9 x 16	0.007
07981 0001 39 19	7981	4.8	Zinc	4	19	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,9 x 19	0.009
07981 0001 39 22	7981	4.8	Zinc	4	22	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,9 x 22	0.01
07981 0001 39 25	7981	4.8	Zinc	4	25	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,9 x 25	0.01
07981 0001 39 32	7981	4.8	Zinc	4	32	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,9 x 32	0.012
07981 0001 39 45	7981	4.8	Zinc	4	45	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 3,9 x 45	0.017
07981 0001 42 95	7981	4.8	Zinc	4	9.5	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,2 x 9,5	0.006
07981 0001 42 13	7981	4.8	Zinc	4	13	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,2 x 13	0.007
07981 0001 42 16	7981	4.8	Zinc	4	16	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,2 x 16	0.008
07981 0001 42 22	7981	4.8	Zinc	4	22	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,2 x 22	0.012
07981 0001 42 25	7981	4.8	Zinc	4	25	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,2 x 25	0.011
07981 0001 42 32	7981	4.8	Zinc	4	32	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,2 x 32	0.012
07981 0001 48 95	7981	4.8	Zinc	5	9.5	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,8 x 9,5	0.009
07981 0001 48 13	7981	4.8	Zinc	5	13	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,8 x 13	0.01
07981 0001 48 16	7981	4.8	Zinc	5	16	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,8 x 16	0.011
07981 0001 48 25	7981	4.8	Zinc	5	25	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,8 x 25	0.014
07981 0001 48 32	7981	4.8	Zinc	5	32	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,8 x 32	0.017
07981 0001 48 38	7981	4.8	Zinc	5	38	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,8 x 38	0.019
07981 0001 48 45	7981	4.8	Zinc	5	45	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,8 x 45	0.023
07981 0001 48 50	7981	4.8	Zinc	5	50	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,8 x 50	0.025

07981 0001 48 100	7981	4.8	Zinc	5	100	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 4,8 x 100	0.067
07981 0001 55 16	7981	4.8	Zinc	6	16	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 5,5 x 16	0.016
07981 0001 55 19	7981	4.8	Zinc	6	19	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 5,5 x 19	0.017
07981 0001 55 22	7981	4.8	Zinc	6	22	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 5,5 x 22	0.019
07981 0001 55 25	7981	4.8	Zinc	6	25	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 5,5 x 25	0.021
07981 0001 55 32	7981	4.8	Zinc	6	32	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 5,5 x 32	0.024
07981 0001 55 38	7981	4.8	Zinc	6	38	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 5,5 x 38	0.027
07981 0001 55 45	7981	4.8	Zinc	6	45	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 5,5 x 45	0.031
07981 0001 55 50	7981	4.8	Zinc	6	50	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 5,5 x 50	0.033
07981 0001 55 60	7981	4.8	Zinc	6	60	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 5,5 x 60	0.04
07981 0001 63 13	7981	4.8	Zinc	6	13	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 6,3 x 13	0.022
07981 0001 63 19	7981	4.8	Zinc	6	19	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 6,3 x 19	0.025
07981 0001 63 22	7981	4.8	Zinc	6	22	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 6,3 x 22	0.03
07981 0001 63 25	7981	4.8	Zinc	6	25	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 6,3 x 25	0.03
07981 0001 63 32	7981	4.8	Zinc	6	32	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 6,3 x 32	0.035
07981 0001 63 45	7981	4.8	Zinc	6	45	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 6,3 x 45	0.048
07981 0001 63 50	7981	4.8	Zinc	6	50	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 6,3 x 50	0.049
07981 0001 63 60	7981	4.8	Zinc	6	60	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 6,3 x 60	0.06
07981 0001 63 70	7981	4.8	Zinc	6	70	Cross recessed pan head tapping screws, DIN 7981 C, vZn, Ø 6,3 x 70	0.061

DIN 7982							Surub pentru tabla cu cap inecat si locas crestat cruciform autofiletant
----------	--	--	--	--	--	---	--

07982 0001 29 65	7982	4.8	Zinc	3	6.5	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 2,9 x 6,5	0.003
07982 0001 29 95	7982	4.8	Zinc	3	9.5	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 2,9 x 9,5	0.004
07982 0001 29 13	7982	4.8	Zinc	3	13	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 2,9 x 13	0.004
07982 0001 29 16	7982	4.8	Zinc	3	16	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 2,9 x 16	0.004
07982 0001 29 19	7982	4.8	Zinc	3	19	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 2,9 x 19	0.005
07982 0001 29 22	7982	4.8	Zinc	3	22	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 2,9 x 22	0.005
07982 0001 29 25	7982	4.8	Zinc	3	25	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 2,9 x 25	0.006
07982 0001 35 13	7982	4.8	Zinc	4	13	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 3,5 x 13	0.005
07982 0001 35 16	7982	4.8	Zinc	4	16	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 3,5 x 16	0.005
07982 0001 35 19	7982	4.8	Zinc	4	19	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 3,5 x 19	0.006
07982 0001 39 13	7982	4.8	Zinc	4	13	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 3,9 x 13	0.005
07982 0001 39 16	7982	4.8	Zinc	4	16	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 3,9 x 16	0.006
07982 0001 39 19	7982	4.8	Zinc	4	19	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 3,9 x 19	0.006
07982 0001 39 22	7982	4.8	Zinc	4	22	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 3,9 x 22	0.007
07982 0001 39 32	7982	4.8	Zinc	4	32	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 3,9 x 32	0.011
07982 0001 42 13	7982	4.8	Zinc	4	13	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,2 x 13	0.006
07982 0001 42 16	7982	4.8	Zinc	4	16	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,2 x 16	0.007
07982 0001 42 19	7982	4.8	Zinc	4	19	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,2 x 19	0.008
07982 0001 42 22	7982	4.8	Zinc	4	22	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,2 x 22	0.009
07982 0001 42 25	7982	4.8	Zinc	4	25	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,2 x 25	0.009
07982 0001 42 32	7982	4.8	Zinc	4	32	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,2 x 32	0.011
07982 0001 48 13	7982	4.8	Zinc	5	13	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,8 x 13	0.008
07982 0001 48 16	7982	4.8	Zinc	5	16	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,8 x 16	0.01
07982 0001 48 19	7982	4.8	Zinc	5	19	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,8 x 19	0.011
07982 0001 48 22	7982	4.8	Zinc	5	22	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,8 x 22	0.013
07982 0001 48 25	7982	4.8	Zinc	5	25	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,8 x 25	0.012
07982 0001 48 32	7982	4.8	Zinc	5	32	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,8 x 32	0.015
07982 0001 48 38	7982	4.8	Zinc	5	38	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,8 x 38	0.017
07982 0001 48 45	7982	4.8	Zinc	5	45	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,8 x 45	0.02
07982 0001 48 50	7982	4.8	Zinc	5	50	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 4,8 x 50	0.022
07982 0001 55 25	7982	4.8	Zinc	6	25	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 5,5 x 25	0.019
07982 0001 55 32	7982	4.8	Zinc	6	32	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 5,5 x 32	0.022
07982 0001 55 38	7982	4.8	Zinc	6	38	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 5,5 x 38	0.027
07982 0001 55 50	7982	4.8	Zinc	6	50	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 5,5 x 50	0.034

07982 0001 63 25	7982	4.8	Zinc	6	25	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 6,3 x 25	0.024
07982 0001 63 32	7982	4.8	Zinc	6	32	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 6,3 x 32	0.03
07982 0001 63 50	7982	4.8	Zinc	6	50	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 6,3 x 50	0.048
07982 0001 63 60	7982	4.8	Zinc	6	60	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 6,3 x 60	0.053
07982 0001 63 70	7982	4.8	Zinc	6	70	Cross rec. flat head tapping screw, DIN 7982, vZn, Ø 6,3 x 70	0.059
<b>DIN 7985</b>				<b>SURUB CU CAP BOMBAT ,TORX</b>			
07985 4801 3 4	7985	4.8	Zinc	3	4	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x4	0.004
07985 4801 3 5	7985	4.8	Zinc	3	5	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x5	0.004
07985 4801 3 6	7985	4.8	Zinc	3	6	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x6	0.003
07985 4801 3 8	7985	4.8	Zinc	3	8	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x8	0.004
07985 4801 3 10	7985	4.8	Zinc	3	10	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x10	0.004
07985 4801 3 12	7985	4.8	Zinc	3	12	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x12	0.004
07985 4801 3 14	7985	4.8	Zinc	3	14	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x14	0.006
07985 4801 3 16	7985	4.8	Zinc	3	16	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x16	0.005
07985 4801 3 20	7985	4.8	Zinc	3	20	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x20	0.005
07985 4801 3 25	7985	4.8	Zinc	3	25	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x25	0.006
07985 4801 3 30	7985	4.8	Zinc	3	30	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x30	0.007
07985 4801 3 40	7985	4.8	Zinc	3	40	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M3x40	0.01
07985 4801 4 5	7985	4.8	Zinc	4	5	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x5	0.006
07985 4801 4 6	7985	4.8	Zinc	4	6	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x6	0.005
07985 4801 4 8	7985	4.8	Zinc	4	8	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x8	0.006
07985 4801 4 10	7985	4.8	Zinc	4	10	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x10	0.006
07985 4801 4 12	7985	4.8	Zinc	4	12	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x12	0.007
07985 4801 4 14	7985	4.8	Zinc	4	14	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x14	0.007
07985 4801 4 16	7985	4.8	Zinc	4	16	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x16	0.008
07985 4801 4 18	7985	4.8	Zinc	4	18	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x18	0.009
07985 4801 4 20	7985	4.8	Zinc	4	20	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x20	0.008
07985 4801 4 25	7985	4.8	Zinc	4	25	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x25	0.009
07985 4801 4 30	7985	4.8	Zinc	4	30	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x30	0.01
07985 4801 4 35	7985	4.8	Zinc	4	35	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x35	0.011
07985 4801 4 40	7985	4.8	Zinc	4	40	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x40	0.013
07985 4801 4 50	7985	4.8	Zinc	4	50	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x50	0.016
07985 4801 4 60	7985	4.8	Zinc	4	60	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M4x60	0.018
07985 4801 5 6	7985	4.8	Zinc	5	6	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x6	0.01
07985 4801 5 8	7985	4.8	Zinc	5	8	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x8	0.01
07985 4801 5 10	7985	4.8	Zinc	5	10	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x10	0.01
07985 4801 5 12	7985	4.8	Zinc	5	12	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x12	0.011
07985 4801 5 14	7985	4.8	Zinc	5	14	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x14	0.017
07985 4801 5 16	7985	4.8	Zinc	5	16	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x16	0.012
07985 4801 5 20	7985	4.8	Zinc	5	20	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x20	0.013
07985 4801 5 25	7985	4.8	Zinc	5	25	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x25	0.015
07985 4801 5 30	7985	4.8	Zinc	5	30	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x30	0.018
07985 4801 5 35	7985	4.8	Zinc	5	35	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x35	0.022
07985 4801 5 40	7985	4.8	Zinc	5	40	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x40	0.022
07985 4801 5 50	7985	4.8	Zinc	5	50	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x50	0.025
07985 4801 5 60	7985	4.8	Zinc	5	60	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M5x60	0.033
07985 4801 6 8	7985	4.8	Zinc	6	8	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M6x8	0.017
07985 4801 6 10	7985	4.8	Zinc	6	10	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M6x10	0.016
07985 4801 6 12	7985	4.8	Zinc	6	12	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M6x12	0.017
07985 4801 6 16	7985	4.8	Zinc	6	16	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M6x16	0.021
07985 4801 6 20	7985	4.8	Zinc	6	20	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M6x20	0.02
07985 4801 6 25	7985	4.8	Zinc	6	25	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M6x25	0.024
07985 4801 6 30	7985	4.8	Zinc	6	30	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M6x30	0.026
07985 4801 6 35	7985	4.8	Zinc	6	35	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M6x35	0.031

07985 4801 6 40	7985	4.8	Zinc	6	40	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M6x40	0.033
07985 4801 6 50	7985	4.8	Zinc	6	50	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M6x50	0.037
07985 4801 6 60	7985	4.8	Zinc	6	60	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M6x60	0.048
07985 4801 8 16	7985	4.8	Zinc	8	16	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M8x16	0.041
07985 4801 8 20	7985	4.8	Zinc	8	20	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M8x20	0.044
07985 4801 8 25	7985	4.8	Zinc	8	25	Cross recessed pan head machine screws, DIN 7985, 4.8, vZn, PH drive, M8x25	0.048

DIN 7991			SURUB CU CAP INECAT LOCAS HEXAGONAL					


07991 8800 6 16	7991	8.8	Plain	6	16	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 6 X 16	0.017
07991 8800 6 20	7991	8.8	Plain	6	20	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 6 X 20	0.022
07991 8800 6 25	7991	8.8	Plain	6	25	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 6 X 25	0.027
07991 8800 6 30	7991	8.8	Plain	6	30	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 6 X 30	0.028
07991 8800 8 16	7991	8.8	Plain	8	16	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 8 X 16	0.033
07991 8800 8 20	7991	8.8	Plain	8	20	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 8 X 20	0.036
07991 8800 8 25	7991	8.8	Plain	8	25	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 8 X 25	0.047
07991 8800 8 30	7991	8.8	Plain	8	30	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 8 X 30	0.05
07991 8800 8 35	7991	8.8	Plain	8	35	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 8 X 35	0.059
07991 8800 8 40	7991	8.8	Plain	8	40	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 8 X 40	0.062
07991 8800 10 20	7991	8.8	Plain	10	20	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 10 X 20	0.063
07991 8800 10 25	7991	8.8	Plain	10	25	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 10 X 25	0.067
07991 8800 10 30	7991	8.8	Plain	10	30	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 10 X 30	0.077
07991 8800 10 35	7991	8.8	Plain	10	35	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 10 X 35	0.094
07991 8800 10 40	7991	8.8	Plain	10	40	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 10 X 40	0.108
07991 8800 10 50	7991	8.8	Plain	10	50	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 10 X 50	0.132
07991 8800 10 60	7991	8.8	Plain	10	60	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 10 X 60	0.144
07991 8800 12 30	7991	8.8	Plain	12	30	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 12 X 30	0.115
07991 8800 12 35	7991	8.8	Plain	12	35	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 12 X 35	0.134
07991 8800 12 40	7991	8.8	Plain	12	40	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 12 X 40	0.144
07991 8800 12 45	7991	8.8	Plain	12	45	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 12 X 45	0.158
07991 8800 12 50	7991	8.8	Plain	12	50	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 12 X 50	0.17
07991 8800 12 60	7991	8.8	Plain	12	60	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 12 X 60	0.217
07991 8800 12 70	7991	8.8	Plain	12	70	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 12 X 70	0.253
07991 8800 12 80	7991	8.8	Plain	12	80	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 12 X 80	0.301
07991 8800 16 40	7991	8.8	Plain	16	40	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 16 X 40	0.264
07991 8800 16 45	7991	8.8	Plain	16	45	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 16 X 45	0.301
07991 8800 16 50	7991	8.8	Plain	16	50	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 16 X 50	0.303
07991 8800 16 60	7991	8.8	Plain	16	60	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 16 X 60	0.35
07991 8800 16 70	7991	8.8	Plain	16	70	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 16 X 70	0.455
07991 8800 16 80	7991	8.8	Plain	16	80	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 16 X 80	0.573
07991 8800 16 90	7991	8.8	Plain	16	90	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 16 X 90	0.645
07991 8800 16 100	7991	8.8	Plain	16	100	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 16 X 100	0.868
07991 8800 20 50	7991	8.8	Plain	20	50	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 20 X 50	0.634
07991 8800 20 60	7991	8.8	Plain	20	60	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 20 X 60	0.622
07991 8800 20 70	7991	8.8	Plain	20	70	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 20 X 70	0.713
07991 8800 20 80	7991	8.8	Plain	20	80	Flat socket head cap screws, DIN 7991, 8.8, Bl., M 20 X 80	0.869
07991 8801 5 6	7991	8.8	Zinc	5	6	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 5 X 6	0.039
07991 8801 5 8	7991	8.8	Zinc	5	8	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 5 X 8	0.021
07991 8801 5 10	7991	8.8	Zinc	5	10	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 5 X 10	0.014
07991 8801 5 12	7991	8.8	Zinc	5	12	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 5 X 12	0.016
07991 8801 5 16	7991	8.8	Zinc	5	16	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 5 X 16	0.018
07991 8801 5 20	7991	8.8	Zinc	5	20	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 5 X 20	0.02
07991 8801 5 25	7991	8.8	Zinc	5	25	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 5 X 25	0.024
07991 8801 5 35	7991	8.8	Zinc	5	35	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 5 X 35	0.029
07991 8801 5 40	7991	8.8	Zinc	5	40	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 5 X 40	0.044
07991 8801 5 45	7991	8.8	Zinc	5	45	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 5 X 45	0.044

07991 8801 5 50	7991	8.8	Zinc	5	50	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 5 X 50	0.049
07991 8801 6 10	7991	8.8	Zinc	6	10	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 6 X 10	0.02
07991 8801 6 12	7991	8.8	Zinc	6	12	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 6 X 12	0.023
07991 8801 6 16	7991	8.8	Zinc	6	16	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 6 X 16	0.024
07991 8801 6 20	7991	8.8	Zinc	6	20	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 6 X 20	0.025
07991 8801 6 25	7991	8.8	Zinc	6	25	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 6 X 25	0.027
07991 8801 6 30	7991	8.8	Zinc	6	30	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 6 X 30	0.035
07991 8801 6 40	7991	8.8	Zinc	6	40	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 6 X 40	0.049
07991 8801 8 16	7991	8.8	Zinc	8	16	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 8 X 16	0.04
07991 8801 8 20	7991	8.8	Zinc	8	20	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 8 X 20	0.045
07991 8801 8 25	7991	8.8	Zinc	8	25	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 8 X 25	0.054
07991 8801 8 30	7991	8.8	Zinc	8	30	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 8 X 30	0.059
07991 8801 8 35	7991	8.8	Zinc	8	35	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 8 X 35	0.07
07991 8801 8 40	7991	8.8	Zinc	8	40	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 8 X 40	0.078
07991 8801 10 20	7991	8.8	Zinc	10	20	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 10 X 20	0.072
07991 8801 10 25	7991	8.8	Zinc	10	25	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 10 X 25	0.082
07991 8801 10 30	7991	8.8	Zinc	10	30	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 10 X 30	0.094
07991 8801 10 35	7991	8.8	Zinc	10	35	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 10 X 35	0.107
07991 8801 10 40	7991	8.8	Zinc	10	40	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 10 X 40	0.141
07991 8801 12 30	7991	8.8	Zinc	12	30	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 12 X 30	0.167
07991 8801 12 35	7991	8.8	Zinc	12	35	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 12 X 35	0.158
07991 8801 12 40	7991	8.8	Zinc	12	40	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 12 X 40	0.178
07991 8801 12 50	7991	8.8	Zinc	12	50	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 12 X 50	0.212
07991 8801 16 50	7991	8.8	Zinc	16	50	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 16 X 50	0.428
07991 8801 16 55	7991	8.8	Zinc	16	55	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 16 X 55	0.425
07991 8801 16 60	7991	8.8	Zinc	16	60	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 16 X 60	0.501
07991 8801 16 70	7991	8.8	Zinc	16	70	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 16 X 70	0.607
07991 8801 16 80	7991	8.8	Zinc	16	80	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 16 X 80	0.716
07991 8801 20 60	7991	8.8	Zinc	20	60	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 20 X 60	0.781
07991 8801 20 70	7991	8.8	Zinc	20	70	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 20 X 70	0.896
07991 8801 20 80	7991	8.8	Zinc	20	80	Flat socket head cap screws, DIN 7991, 8.8, vZn, M 20 X 80	1.093
07991 1000 16 55	7991	11	Plain	16	55	Flat socket head cap screws, DIN 7991, 10.9, Bl., M 16 X 55	0.429
07991 1000 16 60	7991	11	Plain	16	60	Flat socket head cap screws, DIN 7991, 10.9, Bl., M 16 X 60	0.463
07991 1000 16 70	7991	11	Plain	16	70	Flat socket head cap screws, DIN 7991, 10.9, Bl., M 16 X 70	0.56
07991 1000 16 80	7991	11	Plain	16	80	Flat socket head cap screws, DIN 7991, 10.9, Bl., M 16 X 80	0.661
07991 1000 20 60	7991	11	Plain	20	60	Flat socket head cap screws, DIN 7991, 10.9, Bl., M 20 X 60	0.814
07991 1000 20 70	7991	11	Plain	20	70	Flat socket head cap screws, DIN 7991, 10.9, Bl., M 20 X 70	0.839
07991 1000 20 80	7991	11	Plain	20	80	Flat socket head cap screws, DIN 7991, 10.9, Bl., M 20 X 80	1.139
07991 1000 20 90	7991	11	Plain	20	90	Flat socket head cap screws, DIN 7991, 10.9, Bl., M 20 X 90	1.034

DIN 985							PIULITA AUTOBLOCARE CU INEL NEMETALIC	
---------	--	--	--	--	--	---	---------------------------------------	--

00985 8001 3	985	8	Zinc	3		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M3	0.007
00985 8001 4	985	8	Zinc	4		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M4	0.007
00985 8001 5	985	8	Zinc	5		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M5	0.008
00985 8001 6	985	8	Zinc	6		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M6	0.008
00985 8001 8	985	8	Zinc	8		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M8	0.018
00985 8001 10	985	8	Zinc	10		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M10	0.037
00985 8001 10 125	985	8	Zinc	10x1,25		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M10x1,25	0.047
00985 8001 12	985	8	Zinc	12		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M12	0.055
00985 8001 12 125	985	8	Zinc	12x1,25		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M12x1,25	0.069
00985 8001 12 15	985	8	Zinc	12x1,5		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M12x1,5	0.071
00985 8001 14	985	8	Zinc	14		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M14	0.089
00985 8001 14 15	985	8	Zinc	14x1,5		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M14x1,5	0.116
00985 8001 16	985	8	Zinc	16		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M16	0.122
00985 8001 16 15	985	8	Zinc	16x1,5		Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M16x1,5	0.159


00985 8001 18	985	8	Zinc	18	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M18	0.239
00985 8001 18 15	985	8	Zinc	18x1,5	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M18x1,5	0.31
00985 8001 20	985	8	Zinc	20	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M20	0.292
00985 8001 20 15	985	8	Zinc	20x1,5	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M20x1,5	0.379
00985 8001 22	985	8	Zinc	22	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M22	0.476
00985 8001 22 15	985	8	Zinc	22x1,5	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M22x1,5	0.619
00985 8001 24	985	8	Zinc	24	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M24	0.609
00985 8001 24 15	985	8	Zinc	24x1,5	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M24x1,5	0.792
00985 8001 24 2	985	8	Zinc	24x2	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M24x2	0.822
00985 8001 27	985	8	Zinc	27	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M27	1.054
00985 8001 27 2	985	8	Zinc	27x2	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M27x2	1.422
00985 8001 30	985	8	Zinc	30	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M30	1.477
00985 8001 30 2	985	8	Zinc	30x2	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M30x2	1.92
00985 8001 33 2	985	8	Zinc	33x2	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M33x2	2.112
00985 8001 36	985	8	Zinc	36	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M36	2.942
00985 8001 36 2	985	8	Zinc	36x2	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M36x2	3.137
00985 8001 42	985	8	Zinc	42	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M42	5.624
00985 8001 42 3	985	8	Zinc	42x3	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M42x3	7.874
00985 8001 48 3	985	8	Zinc	48x3	Self locking nuts with nylon locking insert, DIN 985, 8, vZn, M48x3	9.594
00985 1001 10	985	10	Zinc	10	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M10	0.056
00985 1001 12	985	10	Zinc	12	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M12	0.09
00985 1001 12 15	985	10	Zinc	12x1,5	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M12x1,5	0.108
00985 1001 14	985	10	Zinc	14	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M14	0.154
00985 1001 14 15	985	10	Zinc	14x1,5	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M14x1,5	0.185
00985 1001 16	985	10	Zinc	16	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M16	0.142
00985 1001 16 15	985	10	Zinc	16x1,5	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M16x1,5	0.172
00985 1001 18	985	10	Zinc	18	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M18	0.278
00985 1001 18 15	985	10	Zinc	18x1,5	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M18x1,5	0.392
00985 1001 20	985	10	Zinc	20	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M20	0.309
00985 1001 20 15	985	10	Zinc	20x1,5	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M20x1,5	0.332
00985 1001 24	985	10	Zinc	24	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M24	0.651
00985 1001 30	985	10	Zinc	30	Self locking nuts with nylon locking insert, DIN 985, 10, vZn, M30	1.556

<b>DIN 3570</b>			<b>TIJA "U"</b>		
03570 0011 100	3570	Zinc	NW 100	Stirrup bolts (U-bolts), DIN 3570, vZn, A 120 / NW 100 / M 16	2.494
03570 0011 125	3570	Zinc	NW 125	Stirrup bolts (U-bolts), DIN 3570, vZn, A 148 / NW 125 / M 16	2.81
03570 0011 15	3570	Zinc	NW 15	Stirrup bolts (U-bolts), DIN 3570, vZn, A 23 / NW 15 / M 10	0.362
03570 0011 150	3570	Zinc	NW 150	Stirrup bolts (U-bolts), DIN 3570, vZn, A 176 / NW 150 / M 16	3.19
03570 0011 175	3570	Zinc	NW 175	Stirrup bolts (U-bolts), DIN 3570, vZn, A 202 / NW 175 / M 16	3.623
03570 0011 20	3570	Zinc	NW 20	Stirrup bolts (U-bolts), DIN 3570, vZn, A 30 / NW 20 / M 10	0.408
03570 0011 200	3570	Zinc	NW 200	Stirrup bolts (U-bolts), DIN 3570, vZn, A 228 / NW 200 / M 20	6.429
03570 0011 25	3570	Zinc	NW 25	Stirrup bolts (U-bolts), DIN 3570, vZn, A 38 / NW 25 / M 10	0.446
03570 0011 250	3570	Zinc	NW 250	Stirrup bolts (U-bolts), DIN 3570, vZn, A 282 / NW 250 / M 20	8.322
03570 0011 300	3570	Zinc	NW 300	Stirrup bolts (U-bolts), DIN 3570, vZn, A 332 / NW 300 / M 20	8.692
03570 0011 32	3570	Zinc	NW 32	Stirrup bolts (U-bolts), DIN 3570, vZn, A 46 / NW 32 / M 10	0.493
03570 0011 350	3570	Zinc	NW 350	Stirrup bolts (U-bolts), DIN 3570, vZn, A 378 / NW 350 / M 24	14.43
03570 0011 40	3570	Zinc	NW 40	Stirrup bolts (U-bolts), DIN 3570, vZn, A 52 / NW 40 / M 10	0.531
03570 0011 400	3570	Zinc	NW 400	Stirrup bolts (U-bolts), DIN 3570, vZn, A 428 / NW 400 / M 24	16.08
03570 0011 50	3570	Zinc	NW 50	Stirrup bolts (U-bolts), DIN 3570, vZn, A 64 / NW 50 / M 12	0.885
03570 0011 500	3570	Zinc	NW 500	Stirrup bolts (U-bolts), DIN 3570, vZn, A 530 / NW 500 / M 24	19.37
03570 0011 65	3570	Zinc	NW 65	Stirrup bolts (U-bolts), DIN 3570, vZn, A 82 / NW 65 / M 12	1.015
03570 0011 80	3570	Zinc	NW 80	Stirrup bolts (U-bolts), DIN 3570, vZn, A 94 / NW 80 / M 12	1.12

<b>DIN 7337 A</b>		<b>POP NIT CU CAP NETED</b>
-------------------	---	-----------------------------




07337 0010 32 12	7337C			3	12	Blind rivets, DIN 7337, Form C, Aluminum/St, C10, Ø 3,2 x 12	0.017
07337 0020 40 8	7337C			4	8	Blind rivets, DIN 7337, Form C, Aluminum/St, C12, Ø 4,0 x 8	0.016
07337 0020 40 10	7337C			4	10	Blind rivets, DIN 7337, Form C, Aluminum/St, C12, Ø 4,0 x 10	0.019
07337 0020 40 12	7337C			4	12	Blind rivets, DIN 7337, Form C, Aluminum/St, C12, Ø 4,0 x 12	0.021
07337 0020 40 14	7337C			4	14	Blind rivets, DIN 7337, Form C, Aluminum/St, C12, Ø 4,0 x 14	0.022
07337 0020 40 16	7337C			4	16	Blind rivets, DIN 7337, Form C, Aluminum/St, C12, Ø 4,0 x 16	0.024
07337 0020 40 20	7337C			4	20	Blind rivets, DIN 7337, Form C, Aluminum/St, C12, Ø 4,0 x 20	0.026
07337 0040 48 10	7337C			5	10	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 4,8 x 10	0.023
07337 0040 48 12	7337C			5	12	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 4,8 x 12	0.025
07337 0040 48 14	7337C			5	14	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 4,8 x 14	0.028
07337 0040 48 16	7337C			5	16	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 4,8 x 16	0.032
07337 0040 48 20	7337C			5	20	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 4,8 x 20	0.037
07337 0040 50 10	7337C			5	10	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 5.0 x 10	0.022
07337 0040 50 12	7337C			5	12	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 5.0 x 12	0.024
07337 0040 50 14	7337C			5	14	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 5.0 x 14	0.027
07337 0040 50 16	7337C			5	16	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 5.0 x 16	0.031
07337 0040 50 18	7337C			5	18	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 5.0 x 18	0.033
07337 0040 50 20	7337C			5	20	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 5.0 x 20	0.035
07337 0040 50 25	7337C			5	25	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 5.0 x 25	0.042
07337 0040 50 30	7337C			5	30	Blind rivets, DIN 7337, Form C, Aluminum/St, C14, Ø 5.0 x 30	0.047
07337 0001 40 8	7337A			4	8	Blind rivets, DIN 7337, Form A, St/St, Ø 4,0 x 8	0.016
07337 0001 40 10	7337A			4	10	Blind rivets, DIN 7337, Form A, St/St, Ø 4,0 x 10	0.017
07337 0001 48 8	7337A			5	8	Blind rivets, DIN 7337, Form A, St/St, Ø 4,8 x 8	0.023
07337 0001 48 10	7337A			5	10	Blind rivets, DIN 7337, Form A, St/St, Ø 4,8 x 10	0.024
07337 0001 48 12	7337A			5	12	Blind rivets, DIN 7337, Form A, St/St, Ø 4,8 x 12	0.026
07337 0001 48 14	7337A			5	14	Blind rivets, DIN 7337, Form A, St/St, Ø 4,8 x 14	0.031
07337 0001 48 16	7337A			5	16	Blind rivets, DIN 7337, Form A, St/St, Ø 4,8 x 16	0.034
07337 0001 50 12	7337A			5	12	Blind rivets, DIN 7337, Form A, St/St, Ø 5,0 x 12	0.029


<b>DIN 7504 P</b>				<b>Surub autoforant cu cap inecat cruciform</b>			
07504 0081 35 13	7504 P	Zinc	4	13	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø3,5x13	0.005	
07504 0081 35 16	7504 P	Zinc	4	16	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø3,5x16	0.005	
07504 0081 35 19	7504 P	Zinc	4	19	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø3,5x19	0.006	
07504 0081 39 16	7504 P	Zinc	4	16	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø3,9x16	0.005	
07504 0081 39 25	7504 P	Zinc	4	25	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø3,9x25	0.007	
07504 0081 42 16	7504 P	Zinc	4	16	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,2x16	0.007	
07504 0081 42 19	7504 P	Zinc	4	19	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,2x19	0.008	
07504 0081 42 32	7504 P	Zinc	4	32	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,2x32	0.01	
07504 0081 42 45	7504 P	Zinc	4	45	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,2x45	0.017	
07504 0081 42 50	7504 P	Zinc	4	50	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,2x50	0.02	
07504 0081 48 25	7504 P	Zinc	5	25	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,8x25	0.012	
07504 0081 48 38	7504 P	Zinc	5	38	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,8x38	0.016	
07504 0081 48 45	7504 P	Zinc	5	45	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,8x45	0.019	
07504 0081 48 50	7504 P	Zinc	5	50	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,8x50	0.02	
07504 0081 48 60	7504 P	Zinc	5	60	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,8x60	0.027	
07504 0081 48 70	7504 P	Zinc	5	70	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,8x70	0.032	
07504 0081 48 80	7504 P	Zinc	5	80	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø4,8x80	0.042	
07504 0081 55 25	7504 P	Zinc	6	25	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø5,5x25	0.019	
07504 0081 55 32	7504 P	Zinc	6	32	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø5,5x32	0.023	
07504 0081 55 38	7504 P	Zinc	6	38	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø5,5x38	0.028	
07504 0081 55 50	7504 P	Zinc	6	50	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø5,5x50	0.036	
07504 0081 55 60	7504 P	Zinc	6	60	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø5,5x60	0.045	
07504 0081 55 70	7504 P	Zinc	6	70	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø5,5x70	0.054	
07504 0081 63 25	7504 P	Zinc	6	25	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø6,3x25	0.026	
07504 0081 63 32	7504 P	Zinc	6	32	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø6,3x32	0.034	



07504 0081 63 38	7504 P	Zinc	6	38	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø6,3x38	0.035
07504 0081 63 45	7504 P	Zinc	6	45	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø6,3x45	0.044
07504 0081 63 50	7504 P	Zinc	6	50	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø6,3x50	0.045
07504 0081 63 60	7504 P	Zinc	6	60	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø6,3x60	0.051
07504 0081 63 70	7504 P	Zinc	6	70	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø6,3x70	0.061
07504 0081 63 80	7504 P	Zinc	6	80	Self-drilling screws, CSK head, PH drive , DIN 7504P, vZn, Ø6,3x80	0.076

<b>DIN 7504 N</b>				<b>Surub autoforant cu cap bombat cruciform</b>			
-------------------	--	---	--	---	--	--	--

07504 0061 35 13	7504 N	Zinc	4	13	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø3,5x13	0.005
07504 0061 35 16	7504 N	Zinc	4	16	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø3,5x16	0.006
07504 0061 35 95	7504 N	Zinc	4	95	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø3,5x9,5	0.005
07504 0061 39 13	7504 N	Zinc	4	13	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø3,9x13	0.006
07504 0061 39 16	7504 N	Zinc	4	16	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø3,9x16	0.007
07504 0061 39 19	7504 N	Zinc	4	19	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø3,9x19	0.008
07504 0061 39 22	7504 N	Zinc	4	22	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø3,9x22	0.009
07504 0061 39 25	7504 N	Zinc	4	25	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø3,9x25	0.01
07504 0061 39 32	7504 N	Zinc	4	32	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø3,9x32	0.012
07504 0061 42 13	7504 N	Zinc	4	13	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,2x13	0.007
07504 0061 42 16	7504 N	Zinc	4	16	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,2x16	0.008
07504 0061 42 19	7504 N	Zinc	4	19	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,2x19	0.009
07504 0061 42 25	7504 N	Zinc	4	25	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,2x25	0.012
07504 0061 42 45	7504 N	Zinc	4	45	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,2x45	0.02
07504 0061 48 16	7504 N	Zinc	5	16	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,8x16	0.012
07504 0061 48 19	7504 N	Zinc	5	19	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,8x19	0.012
07504 0061 48 22	7504 N	Zinc	5	22	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,8x22	0.012
07504 0061 48 25	7504 N	Zinc	5	25	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,8x25	0.013
07504 0061 48 32	7504 N	Zinc	5	32	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,8x32	0.016
07504 0061 48 45	7504 N	Zinc	5	45	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,8x45	0.024
07504 0061 48 50	7504 N	Zinc	5	50	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø4,8x50	0.025
07504 0061 55 38	7504 N	Zinc	6	38	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø5,5x38	0.034
07504 0061 55 45	7504 N	Zinc	6	45	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø5,5x45	0.04
07504 0061 55 50	7504 N	Zinc	6	50	Self-drilling screws, pan head, PH drive , DIN 7504N, vZn, Ø5,5x50	0.042


<b>DIN 7504 T</b>				<b>Surub cu cap cilindric bombat ,locas cruciform cu saiba inclusa autoforant</b>			
-------------------	--	---	--	---	--	--	--


07504 0091 39 13	7504 T	Zinc	4	13	Self-drilling screws, button head, PH drive , DIN 7504T, vZn, Ø3,9x13	0.008
07504 0091 39 16	7504 T	Zinc	4	16	Self-drilling screws, button head, PH drive , DIN 7504T, vZn, Ø3,9x16	0.009
07504 0091 39 19	7504 T	Zinc	4	19	Self-drilling screws, button head, PH drive , DIN 7504T, vZn, Ø3,9x19	0.011
07504 0091 39 25	7504 T	Zinc	4	25	Self-drilling screws, button head, PH drive , DIN 7504T, vZn, Ø3,9x25	0.014
07504 0091 42 13	7504 T	Zinc	4	13	Self-drilling screws, button head, PH drive , DIN 7504T, vZn, Ø4,2x13	0.01
07504 0091 42 16	7504 T	Zinc	4	16	Self-drilling screws, button head, PH drive , DIN 7504T, vZn, Ø4,2x16	0.011
07504 0091 42 19	7504 T	Zinc	4	19	Self-drilling screws, button head, PH drive , DIN 7504T, vZn, Ø4,2x19	0.012
07504 0091 42 25	7504 T	Zinc	4	25	Self-drilling screws, button head, PH drive , DIN 7504T, vZn, Ø4,2x25	0.014
07504 0091 42 32	7504 T	Zinc	4	32	Self-drilling screws, button head, PH drive , DIN 7504T, vZn, Ø4,2x32	0.015
07504 0091 42 50	7504 T	Zinc	4	50	Self-drilling screws, button head, PH drive , DIN 7504T, vZn, Ø4,2x50	0.025


<b>DIN 7504 K</b>				<b>Surub autoforant cu cap hexagonal</b>			
-------------------	--	---	--	--	--	--	--

07504 0071 42 13	7504 K	Zinc	4	13	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,2x13	0.01
07504 0071 42 16	7504 K	Zinc	4	16	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,2x16	0.01
07504 0071 42 19	7504 K	Zinc	4	19	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,2x19	0.011
07504 0071 42 25	7504 K	Zinc	4	25	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,2x25	0.011
07504 0071 48 13	7504 K	Zinc	5	13	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,8x13	0.012
07504 0071 48 16	7504 K	Zinc	5	16	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,8x16	0.013
07504 0071 48 19	7504 K	Zinc	5	19	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,8x19	0.014


07504 0071 48 22	7504 K	Zinc	5	22	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,8x22	0.015
07504 0071 48 25	7504 K	Zinc	5	25	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,8x25	0.016
07504 0071 48 32	7504 K	Zinc	5	32	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,8x32	0.018
07504 0071 48 38	7504 K	Zinc	5	38	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,8x38	0.02
07504 0071 48 45	7504 K	Zinc	5	45	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,8x45	0.028
07504 0071 48 50	7504 K	Zinc	5	50	Self-drilling screws, hex head , DIN 7504K, vZn, Ø4,8x50	0.029
07504 0071 55 19	7504 K	Zinc	6	19	Self-drilling screws, hex head , DIN 7504K, vZn, Ø5,5x19	0.019
07504 0071 55 22	7504 K	Zinc	6	22	Self-drilling screws, hex head , DIN 7504K, vZn, Ø5,5x22	0.021
07504 0071 55 25	7504 K	Zinc	6	25	Self-drilling screws, hex head , DIN 7504K, vZn, Ø5,5x25	0.023
07504 0071 55 32	7504 K	Zinc	6	32	Self-drilling screws, hex head , DIN 7504K, vZn, Ø5,5x32	0.024
07504 0071 55 38	7504 K	Zinc	6	38	Self-drilling screws, hex head , DIN 7504K, vZn, Ø5,5x38	0.027
07504 0071 55 50	7504 K	Zinc	6	50	Self-drilling screws, hex head , DIN 7504K, vZn, Ø5,5x50	0.033
07504 0071 55 60	7504 K	Zinc	6	60	Self-drilling screws, hex head , DIN 7504K, vZn, Ø5,5x60	0.039
07504 0071 63 16	7504 K	Zinc	6	16	Self-drilling screws, hex head , DIN 7504K, vZn, Ø6,3x16	0.026
07504 0071 63 19	7504 K	Zinc	6	19	Self-drilling screws, hex head , DIN 7504K, vZn, Ø6,3x19	0.028
07504 0071 63 22	7504 K	Zinc	6	22	Self-drilling screws, hex head , DIN 7504K, vZn, Ø6,3x22	0.03
07504 0071 63 25	7504 K	Zinc	6	25	Self-drilling screws, hex head , DIN 7504K, vZn, Ø6,3x25	0.031
07504 0071 63 32	7504 K	Zinc	6	32	Self-drilling screws, hex head , DIN 7504K, vZn, Ø6,3x32	0.036
07504 0071 63 38	7504 K	Zinc	6	38	Self-drilling screws, hex head , DIN 7504K, vZn, Ø6,3x38	0.039
07504 0071 63 45	7504 K	Zinc	6	45	Self-drilling screws, hex head , DIN 7504K, vZn, Ø6,3x45	0.044
07504 0071 63 50	7504 K	Zinc	6	50	Self-drilling screws, hex head , DIN 7504K, vZn, Ø6,3x50	0.045

<b>DIN 6923</b>				<b>Piulita hexagonala cu guler</b>			
06923 8001 6	6923	Zinc	6		Hexagonal flange nuts, without serration, DIN 6923, 8, vZn, M6	0.01	
06923 8001 8	6923	Zinc	8		Hexagonal flange nuts, without serration, DIN 6923, 8, vZn, M8	0.02	
06923 8001 10	6923	Zinc	10		Hexagonal flange nuts, without serration, DIN 6923, 8, vZn, M10	0.033	
06923 8021 6	6923	Zinc	6		Hexagonal flange nuts, with serration, DIN 6923, 8, vZn, M6	0.01	
06923 8021 8	6923	Zinc	8		Hexagonal flange nuts, with serration, DIN 6923, 8, vZn, M8	0.018	
06923 8021 10	6923	Zinc	10		Hexagonal flange nuts, with serration, DIN 6923, 8, vZn, M10	0.032	
06923 8021 12	6923	Zinc	12		Hexagonal flange nuts, with serration, DIN 6923, 8, vZn, M12	0.055	
06923 8021 16	6923	Zinc	16		Hexagonal flange nuts, with serration, DIN 6923, 8, vZn, M16	0.14	


<b>DIN 1587</b>				<b>Piulita hexagonală infundată înaltă</b>			
01587 4901 4	1587	Zinc	4		Hexagon domed cap nuts , full pattern, DIN 1587, 5, Zn, M4	0.012	
01587 4901 5	1587	Zinc	5		Hexagon domed cap nuts , full pattern, DIN 1587, 5, Zn, M5	0.014	
01587 4901 6	1587	Zinc	6		Hexagon domed cap nuts , full pattern, DIN 1587, 5, Zn, M6	0.017	
01587 4901 8	1587	Zinc	8		Hexagon domed cap nuts , full pattern, DIN 1587, 5, Zn, M8	0.032	
01587 4901 10	1587	Zinc	10		Hexagon domed cap nuts , full pattern, DIN 1587, 5, Zn, M10	0.066	
01587 4901 12	1587	Zinc	12		Hexagon domed cap nuts , full pattern, DIN 1587, 5, Zn, M12	0.095	
01587 4901 16	1587	Zinc	16		Hexagon domed cap nuts , full pattern, DIN 1587, 5, Zn, M16	0.194	

<b>DIN 439</b>				<b>Piulita hexagonală joasă fără tesitura</b>			
00439 4901 6	439	Zinc	6		Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 6	0.005	
00439 4901 8	439	Zinc	8		Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 8	0.01	
00439 4901 10	439	Zinc	10		Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 10	0.024	
00439 4901 10 1	439	Zinc	10x1		Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 10 x 1	0.026	
00439 4901 12	439	Zinc	12		Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 12	0.034	
00439 4901 12 1	439	Zinc	12x1		Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 12 x 1	0.038	
00439 4901 16	439	Zinc	16		Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 16	0.067	
00439 4901 20	439	Zinc	20		Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 20	0.124	
00439 4901 20 15	439	Zinc	20x1,5		Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 20 x 1,5	0.149	
00439 4901 24	439	Zinc	24		Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 24	0.244	
00439 4901 30	439	Zinc	30		Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 30	0.489	


00439 4901 36	439	Zinc	36	Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 36	1.193
00439 4901 36 3	439	Zinc	36x3	Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 36 x 3	1.337
00439 4901 39 3	439	Zinc	39x3	Hexagon nuts - 0,5d, DIN 439, 04, vZn, BM 39 x 3	1.126


<b>DIN 127</b>				<b>SAIBA ELASTICA CU VARF NETED</b>	
00127 0121 4	127	Zinc	4	Split lock washer with bend ends, DIN 127 B, vZn, M4	0.002
00127 0121 5	127	Zinc	5	Split lock washer with bend ends, DIN 127 B, vZn, M5	0.003
00127 0121 6	127	Zinc	6	Split lock washer with bend ends, DIN 127 B, vZn, M6	0.005
00127 0121 8	127	Zinc	8	Split lock washer with bend ends, DIN 127 B, vZn, M8	0.008
00127 0121 10	127	Zinc	10	Split lock washer with bend ends, DIN 127 B, vZn, M10	0.011
00127 0121 12	127	Zinc	12	Split lock washer with bend ends, DIN 127 B, vZn, M12	0.018
00127 0121 14	127	Zinc	14	Split lock washer with bend ends, DIN 127 B, vZn, M14	0.027
00127 0121 16	127	Zinc	16	Split lock washer with bend ends, DIN 127 B, vZn, M16	0.041
00127 0121 18	127	Zinc	18	Split lock washer with bend ends, DIN 127 B, vZn, M18	0.047
00127 0121 20	127	Zinc	20	Split lock washer with bend ends, DIN 127 B, vZn, M20	0.071
00127 0121 22	127	Zinc	22	Split lock washer with bend ends, DIN 127 B, vZn, M22	0.081
00127 0121 24	127	Zinc	24	Split lock washer with bend ends, DIN 127 B, vZn, M24	0.123

<b>DIN 125</b>				<b>SAIBA SIMPLA FARA TESITURA</b>	
00125 0001 3	125	Zinc	3	Plain washers with/without chamfer, DIN 125, vZn, M3 ( 3,2 x 7 x 0,5 )	0.001
00125 0001 35	125	Zinc	4	Plain washers with/without chamfer, DIN 125, vZn, M3,5 ( 3,7 x 8 x 0,5 )	0
00125 0001 4	125	Zinc	4	Plain washers with/without chamfer, DIN 125, vZn, M4 ( 4,3 x 9 x 0,8 )	0.002
00125 0001 5	125	Zinc	5	Plain washers with/without chamfer, DIN 125, vZn, M5 ( 5,3 x 10 x 1 )	0.002
00125 0001 6	125	Zinc	6	Plain washers with/without chamfer, DIN 125, vZn, M6 ( 6,4 x 12 x 1,6 )	0.004
00125 0001 8	125	Zinc	8	Plain washers with/without chamfer, DIN 125, vZn, M8 ( 8,4 x 16 x 1,6 )	0.006
00125 0001 10	125	Zinc	10	Plain washers with/without chamfer, DIN 125, vZn, M10 ( 10,5 x 20 x 2 )	0.012
00125 0001 12	125	Zinc	12	Plain washers with/without chamfer, DIN 125, vZn, M12 ( 13 x 24 x 2,5 )	0.023
00125 0001 14	125	Zinc	14	Plain washers with/without chamfer, DIN 125, vZn, M14 ( 15 x 28 x 2,5 )	0.037
00125 0001 16	125	Zinc	16	Plain washers with/without chamfer, DIN 125, vZn, M16 ( 17 x 30 x 3 )	0.044
00125 0001 18	125	Zinc	18	Plain washers with/without chamfer, DIN 125, vZn, M18 ( 19 x 34 x 3 )	0.054
00125 0001 20	125	Zinc	20	Plain washers with/without chamfer, DIN 125, vZn, M20 ( 21 x 37 x 3 )	0.062
00125 0001 22	125	Zinc	22	Plain washers with/without chamfer, DIN 125, vZn, M22 ( 23 x 39 x 3 )	0.078
00125 0001 24	125	Zinc	24	Plain washers with/without chamfer, DIN 125, vZn, M24 ( 25 x 44 x 4 )	0.139
00125 0001 27	125	Zinc	27	Plain washers with/without chamfer, DIN 125, vZn, M27 ( 28 x 50 x 4 )	0.204
00125 0001 30	125	Zinc	30	Plain washers with/without chamfer, DIN 125, vZn, M30 ( 31 x 56 x 4 )	0.229
00125 0001 33	125	Zinc	33	Plain washers with/without chamfer, DIN 125, vZn, M33 ( 34 x 60 x 5 )	0.366
00125 0001 36	125	Zinc	36	Plain washers with/without chamfer, DIN 125, vZn, M36 ( 37 x 66 x 5 )	0.478
00125 0001 39	125	Zinc	39	Plain washers with/without chamfer, DIN 125, vZn, M39 ( 40 x 72 x 6 )	0.809
00125 0001 42	125	Zinc	42	Plain washers with/without chamfer, DIN 125, vZn, M42 ( 43 x 78 x 7 )	1.034
00125 0001 45	125	Zinc	45	Plain washers with/without chamfer, DIN 125, vZn, M45 ( 46 x 85 x 7 )	1.479
00125 0001 48	125	Zinc	48	Plain washers with/without chamfer, DIN 125, vZn, M48 ( 50 x 92	1.755

<b>DIN 9021</b>				<b>SAIBA LATA 3D</b>	
09021 0001 3	9021	Zinc	3	Washer, plain, large, DIN 9021, vZn, M 3	0.002
09021 0001 4	9021	Zinc	4	Washer, plain, large, DIN 9021, vZn, M 4	0.004
09021 0001 5	9021	Zinc	5	Washer, plain, large, DIN 9021, vZn, M 5	0.005
09021 0001 6	9021	Zinc	6	Washer, plain, large, DIN 9021, vZn, M 6	0.008
09021 0001 8	9021	Zinc	8	Washer, plain, large, DIN 9021, vZn, M 8	0.019
09021 0001 10	9021	Zinc	10	Washer, plain, large, DIN 9021, vZn, M 10	0.036
09021 0001 12	9021	Zinc	12	Washer, plain, large, DIN 9021, vZn, M 12	0.067
09021 0001 14	9021	Zinc	14	Washer, plain, large, DIN 9021, vZn, M 14	0.101
09021 0001 16	9021	Zinc	16	Washer, plain, large, DIN 9021, vZn, M 16	0.121
09021 0001 18	9021	Zinc	18	Washer, plain, large, DIN 9021, vZn, M 18	0.218


09021 0001 20	9021		Zinc	20		Washer, plain, large, DIN 9021, vZn, M 20	0.238
09021 0001 24	9021		Zinc	24		Washer, plain, large, DIN 9021, vZn, M 24	0.484


<b>DIN 440 R</b>						<b>SAIBA PENTRU CONSTRUCTII DIN LEMN CU DESCHIDERE ROTUNDA</b>	
00440 0061 5	440		Zinc	5		Round washers for wood constructions, DIN 440 R, 100HV, vZn, M5 /R 5,5x18x	0.013
00440 0061 6	440		Zinc	6		Round washers for wood constructions, DIN 440 R, 100HV, vZn, M6 /R 6,6x22x	0.018
00440 0061 8	440		Zinc	8		Round washers for wood constructions, DIN 440 R, 100HV, vZn, M8 /R 9x28x3	0.044
00440 0061 10	440		Zinc	10		Round washers for wood constructions, DIN 440 R, 100HV, vZn, M10 /R 11x34x	0.063
00440 0061 12	440		Zinc	12		Round washers for wood constructions, DIN 440 R, 100HV, vZn, M12 /R 13,5x4	0.132
00440 0061 16	440		Zinc	16		Round washers for wood constructions, DIN 440 R, 100HV, vZn, M16 /R 17,5x5	0.272
00440 0061 20	440		Zinc	20		Round washers for wood constructions, DIN 440 R, 100HV, vZn, M20 /R 22x72x	0.62
00440 0061 22	440		Zinc	22		Round washers for wood constructions, DIN 440 R, 100HV, vZn, M22 /R 24x80x	0.833


<b>DIN 6921</b>						<b>SURUB CU CAP HEXAGONAL. SI FLANSA</b>	
06921 8801 6 12	6921	8.8	Zinc	6	12	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 6 x 12	0.059
06921 8801 6 16	6921	8.8	Zinc	6	16	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 6 x 16	0.054
06921 8801 6 20	6921	8.8	Zinc	6	20	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 6 x 20	0.055
06921 8801 6 25	6921	8.8	Zinc	6	25	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 6 x 25	0.055
06921 8801 6 30	6921	8.8	Zinc	6	30	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 6 x 30	0.066
06921 8801 6 35	6921	8.8	Zinc	6	35	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 6 x 35	0.068
06921 8801 6 40	6921	8.8	Zinc	6	40	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 6 x 40	0.072
06921 8801 6 50	6921	8.8	Zinc	6	50	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 6 x 50	0.085
06921 8801 6 60	6921	8.8	Zinc	6	60	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 6 x 60	0.132
06921 8801 8 16	6921	8.8	Zinc	8	16	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 8 x 16	0.091
06921 8801 8 20	6921	8.8	Zinc	8	20	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 8 x 20	0.091
06921 8801 8 25	6921	8.8	Zinc	8	25	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 8 x 25	0.097
06921 8801 8 30	6921	8.8	Zinc	8	30	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 8 x 30	0.102
06921 8801 8 35	6921	8.8	Zinc	8	35	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 8 x 35	0.107
06921 8801 8 40	6921	8.8	Zinc	8	40	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 8 x 40	0.12
06921 8801 8 45	6921	8.8	Zinc	8	45	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 8 x 45	0.127
06921 8801 8 50	6921	8.8	Zinc	8	50	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 8 x 50	0.128
06921 8801 8 60	6921	8.8	Zinc	8	60	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 8 x 60	0.15
06921 8801 8 70	6921	8.8	Zinc	8	70	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 8 x 70	0.177
06921 8801 8 80	6921	8.8	Zinc	8	80	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 8 x 80	0.196
06921 8801 10 20	6921	8.8	Zinc	10	20	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 10 x 20	0.155
06921 8801 10 25	6921	8.8	Zinc	10	25	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 10 x 25	0.167
06921 8801 10 30	6921	8.8	Zinc	10	30	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 10 x 30	0.169
06921 8801 10 35	6921	8.8	Zinc	10	35	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 10 x 35	0.181
06921 8801 10 40	6921	8.8	Zinc	10	40	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 10 x 40	0.185
06921 8801 10 50	6921	8.8	Zinc	10	50	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 10 x 50	0.212
06921 8801 10 60	6921	8.8	Zinc	10	60	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 10 x 60	0.238
06921 8801 10 70	6921	8.8	Zinc	10	70	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 10 x 70	0.268
06921 8801 12 25	6921	8.8	Zinc	12	25	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 12 x 25	0.262
06921 8801 12 30	6921	8.8	Zinc	12	30	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 12 x 30	0.266
06921 8801 12 35	6921	8.8	Zinc	12	35	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 12 x 35	0.283
06921 8801 12 40	6921	8.8	Zinc	12	40	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 12 x 40	0.297
06921 8801 12 45	6921	8.8	Zinc	12	45	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 12 x 45	0.318
06921 8801 12 50	6921	8.8	Zinc	12	50	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 12 x 50	0.323
06921 8801 12 60	6921	8.8	Zinc	12	60	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 12 x 60	0.363
06921 8801 12 70	6921	8.8	Zinc	12	70	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 12 x 70	0.387
06921 8801 12 80	6921	8.8	Zinc	12	80	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 12 x 80	1.171
06921 8801 16 30	6921	8.8	Zinc	16	30	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 16 x 30	1.305
06921 8801 16 35	6921	8.8	Zinc	16	35	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 16 x 35	1.37
06921 8801 16 40	6921	8.8	Zinc	16	40	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 16 x 40	1.42

06921 8801 16 45	6921	8.8	Zinc	16	45	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 16 x 45	1.425
06921 8801 16 50	6921	8.8	Zinc	16	50	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 16 x 50	1.459
06921 8801 16 60	6921	8.8	Zinc	16	60	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 16 x 60	1.488
06921 8801 16 70	6921	8.8	Zinc	16	70	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 16 x 70	1.529
06921 8801 16 80	6921	8.8	Zinc	16	80	Hexagonal flange bolts, DIN 6921, 8.8, vZn, M 16 x 80	1.571

<b>DIN 580</b>				<b>INEL CU SURUB DE RIDICARE</b>			
00580 0001 6	580	-	Zinc	6		Lifting eye bolts, DIN 580, C15,vZn, M 6	0.461
00580 0001 8	580	-	Zinc	8		Lifting eye bolts, DIN 580, C15,vZn, M 8	0.461
00580 0001 10	580	-	Zinc	10		Lifting eye bolts, DIN 580, C15,vZn, M 10	0.738
00580 0001 12	580	-	Zinc	12		Lifting eye bolts, DIN 580, C15,vZn, M 12	1.061
00580 0001 14	580	-	Zinc	14		Lifting eye bolts, DIN 580, C15,vZn, M 14	2.377
00580 0001 16	580	-	Zinc	16		Lifting eye bolts, DIN 580, C15,vZn, M 16	1.782
00580 0001 18	580	-	Zinc	18		Lifting eye bolts, DIN 580, C15,vZn, M 18	3.785
00580 0001 20	580	-	Zinc	20		Lifting eye bolts, DIN 580, C15,vZn, M 20	2.452
00580 0001 22	580	-	Zinc	22		Lifting eye bolts, DIN 580, C15,vZn, M 22	7.127
00580 0001 24	580	-	Zinc	24		Lifting eye bolts, DIN 580, C15,vZn, M 24	4.972
00580 0001 27	580	-	Zinc	27		Lifting eye bolts, DIN 580, C15,vZn, M 27	14.25
00580 0001 30	580	-	Zinc	30		Lifting eye bolts, DIN 580, C15,vZn, M 30	9.774
00580 0001 33	580	-	Zinc	33		Lifting eye bolts, DIN 580, C15,vZn, M 33	25.78
00580 0001 36	580	-	Zinc	36		Lifting eye bolts, DIN 580, C15,vZn, M 36	18.35
00580 0001 42	580	-	Zinc	42		Lifting eye bolts, DIN 580, C15,vZn, M 42	36.96
00580 0001 48	580	-	Zinc	48		Lifting eye bolts, DIN 580, C15,vZn, M 48	54.58
00580 0001 56	580	-	Zinc	56		Lifting eye bolts, DIN 580, C15,vZn, M 56	100.1

<b>DIN 582</b>				<b>INEL CU PIULITA DE RIDICARE</b>			
00582 0001 6	582	-	Zinc	6		Lifting eye nuts, DIN 582, C15,vZn, M 6	0.461
00582 0001 8	582	-	Zinc	8		Lifting eye nuts, DIN 582, C15,vZn, M 8	0.461
00582 0001 10	582	-	Zinc	10		Lifting eye nuts, DIN 582, C15,vZn, M 10	0.738
00582 0001 12	582	-	Zinc	12		Lifting eye nuts, DIN 582, C15,vZn, M 12	1.061
00582 0001 14	582	-	Zinc	14		Lifting eye nuts, DIN 582, C15,vZn, M 14	2.377
00582 0001 16	582	-	Zinc	16		Lifting eye nuts, DIN 582, C15,vZn, M 16	1.782
00582 0001 18	582	-	Zinc	18		Lifting eye nuts, DIN 582, C15,vZn, M 18	3.785
00582 0001 20	582	-	Zinc	20		Lifting eye nuts, DIN 582, C15,vZn, M 20	2.452
00582 0001 24	582	-	Zinc	24		Lifting eye nuts, DIN 582, C15,vZn, M 24	4.972
00582 0001 27	582	-	Zinc	27		Lifting eye nuts, DIN 582, C15,vZn, M 27	14.25
00582 0001 30	582	-	Zinc	30		Lifting eye nuts, DIN 582, C15,vZn, M 30	9.774
00582 0001 36	582	-	Zinc	36		Lifting eye nuts, DIN 582, C15,vZn, M 36	18.35

<b>DIN 1480</b>				<b>Intinzatoare piulita</b>			
01480 3601 10	1480	-	Zinc	10		Turnbuckles SP= without accessories, DIN 1480, vZn, SP M 10 / 125	1.239
01480 3601 12	1480	-	Zinc	12		Turnbuckles SP= without accessories, DIN 1480, vZn, SP M 12 / 125	1.855
01480 3601 16	1480	-	Zinc	16		Turnbuckles SP= without accessories, DIN 1480, vZn, SP M 16 / 170	3.782
01480 3601 20	1480	-	Zinc	20		Turnbuckles SP= without accessories, DIN 1480, vZn, SP M 20 / 200	6.194
01480 3601 24	1480	-	Zinc	24		Turnbuckles SP= without accessories, DIN 1480, vZn, SP M 24 / 255	10.98
01480 3601 30	1480	-	Zinc	30		Turnbuckles SP= without accessories, DIN 1480, vZn, SP M 30 / 255	16.02

<b>DIN 1480</b>				<b>Intinzatoare piulita cu ochi si carlig</b>			
01480 3631 6	1480	-	Zinc	6		Turnbuckles SPRH with eye bolt and hook bolt, DIN 1480, vZn, SP RH M 6	1.009
01480 3631 8	1480	-	Zinc	8		Turnbuckles SPRH with eye bolt and hook bolt, DIN 1480, vZn, SP RH M 8	1.371
01480 3631 10	1480	-	Zinc	10		Turnbuckles SPRH with eye bolt and hook bolt, DIN 1480, vZn, SP RH M 10	1.945
01480 3631 12	1480	-	Zinc	12		Turnbuckles SPRH with eye bolt and hook bolt, DIN 1480, vZn, SP RH M 12	2.936

01480 3631 14	1480	-	Zinc	14	Turnbuckles SPRH with eye bolt and hook bolt, DIN 1480, vZn, SP RH M 14	4.141
01480 3631 16	1480	-	Zinc	16	Turnbuckles SPRH with eye bolt and hook bolt, DIN 1480, vZn, SP RH M 16	5.651
01480 3631 20	1480	-	Zinc	20	Turnbuckles SPRH with eye bolt and hook bolt, DIN 1480, vZn, SP RH M 20	10.08
01480 3631 24	1480	-	Zinc	24	Turnbuckles SPRH with eye bolt and hook bolt, DIN 1480, vZn, SP RH M 24	19.01

<b>DIN 1480</b>					<b>Intinzatoare piulita cu 2 ochi</b>	
-----------------	--	--	--	---	---------------------------------------	--

01480 3621 6	1480	-	Zinc	6	Turnbuckles SPRR = with 2 eye bolts, DIN 1480, vZn, SP RR M 6	1.009
01480 3621 8	1480	-	Zinc	8	Turnbuckles SPRR = with 2 eye bolts, DIN 1480, vZn, SP RR M 8	1.371
01480 3621 10	1480	-	Zinc	10	Turnbuckles SPRR = with 2 eye bolts, DIN 1480, vZn, SP RR M 10	1.945
01480 3621 12	1480	-	Zinc	12	Turnbuckles SPRR = with 2 eye bolts, DIN 1480, vZn, SP RR M 12	2.936
01480 3621 14	1480	-	Zinc	14	Turnbuckles SPRR = with 2 eye bolts, DIN 1480, vZn, SP RR M 14	4.141
01480 3621 16	1480	-	Zinc	16	Turnbuckles SPRR = with 2 eye bolts, DIN 1480, vZn, SP RR M 16	5.651
01480 3621 20	1480	-	Zinc	20	Turnbuckles SPRR = with 2 eye bolts, DIN 1480, vZn, SP RR M 20	10.08
01480 3621 24	1480	-	Zinc	24	Turnbuckles SPRR = with 2 eye bolts, DIN 1480, vZn, SP RR M 24	19.01

<b>DIN 1480</b>					<b>Intinzatoare piulite cu 2 carlige</b>	
-----------------	--	--	--	--	--	--

01480 3641 6	1480	-	Zinc	6	Turnbuckles with 2 hooks, DIN 1480, vZn, SP HH M 6	1.009
01480 3641 8	1480	-	Zinc	8	Turnbuckles with 2 hooks, DIN 1480, vZn, SP HH M 8	1.371
01480 3641 10	1480	-	Zinc	10	Turnbuckles with 2 hooks, DIN 1480, vZn, SP HH M 10	1.945
01480 3641 12	1480	-	Zinc	12	Turnbuckles with 2 hooks, DIN 1480, vZn, SP HH M 12	2.936
01480 3641 16	1480	-	Zinc	16	Turnbuckles with 2 hooks, DIN 1480, vZn, SP HH M 16	5.651
01480 3641 20	1480	-	Zinc	20	Turnbuckles with 2 hooks, DIN 1480, vZn, SP HH M 20	10.08
01480 3641 24	1480	-	Zinc	24	Turnbuckles with 2 hooks, DIN 1480, vZn, SP HH M 24	19.01

<b>DIN 6899</b>				 	<b>CAUS PROTECTIE PENTRU CABLURI</b>	
-----------------	--	--	--	---	--------------------------------------	--

06899 0001 25	6899	-	Zinc	3	Thimbles, DIN 6899, vZn, BF 2,5 / RW 3	0.09
06899 0001 35	6899	-	Zinc	4	Thimbles, DIN 6899, vZn, BF 3,5 / RW 4	0.105
06899 0001 5	6899	-	Zinc	5	Thimbles, DIN 6899, vZn, BF 5 / RW 6	0.163
06899 0001 6	6899	-	Zinc	6	Thimbles, DIN 6899, vZn, BF 6 / RW 7	0.19
06899 0001 7	6899	-	Zinc	7	Thimbles, DIN 6899, vZn, BF 7 / RW 8	0.239
06899 0001 9	6899	-	Zinc	9	Thimbles, DIN 6899, vZn, BF 9 / RW 10	0.262
06899 0001 11	6899	-	Zinc	11	Thimbles, DIN 6899, vZn, BF 11 / RW 12	0.449
06899 0001 13	6899	-	Zinc	13	Thimbles, DIN 6899, vZn, BF 13 / RW 14	0.621
06899 0001 15	6899	-	Zinc	15	Thimbles, DIN 6899, vZn, BF 15 / RW 16	0.825
06899 0001 16	6899	-	Zinc	16	Thimbles, DIN 6899, vZn, BF 16 / RW 18	1.213
06899 0001 18	6899	-	Zinc	18	Thimbles, DIN 6899, vZn, BF 18 / RW 20	1.948
06899 0001 20	6899	-	Zinc	20	Thimbles, DIN 6899, vZn, BF 20 / RW 22	2.312
06899 0001 22	6899	-	Zinc	22	Thimbles, DIN 6899, vZn, BF 22 / RW 24	3.45
06899 0001 24	6899	-	Zinc	24	Thimbles, DIN 6899, vZn, BF 24 / RW 26	4.036
06899 0001 26	6899	-	Zinc	26	Thimbles, DIN 6899, vZn, BF 26 / RW 28	5.395
06899 0001 28	6899	-	Zinc	28	Thimbles, DIN 6899, vZn, BF 28 / RW 30	6.753
06899 0001 30	6899	-	Zinc	30	Thimbles, DIN 6899, vZn, BF 30 / RW 32	8.036

<b>DIN 741</b>					<b>CLIPS PENTRU CABLURI</b>	
----------------	--	--	--	---	-----------------------------	--

00741 0001 3	741	-	Zinc	3	Wire rope clips, DIN 741, vZn, Ø 3 / M 4	0.067
00741 0001 5	741	-	Zinc	5	Wire rope clips, DIN 741, vZn, Ø 5 / M 5	0.087
00741 0001 65	741	-	Zinc	7	Wire rope clips, DIN 741, vZn, Ø 6,5 / M 5	0.099
00741 0001 8	741	-	Zinc	8	Wire rope clips, DIN 741, vZn, Ø 8 / M 6	0.143
00741 0001 10	741	-	Zinc	10	Wire rope clips, DIN 741, vZn, Ø 9,5 / M 8	0.257
00741 0001 11	741	-	Zinc	11	Wire rope clips, DIN 741, vZn, Ø 11 / M 8	0.262
00741 0001 13	741	-	Zinc	13	Wire rope clips, DIN 741, vZn, Ø 13 / M 10	0.487
00741 0001 14	741	-	Zinc	14	Wire rope clips, DIN 741, vZn, Ø 14 / M 10	0.504

00741 0001 16	741	-	Zinc	16	Wire rope clips, DIN 741, vZn, Ø 16 / M 12	0.755
00741 0001 19	741	-	Zinc	19	Wire rope clips, DIN 741, vZn, Ø 19 / M 12	0.956
00741 0001 22	741	-	Zinc	22	Wire rope clips, DIN 741, vZn, Ø 22 / M 14	1.441
00741 0001 26	741	-	Zinc	26	Wire rope clips, DIN 741, vZn, Ø 26 / M 14	1.618
00741 0001 30	741	-	Zinc	30	Wire rope clips, DIN 741, vZn, Ø 30 / M 16	2.484
00741 0001 34	741	-	Zinc	34	Wire rope clips, DIN 741, vZn, Ø 34 / M 16	2.933
00741 0001 40	741	-	Zinc	40	Wire rope clips, DIN 741, vZn, Ø 40 / M 16	3.674
00741 0001 45	741	-	Zinc	45	Wire rope clips, DIN 741, vZn, Ø 45 / M 18	7.2
00741 0001 50	741	-	Zinc	50	Wire rope clips, DIN 741, vZn, Ø 50 / M 20	10.8

<b>DIN 82101</b>			<b>BRIDA CHEIE TACHETAJ</b>			
------------------	---	--	-----------------------------	--	--	--

82101 0011 5	82101	-	Zinc	5	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 5, 100 kg	0.312
82101 0011 6	82101	-	Zinc	6	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 6, 160 kg	0.347
82101 0011 8	82101	-	Zinc	8	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 8, 250 kg	0.513
82101 0011 10	82101	-	Zinc	10	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 10, 400 kg	0.77
82101 0011 12	82101	-	Zinc	12	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 12, 600 kg	1.082
82101 0011 16	82101	-	Zinc	16	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 16, 1000 kg	1.799
82101 0011 20	82101	-	Zinc	20	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 20, 1600 kg	2.864
82101 0011 22	82101	-	Zinc	22	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 22, 2000 kg	5.138
82101 0011 24	82101	-	Zinc	24	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 24, 2500 kg	6.678
82101 0011 27	82101	-	Zinc	27	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 27, 3150 kg	9.541
82101 0011 30	82101	-	Zinc	30	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 30, 4000 kg	13.21
82101 0011 36	82101	-	Zinc	36	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 36, 5000 kg	22.39
82101 0011 39	82101	-	Zinc	39	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 39, 6000 kg	32.29
82101 0011 45	82101	-	Zinc	45	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 45, 8000 kg	71.56
82101 0011 48	82101	-	Zinc	48	„D“-shackles, forged, high tensile, DIN 82101, Form A, vZn, M 48, 10000 kg	88.07

<b>DIN 125</b>			<b>SAIBA SIMPLA CU /FARA TESITURA</b>			
----------------	---	--	---------------------------------------	--	--	--

00125 0002 10	125	200H	HDG	10	Plain washers with/without chamfer, DIN 125, Form A, HDG, M 10	0.025
00125 0002 12	125	200H	HDG	12	Plain washers with/without chamfer, DIN 125, Form A, HDG, M 12	0.046
00125 0002 14	125	200H	HDG	14	Plain washers with/without chamfer, DIN 125, Form A, HDG, M 14	0.052
00125 0002 16	125	200H	HDG	16	Plain washers with/without chamfer, DIN 125, Form A, HDG, M 16	0.056
00125 0002 20	125	200H	HDG	20	Plain washers with/without chamfer, DIN 125, Form A, HDG, M 20	0.078
00125 0002 24	125	200H	HDG	24	Plain washers with/without chamfer, DIN 125, Form A, HDG, M 24	0.143
00125 0002 27	125	200H	HDG	27	Plain washers with/without chamfer, DIN 125, Form A, HDG, M 27	0.206
00125 0002 30	125	200H	HDG	30	Plain washers with/without chamfer, DIN 125, Form A, HDG, M 30	0.243
00125 0002 8	125	200H	HDG	8	Plain washers with/without chamfer, DIN 125, Form A, HDG, M 8	0.019


<b>DIN 127</b>			<b>SAIBA ELASTICA CU VARF NETED HDG</b>			
----------------	---	--	---	--	--	--

00127 0022 10	127		HDG	10	Split lock washer with bend ends, DIN 127 B, HDG, M10	0.026
00127 0022 12	127		HDG	12	Split lock washer with bend ends, DIN 127 B, HDG, M12	0.039
00127 0022 14	127		HDG	14	Split lock washer with bend ends, DIN 127 B, HDG, M14	0.062
00127 0022 16	127		HDG	16	Split lock washer with bend ends, DIN 127 B, HDG, M16	0.092
00127 0022 20	127		HDG	20	Split lock washer with bend ends, DIN 127 B, HDG, M20	0.157
00127 0022 30	127		HDG	30	Split lock washer with bend ends, DIN 127 B, HDG, M30	0.571
00127 0022 8	127		HDG	8	Split lock washer with bend ends, DIN 127 B, HDG, M8	0.017

<b>DIN 931</b>			<b>SURUB CU CAP HEXAGONAL PARTIAL FILETAT HDG</b>			
----------------	---	--	---	--	--	--

00931 8802 12 140	931	8.8	HDG	12	140	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 12 x 140	0.732
00931 8802 16 110	931	8.8	HDG	16	110	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 16 x 110	0.949
00931 8802 16 55	931	8.8	HDG	16	55	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 16 x 55	0.54
00931 8802 16 60	931	8.8	HDG	16	60	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 16 x 60	0.578


00931 8802 16 65	931	8.8	HDG	16	65	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 16 x 65	0.616
00931 8802 16 70	931	8.8	HDG	16	70	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 16 x 70	0.653
00931 8802 16 75	931	8.8	HDG	16	75	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 16 x 75	0.691
00931 8802 16 80	931	8.8	HDG	16	80	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 16 x 80	0.728
00931 8802 16 90	931	8.8	HDG	16	90	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 16 x 90	0.804
00931 8802 20 100	931	8.8	HDG	20	100	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 20 x 100	1.423
00931 8802 20 110	931	8.8	HDG	20	110	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 20 x 110	1.536
00931 8802 20 120	931	8.8	HDG	20	120	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 20 x 120	1.649
00931 8802 20 65	931	8.8	HDG	20	65	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 20 x 65	1.029
00931 8802 20 70	931	8.8	HDG	20	70	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 20 x 70	1.096
00931 8802 20 75	931	8.8	HDG	20	75	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 20 x 75	1.142
00931 8802 20 80	931	8.8	HDG	20	80	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 20 x 80	1.198
00931 8802 20 90	931	8.8	HDG	20	90	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 20 x 90	1.311
00931 8802 24 100	931	8.8	HDG	24	100	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 24 x 100	2.252
00931 8802 24 110	931	8.8	HDG	24	110	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 24 x 110	2.427
00931 8802 24 120	931	8.8	HDG	24	120	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 24 x 120	2.597
00931 8802 24 130	931	8.8	HDG	24	130	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 24 x 130	2.92
00931 8802 24 140	931	8.8	HDG	24	140	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 24 x 140	3.102
00931 8802 24 160	931	8.8	HDG	24	160	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 24 x 160	3.357
00931 8802 24 75	931	8.8	HDG	24	75	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 24 x 75	1.815
00931 8802 24 80	931	8.8	HDG	24	80	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 24 x 80	1.903
00931 8802 24 90	931	8.8	HDG	24	90	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 24 x 90	2.078
00931 8802 8 65	931	8.8	HDG	8	65	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 8 x 65	0.158
00931 8802 8 70	931	8.8	HDG	8	70	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 8 x 70	0.171
00931 8802 8 80	931	8.8	HDG	8	80	Hexagon cap screws partially threaded, DIN 931, 8.8, HDG, M 8 x 80	0.192


DIN 933							Surub cu cap hexagonal total filetat HDG	
---------	--	--	--	--	--	---	--	--

00933 8802 10 25	933	8.8	HDG	10	25	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 10 x 25	0.118
00933 8802 10 30	933	8.8	HDG	10	30	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 10 x 30	0.118
00933 8802 10 35	933	8.8	HDG	10	35	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 10 x 35	0.14
00933 8802 10 40	933	8.8	HDG	10	40	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 10 x 40	0.155
00933 8802 10 60	933	8.8	HDG	10	60	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 10 x 60	0.205
00933 8802 10 70	933	8.8	HDG	10	70	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 10 x 70	0.23
00933 8802 10 80	933	8.8	HDG	10	80	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 10 x 80	0.254
00933 8802 12 100	933	8.8	HDG	12	100	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 12 x 100	0.469
00933 8802 12 25	933	8.8	HDG	12	25	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 12 x 25	0.169
00933 8802 12 30	933	8.8	HDG	12	30	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 12 x 30	0.187
00933 8802 12 35	933	8.8	HDG	12	35	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 12 x 35	0.205
00933 8802 12 40	933	8.8	HDG	12	40	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 12 x 40	0.223
00933 8802 12 45	933	8.8	HDG	12	45	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 12 x 45	0.241
00933 8802 12 50	933	8.8	HDG	12	50	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 12 x 50	0.258
00933 8802 12 55	933	8.8	HDG	12	55	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 12 x 55	0.276
00933 8802 12 60	933	8.8	HDG	12	60	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 12 x 60	0.288
00933 8802 12 70	933	8.8	HDG	12	70	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 12 x 70	0.354
00933 8802 12 80	933	8.8	HDG	12	80	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 12 x 80	0.392
00933 8802 16 35	933	8.8	HDG	16	35	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 16 x 35	0.402
00933 8802 16 40	933	8.8	HDG	16	40	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 16 x 40	0.433
00933 8802 16 45	933	8.8	HDG	16	45	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 16 x 45	0.466
00933 8802 16 50	933	8.8	HDG	16	50	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 16 x 50	0.494
00933 8802 16 55	933	8.8	HDG	16	55	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 16 x 55	0.528
00933 8802 16 70	933	8.8	HDG	16	70	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 16 x 70	0.624
00933 8802 16 80	933	8.8	HDG	16	80	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 16 x 80	0.691
00933 8802 20 35	933	8.8	HDG	20	35	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 20 x 35	0.743
00933 8802 20 40	933	8.8	HDG	20	40	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 20 x 40	0.744
00933 8802 20 45	933	8.8	HDG	20	45	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 20 x 45	0.792



00933 8802 20 50	933	8.8	HDG	20	50	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 20 x 50	0.844
00933 8802 20 55	933	8.8	HDG	20	55	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 20 x 55	0.892
00933 8802 20 60	933	8.8	HDG	20	60	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 20 x 60	0.94
00933 8802 20 65	933	8.8	HDG	20	65	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 20 x 65	0.991
00933 8802 20 70	933	8.8	HDG	20	70	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 20 x 70	1.041
00933 8802 20 75	933	8.8	HDG	20	75	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 20 x 75	1.116
00933 8802 20 80	933	8.8	HDG	20	80	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 20 x 80	1.142
00933 8802 20 90	933	8.8	HDG	20	90	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 20 x 90	1.33
00933 8802 24 110	933	8.8	HDG	24	110	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 24 x 110	2.412
00933 8802 24 120	933	8.8	HDG	24	120	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 24 x 120	2.679
00933 8802 24 55	933	8.8	HDG	24	55	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 24 x 55	1.433
00933 8802 24 65	933	8.8	HDG	24	65	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 24 x 65	1.617
00933 8802 24 70	933	8.8	HDG	24	70	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 24 x 70	1.656
00933 8802 24 80	933	8.8	HDG	24	80	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 24 x 80	1.8
00933 8802 24 90	933	8.8	HDG	24	90	Hexagon cap screws fully threaded, DIN 933, 8.8, HDG, M 24 x 90	2.093

<b>DIN 934</b>				<b>Piulite hexagonale HDG</b>			
00934 8002 10	934	8	HDG	10		Hexagon nuts - 0,8d, DIN 934, 8, HDG, M10	0.028
00934 8002 12	934	8	HDG	12		Hexagon nuts - 0,8d, DIN 934, 8, HDG, M12	0.041
00934 8002 14	934	8	HDG	14		Hexagon nuts - 0,8d, DIN 934, 8, HDG, M14	0.059
00934 8002 16	934	8	HDG	16		Hexagon nuts - 0,8d, DIN 934, 8, HDG, M16	0.079
00934 8002 20	934	8	HDG	20		Hexagon nuts - 0,8d, DIN 934, 8, HDG, M20	0.145
00934 8002 22	934	8	HDG	22		Hexagon nuts - 0,8d, DIN 934, 8, HDG, M22	0.212
00934 8002 24	934	8	HDG	24		Hexagon nuts - 0,8d, DIN 934, 8, HDG, M24	0.311
00934 8002 27	934	8	HDG	27		Hexagon nuts - 0,8d, DIN 934, 8, HDG, M27	0.528
00934 8002 30	934	8	HDG	30		Hexagon nuts - 0,8d, DIN 934, 8, HDG, M30	0.724
00934 8002 36	934	8	HDG	36		Hexagon nuts - 0,8d, DIN 934, 8, HDG, M36	1.255
00934 8002 8	934	8	HDG	8		Hexagon nuts - 0,8d, DIN 934, 8, HDG, M8	0.015

<b>DIN 975</b>				<b>TIJA FILETATA HDG</b>			
00975 8802 10	975	8.8	HDG	10	1000	Threaded rods, DIN 975, 8.8, HDG, M 10 x 1000	1.639
00975 8802 12	975	8.8	HDG	12	1000	Threaded rods, DIN 975, 8.8, HDG, M 12 x 1000	2.251
00975 8802 14	975	8.8	HDG	14	1000	Threaded rods, DIN 975, 8.8, HDG, M 14 x 1000	3.134
00975 8802 16	975	8.8	HDG	16	1000	Threaded rods, DIN 975, 8.8, HDG, M 16 x 1000	4.137
00975 8802 18	975	8.8	HDG	18	1000	Threaded rods, DIN 975, 8.8, HDG, M 18 x 1000	5.14
00975 8802 20	975	8.8	HDG	20	1000	Threaded rods, DIN 975, 8.8, HDG, M 20 x 1000	6.474
00975 8802 22	975	8.8	HDG	22	1000	Threaded rods, DIN 975, 8.8, HDG, M 22 x 1000	8.264
00975 8802 24	975	8.8	HDG	24	1000	Threaded rods, DIN 975, 8.8, HDG, M 24 x 1000	9.461
00975 8802 27	975	8.8	HDG	27	1000	Threaded rods, DIN 975, 8.8, HDG, M 27 x 1000	12.43
00975 8802 30	975	8.8	HDG	30	1000	Threaded rods, DIN 975, 8.8, HDG, M 30 x 1000	14.99