

# NITURI STANDARD

Seria R1031




ALUMINIU  
AlMg 3/5



OTEL  
Zincat/Cromat

DIN 7337



Dimensiuni (mm)

d1 Ø	Ø <b>2.4</b> : 2.5
d2 Ø	: 5.0 [+0/-0.7]
k	: 0.55 [+0/-0.7]
P	: ≥25
d3	: 1.5
	⊕ : 700 N
	⊖ : 600 N

**2.4**

+0.08  
-0.10

L [+1/-0.2]	Cod Produs
4.0	0.5 - 2.0 R10312404
6.0	2.0 - 4.0 2406
8.0	4.0 - 6.0 2408
10.0	6.0 - 8.0 2410
12.0	8.0 -10.0 2412

Dimensiuni (mm)

d1 Ø	Ø <b>3.0</b> : 3.1
d2 Ø	: 6.5 [+0/-0.7]
k	: 0.8 [+0/-0.2]
P	: ≥25
d3	: 1.75
	⊕ : 870 N
	⊖ : 680 N

**3.0**

+0.08  
-0.10

L [+1/-0.2]	Cod Produs
4.0	0.5- 1.5 R10313004
6.0	1.5- 3.5 3006
8.0	3.5- 5.5 3008
10.0	5.0- 7.0 3010
12.0	7.0- 9.0 3012
14.0	9.0-11.0 3014
16.0	10.0-12.5 3016
18.0	12.5-15.0 3018
20.0	15.0-17.0 3020

Dimensiuni (mm)

d1 Ø	Ø <b>3.2</b> : 3.3
d2 Ø	: 6.5 [+0/-0.7]
k	: 0.8 [+0/-0.2]
P	: ≥25
d3	: 1.95
	⊕ : 985 N
	⊖ : 760 N

**3.2**

+0.08  
-0.10

L [+1/-0.2]	Cod Produs
4.0	0.5- 1.5 R10313204
6.0	1.5- 3.5 3206
8.0	3.5- 5.0 3208
10.0	5.0- 7.0 3210
12.0	7.0- 8.5 3212
14.0	8.5-10.5 3214
16.0	10.0-13.0 3216
18.0	11.0-13.0 3218
20.0	13.0-17.0 3220
25.0	17.0-22.0 3225

Dimensiuni (mm)

d1 Ø	Ø <b>4.0</b> : 4.1
d2 Ø	: 8.5 [+0/-1]
k	: 1.0 [+/-0.3]
P	: ≥27
d3	: 2.1
	⊕ : 1600 N
	⊖ : 1200 N

**4.0**

+0.08  
-0.15

L [+1/-0.2]	Cod Produs
6.0	1.5- 3.5 R10314006
8.0	3.5- 6.0 4008
10.0	5.0- 7.5 4010
12.0	6.5- 9.0 4012
14.0	8.5-11.0 4014
16.0	11.0-15.0 4016
18.0	15.0-17.0 4018
23.0	16.0-19.0 4023
25.0	17.0-21.5 4025
30.0	21.5-27.0 4030
35.0	27.0-32.0 4035

Dimensiuni (mm)

d1 Ø	Ø <b>4.8</b> : 4.9
d2 Ø	: 10.0 [+0/-1]
k	: 1.2 [+/-0.3]
P	: ≥27
d3	: 2.7
	⊕ : 2230 N
	⊖ : 1690 N

**4.8**

+0.08  
-0.15

L [+1/-0.2]	Cod Produs
6.0	1.0- 3.5 R10314806
8.0	3.5- 5.0 4808
10.0	3.5- 7.0 4810
12.0	5.0- 8.5 4812
14.0	7.0-10.0 4814
16.0	8.5-11.5 4816
18.0	10.5-12.5 4818
20.0	12.5-16.0 4820
22.0	16.0-18.5 4822
25.0	17.0-21.0 4825
28.0	21.0-23.5 4828
30.0	23.0-25.0 4830
35.0	25.0-30.0 4835
40.0	30.0-35.0 4840
45.0	35.0-40.0 4845
50.0	40.0-45.0 4850
55.0	45.0-50.0 4855
60.0	50.0-55.0 4860
65.0	55.0-60.0 4865
70.0	60.0-65.0 4870

Dimensiuni (mm)

d1 Ø	Ø <b>5.0</b> : 5.1
d2 Ø	: 10.0 [+0/-1]
k	: 1.2 [+/-0.3]
P	: ≥27
d3	: 2.7
	⊕ : 2500 N
	⊖ : 2000 N

**5.0**

+0.08  
-0.15

L [+1/-0.2]	Cod Produs
6.0	0.5- 3.5 R10315006
8.0	2.0- 5.0 5008
10.0	3.5- 6.5 5010
12.0	5.0- 8.5 5012
14.0	7.0-10.5 5014
16.0	8.0-12.0 5016
18.0	10.0-14.0 5018
21.0	14.0-17.0 5021
25.0	17.0-20.0 5025
27.0	20.0-23.0 5027
30.0	23.0-25.0 5030
35.0	25.0-30.0 5035
40.0	30.0-35.0 5040
45.0	35.0-40.0 5045
50.0	40.0-45.0 5050

Dimensiuni (mm)

d1 Ø	Ø <b>6.0</b> : 6.1
d2 Ø	: 12.0 [+0/-1.5]
k	: 1.5 [+/-0.4]
P	: ≥31
d3	: 3.6
	⊕ : 3716 N
	⊖ : 2800 N

**6.0**

+0.08  
-0.15

L [+1/-0.2]	Cod Produs
8.0	2.0- 4.0 R10316008
10.0	4.0- 6.0 6010
12.0	6.0- 8.0 6012
14.0	7.0- 9.0 6014
16.0	9.0-11.0 6016
18.0	11.0-13.0 6018
22.0	13.0-17.0 6022
26.0	17.0-20.0 6026
30.0	20.0-24.0 6030

Dimensiuni (mm)


d1 Ø	Ø <b>6.4</b> : 6.5
d2 Ø	: 13.0 [+0/-1.5]
k	: 1.8 [+/-0.4]
P	: ≥31
d3	: 3.85
	⊕ : 4090 N
	⊖ : 3120 N

**6.4**


+0.08  
-0.15

L [+1/-0.2]	Cod Produs
8.0	0.5- 3.0 R10316408
10.0	2.0- 5.0 6410
12.0	4.0- 6.0 6412
15.0	6.0- 9.0 6415
18.0	9.0-13.0 6418
22.0	13.0-16.0 6422
26.0	16.0-20.0 6426
30.0	18.0-24.0 6430
35.0	24.0-30.0 6435
40.0	30.0-35.0 6440

## Seria R1032



### CAP LARG



Dimensiuni (mm)

d1 Ø	Ø	L	Cod Produs
<b>3.2</b> +0.08 -0.10	Ø : 3.3	6.0	2.0 - 3.5 R10323206
	d2 Ø : 9.5 [+0/-0.7]	8.0	3.5 - 5.5 3208
	k : ≤2	10.0	5.0 - 7.0 3210
	P : ≥26	12.0	7.0 - 8.5 3212
	d3 : 1.7	14.0	8.0 - 10.0 3214
: 980 N : 740 N			

Dimensiuni (mm)

d1 Ø	Ø	L	Cod Produs
<b>4.0</b> +0.08 -0.15	Ø : 4.1	6.0	0.5- 3.5 R10324006
	d2 Ø : 12.0 [+/-1]	8.0	3.5- 6.0 4008
	k : ≤2.5	10.0	5.0- 7.5 4010
	P : ≥27	12.0	6.5- 9.0 4012
	d3 : 2.1	14.0	8.0-11.0 4014
: 1600 N : 1180 N			
		16.0	10.5-12.5 4016
		18.0	11.0-15.0 4018
		20.0	15.0-17.0 4020


Dimensiuni (mm)

d1 Ø	Ø	L	Cod Produs
<b>4.8</b> +0.08 -0.15	Ø : 4.9	8.0	1.0- 5.0 R10324808
	d2 Ø : 14.0 [+/-1]	10.0	3.5- 7.0 4810
	k : ≤2.5	12.0	5.0- 8.5 4812
	P : ≥27	14.0	7.0-10.0 4814
	d3 : 2.7	16.0	8.5-11.5 4816
: 2230 N : 1540 N		18.0	10.0-12.5 4818
		20.0	12.5-16.0 4820
		22.0	16.0-18.5 4822
		24.0	17.0-20.5 4824
		26.0	19.5-22.0 4826
		28.0	21.0-24.0 4828
		30.0	23.0-25.0 4830
		35.0	25.0-30.0 4835


Dimensiuni (mm)

d1 Ø	Ø	L	Cod Produs
<b>5.0</b> +0.08 -0.15	Ø : 5.1	8.0	2.0- 5.0 R10325008
	d2 Ø : 14.5 [+/-1]	10.0	3.5- 7.0 5010
	k : ≤2.5	12.0	5.0- 9.5 5012
	P : ≥27	14.0	7.0-11.5 5014
	d3 : 2.7	16.0	8.0-13.0 5016
: 2400 N : 1600 N		18.0	10.0-15.0 5018
		21.0	15.0-18.0 5021
		24.0	16.5-20.5 5024
		27.0	20.0-24.0 5027
		30.0	23.0-26.0 5030

## Seria R1033




### CAP EXTRA LARG



Dimensiuni (mm)


d1 Ø	Ø	L	Cod Produs
<b>4.8</b> +0.08 -0.15	Ø : 4.9	10.0	3.5- 7.0 R10334810
	d2 Ø : 16.0 [+/-1]	12.0	5.0- 8.5 4812
	k : ≤2.5	14.0	7.0-10.0 4814
	P : ≥27	16.0	8.5-11.5 4816
	d3 : 2.7	18.0	10.5-12.5 4818
: 2230 N : 1540 N		20.0	12.0-16.0 4820
		22.0	16.0-18.0 4822
		24.0	17.0-20.0 4824
		26.0	19.0-22.0 4826
		28.0	21.0-24.0 4828
		30.0	23.0-25.0 4830
		35.0	25.0-30.0 4835

## Seria R1036



### CAP LARG BOMBAT


d1 Ø	Ø	L	Cod Produs
<b>5.0</b> +0.08 -0.15	Ø : 5.1	10.0	3.5- 7.0 R10365010
	d2 Ø : 11.0 [+0/-1]		
	k : 1.8 [+/-0.3]		
	P : ≥27		
	d3 : 2.8		
: 2400 N : 1600 N			



Dimensiuni (mm)


d1 Ø	Ø	L	Cod Produs
<b>4.8</b> +0.08 -0.15	Ø : 4.9	8.0	2.0- 4.5 R10364808
	d2 Ø : 11.0 [+0/-1]	10.0	3.5- 7.0 4810
	k : 1.8 [+/-0.3]	12.0	5.0- 8.5 4812
	P : ≥27	14.0	7.0-10.0 4814
	d3 : 2.8	16.0	8.5-11.5 4816
: 2230 N : 1540 N		18.0	10.0-12.5 4818
		20.0	12.5-16.0 4820

## Seria R1034



DIN 7337

### CAP INECAT



Dimensiuni (mm)

<b>d1</b> ∅	∅ : 2.5
	<b>d2</b> ∅ : 5.0 [+0/-0.7]
	<b>k</b> : -
	<b>P</b> : ≥25
	<b>d3</b> : 1.4
	↔ : 700 N
+0.08	↔ : 600 N
-0.10	

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 3.1
	<b>d2</b> ∅ : 6.0 [+0/-0.7]
	<b>k</b> : -
	<b>P</b> : ≥25
	<b>d3</b> : 1.75
	↔ : 870 N
+0.08	↔ : 680 N
-0.10	

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 3.3
	<b>d2</b> ∅ : 6.0 [+0/-0.7]
	<b>k</b> : -
	<b>P</b> : ≥26
	<b>d3</b> : 1.95
	↔ : 980 N
+0.08	↔ : 760 N
-0.10	

L	Cod Produs
[+1/-0.2]	
6.0	1.5 - 4.0 R10342406
8.0	4.0 - 6.0 2408
10.0	6.0 - 8.0 2410

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 4.1
	<b>d2</b> ∅ : 7.5 [+0/-0.7]
	<b>k</b> : -
	<b>P</b> : ≥27
	<b>d3</b> : 2.1
	↔ : 1600 N
+0.08	↔ : 1200 N
-0.15	

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 4.9
	<b>d2</b> ∅ : 9.0 [+0/-1]
	<b>k</b> : -
	<b>P</b> : ≥27
	<b>d3</b> : 2.7
	↔ : 2230 N
+0.08	↔ : 1690 N
-0.15	

Dimensiuni (mm)


<b>d1</b> ∅	∅ : 5.1
	<b>d2</b> ∅ : 9.0 [+0/-1]
	<b>k</b> : -
	<b>P</b> : ≥27
	<b>d3</b> : 2.7
	↔ : 2500 N
+0.08	↔ : 2000 N
-0.15	

L	Cod Produs
[+1/-0.2]	
6.0	1.5- 3.5 R10344006
8.0	3.5- 6.0 4008
10.0	5.0- 7.5 4010
12.0	6.5-10.0 4012
14.0	8.0-11.0 4014
16.0	10.5-12.5 4016
18.0	11.0-15.0 4018
20.0	15.0-17.0 4020

L	Cod Produs
[+1/-0.2]	
8.0	2.0- 4.5 R10344808
10.0	3.5- 7.0 4810
12.0	5.0- 8.5 4812
14.0	7.0-10.0 4814
16.0	8.5-11.5 4816
18.0	10.0-12.5 4818
20.0	12.5-16.0 4820
25.0	16.0-21.0 4825
30.0	21.0-25.0 4830
35.0	25.0-30.0 4835


L	Cod Produs
[+1/-0.2]	
8.0	2.0- 5.0 R10345008
10.0	3.5- 7.0 5010
12.0	5.0- 9.5 5012
14.0	7.0-11.5 5014
16.0	8.0-13.0 5016
18.0	10.0-15.0 5018
20.0	12.0-17.0 5020
25.0	17.0-21.0 5025
30.0	21.0-25.0 5030

## Seria R1131



DIN 7337


### LACUIT ALB CULOARE RAL9010



∅ 3.0; 3.2; 4.0; 4.8


Sortimente conf. seriei R1031

## Seria R1921



DIN 7337

### LACUIT NEGRU CULOARE RAL 9005




∅ 3.2; 4.0; 4.8;

Sortimente conf. seriei R1031

# Seria R1021



DIN 7337



Dimensiuni (mm)

<b>d1</b> ∅	∅ : 4.1
<b>d2</b> ∅	: 8.5 [+0/-1]
<b>k</b>	: ≤1.4
<b>P</b>	: ≥27
<b>d3</b>	: 2.45
	: 1022 N
	: 845 N

L	Cod Produs	
[+1/-0.2]		
6.0	1.5- 3.5	R10214006
8.0	3.5- 5.0	4008
10.0	5.0- 6.5	4010
12.0	6.5- 8.5	4012
14.0	8.5-10.0	4014
16.0	10.5-12.5	4016
18.0	12.5-14.5	4018
20.0	14.0-16.5	4020

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 3.3
<b>d2</b> ∅	: 6.7 [+0/-0.7]
<b>k</b>	: ≤1.1
<b>P</b>	: ≥26
<b>d3</b>	: 1.95
	: 667 N
	: 534 N

L	Cod Produs	
[+1/-0.2]		
6.0	1.5- 3.5	R10213206
8.0	3.5- 5.0	3208
10.0	5.0- 7.0	3210
12.0	7.0- 8.5	3212
14.0	8.5-10.5	3214
16.0	10.0-13.0	3216

Dimensiuni (mm)


<b>d1</b> ∅	∅ : 4.9
<b>d2</b> ∅	: 10.0 [+0/-1]
<b>k</b>	: ≤1.6
<b>P</b>	: ≥27
<b>d3</b>	: 2.9
	: 1422 N
	: 1155 N

L	Cod Produs	
[+1/-0.2]		
8.0	3.0- 4.5	R10214808
10.0	4.5- 6.0	4810
12.0	6.0- 7.5	4812
14.0	7.5- 9.0	4814
16.0	9.0-11.5	4816
18.0	10.5-13.0	4818
20.0	13.0-15.0	4820
25.0	15.0-20.0	4825
30.0	21.0-25.0	4830

# Seria R1071



DIN 7337



Dimensiuni (mm)

<b>d1</b> ∅	∅ : 4.1
<b>d2</b> ∅	: 8.5 [+0/-1]
<b>k</b>	: ≤1.4
<b>P</b>	: ≥27
<b>d3</b>	: 2.1
	: 1600 N
	: 1200 N

L	Cod Produs	
[+1/-0.2]		
6.0	1.5- 3.5	R10714006
8.0	3.5- 6.0	4008
10.0	5.0- 7.5	4010
12.0	6.5- 9.0	4012
14.0	8.0-11.0	4014
16.0	10.5-12.5	4016
18.0	11.0-15.0	4018
20.0	15.0-17.0	4020

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 3.1
<b>d2</b> ∅	: 6.5 [+0/-0.7]
<b>k</b>	: ≤1.1
<b>P</b>	: ≥25
<b>d3</b>	: 1.75
	: 870 N
	: 680 N

L	Cod Produs	
[+1/-0.2]		
6.0	1.5- 3.5	R10713006
8.0	3.5- 5.5	3008
10.0	5.0- 7.0	3010
12.0	7.0- 9.0	3012
14.0	9.0-11.0	3014

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 4.9
<b>d2</b> ∅	: 10.0 [+0/-1]
<b>k</b>	: ≤1.4
<b>P</b>	: ≥27
<b>d3</b>	: 2.7
	: 2230 N
	: 1690 N

L	Cod Produs	
[+1/-0.2]		
8.0	3.0- 4.5	R10714808
10.0	3.5- 7.0	4810
12.0	5.0- 8.5	4812
14.0	7.0-10.0	4814
16.0	8.5-11.5	4816
18.0	10.0-12.5	4818
20.0	12.5-16.0	4820
25.0	16.0-20.0	4825
30.0	20.0-25.0	4830

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 3.3
<b>d2</b> ∅	: 6.5 [+0/-0.7]
<b>k</b>	: ≤1.1
<b>P</b>	: ≥26
<b>d3</b>	: 1.95
	: 980 N
	: 760 N



L	Cod Produs	
[+1/-0.2]		
6.0	2.5- 3.5	R10713206
8.0	3.5- 5.5	3208
10.0	5.0- 7.0	3210
12.0	7.0- 8.5	3212

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 5.1
<b>d2</b> ∅	: 10.0 [+0/-1]
<b>k</b>	: ≤1.4
<b>P</b>	: ≥27
<b>d3</b>	: 2.7
	: 2500 N
	: 2000 N

L	Cod Produs	
[+1/-0.2]		
8.0	2.0- 4.5	R10715008
10.0	3.5- 7.0	5010
12.0	5.0- 9.5	5012
16.0	8.0-13.0	5016
21.0	13.0-17.0	5021

# Seria R1041



Dimensiuni (mm)		L [+1/-0.2]	Cod Produs
d1 ∅ <b>3.0</b> +0.08 -0.10	∅ : 3.1	5.0	0.5- 1.5 R10413005
	d2 ∅ : 6.5 [+0/-0.7]	6.0	1.5- 2.5 3006
	k : 0.8 [+0/-0.2]	8.0	3.0- 5.0 3008
	P : ≥26	10.0	5.0- 7.0 3010
	d3 : 1.9	12.0	7.0- 9.0 3012
	⊕ : 1125 N ⊖ : 950 N	14.0	9.0-11.0 3014

Dimensiuni (mm)		L [+1/-0.2]	Cod Produs
d1 ∅ <b>3.2</b> +0.08 -0.10	∅ : 3.3	6.0	1.5- 3.0 R10413206
	d2 ∅ : 6.5 [+0/-0.7]	8.0	3.0- 5.0 3208
	k : 0.8 [+0/-0.2]	10.0	5.0- 7.0 3210
	P : ≥26	12.0	7.0- 9.0 3212
	d3 : 2.0	14.0	8.0-11.0 3214
	⊕ : 1285 N ⊖ : 1060 N	16.0	10.0-13.0 3216

Dimensiuni (mm)		L [+1/-0.2]	Cod Produs
d1 ∅ <b>4.0</b> +0.08 -0.15	∅ : 4.1	6.0	0.5- 3.0 R10414006
	d2 ∅ : 8.5 [+0/-1.0]	8.0	3.0- 5.0 4008
	k : 1.0 [+/-0.3]	10.0	4.0- 7.0 4010
	P : ≥27	12.0	6.0- 9.0 4012
	d3 : 2.5	14.0	9.0-11.0 4014
	⊕ : 1990 N	16.0	11.0-13.0 4016
	⊖ : 1550 N	18.0	12.0-15.0 4018
		20.0	15.0-17.0 4020
		22.0	16.0-18.0 4022
		24.0	17.0-20.0 4024
		26.0	18.0-23.0 4026
		28.0	20.0-25.0 4028
		30.0	22.0-27.0 4030

Dimensiuni (mm)		L [+1/-0.2]	Cod Produs
d1 ∅ <b>4.8</b> +0.08 -0.15	∅ : 4.9	6.0	1.0- 2.5 R10414806
	d2 ∅ : 10.0 [+0/-1.0]	8.0	2.5- 4.5 4808
	k : 1.1 [+/-0.3]	10.0	4.0- 6.0 4810
	P : ≥27	12.0	6.0- 8.0 4812
	d3 : 2.9	14.0	7.0- 9.0 4814
	⊕ : 2920 N	16.0	9.0-11.5 4816
	⊖ : 2305 N	18.0	11.5-13.5 4818
		20.0	12.0-15.0 4820
		22.0	15.0-17.0 4822
		25.0	15.0-20.0 4825
	30.0	20.0-25.0 4830	


Dimensiuni (mm)		L [+1/-0.2]	Cod Produs
d1 ∅ <b>5.0</b> +0.08 -0.15	∅ : 5.1	8.0	2.5- 4.5 R10415008
	d2 ∅ : 10.0 [+0/-1.0]	10.0	4.0- 6.0 5010
	k : 1.1 [+/-0.3]	12.0	6.0- 8.0 5012
	P : ≥27	14.0	7.0- 9.0 5014
	d3 : 2.9	16.0	9.0-11.5 5016
	⊕ : 3255 N ⊖ : 2575 N	18.0	11.5-13.5 5018
	20.0	12.0-15.0 5020	

Dimensiuni (mm)		L [+1/-0.2]	Cod Produs
d1 ∅ <b>6.0</b> +0.08 -0.15	∅ : 6.1	12.0	4.5- 6.5 R10416012
	d2 ∅ : 12.0 [+0/-1.5]	15.0	6.0- 9.0 6015
	k : 1.5 [+/-0.4]	18.0	9.0-12.0 6018
	P : ≥31	22.0	12.0-16.0 6022
	d3 : 3.4	26.0	14.0-19.0 6026
	⊕ : 4400 N ⊖ : 3300 N	30.0	19.0-24.0 6030

Dimensiuni (mm)		L [+1/-0.2]	Cod Produs
d1 ∅ <b>6.4</b> +0.08 -0.15	∅ : 6.5	12.0	4.0- 7.0 R10416412
	d2 ∅ : 13.0 [+0/-1.5]	15.0	7.0-10.0 6415
	k : 1.8 [+/-0.4]	18.0	10.0-13.0 6418
	P : ≥31	22.0	13.0-17.0 6422
	d3 : 3.85	26.0	16.0-20.0 6426
	⊕ : 5415 N	30.0	20.0-24.0 6430
	⊖ : 4355 N		


NITURI STANDARD

# Seria R1044



DIN 7337

## CAP INECAT




Dimensiuni (mm)

<b>d1</b> ∅	∅ : 3.1	6.0	1.5- 3.0	R10443006
	<b>3.0</b>	<b>8.0</b>	<b>3.0- 5.0</b>	<b>3008</b>
	d2 ∅ : 6.0 [+0/-0.7]	10.0	5.0- 7.0	3010
	k :	12.0	7.0- 9.0	3012
	P : ≥25			
	d3 : 1.9			
+0.08	∅ : 1125 N			
-0.10	∅ : 950 N			


Dimensiuni (mm)

<b>d1</b> ∅	∅ : 3.3	6.0	1.5- 3.0	R10443206
	<b>3.2</b>	<b>8.0</b>	<b>3.0- 5.0</b>	<b>3208</b>
	d2 ∅ : 6.0 [+0/-0.7]	10.0	5.0- 7.0	3210
	k :	12.0	7.0- 9.0	3212
	P : ≥25			
	d3 : 2.3	14.0	8.0-11.0	3214
+0.08	∅ : 1285 N			
-0.10	∅ : 1060 N			

# Seria R1051



A2 [1.4301] A2 [1.4301]  
conf. DIN 7337



Dimensiuni (mm)

<b>d1</b> ∅	∅ : 3.1	6.0	1.0- 3.0	R10513006
	<b>3.0</b>	<b>8.0</b>	<b>3.0- 5.0</b>	<b>3008</b>
	d2 ∅ : 6.5 [+0/-0.7]	10.0	5.0- 7.0	3010
	k : 0.8 [+0/-0.2]	12.0	7.0- 9.0	3012
	P : ≥25			
	d3 : 1.8	15.0	9.0-12.0	3015
+0.08	∅ : 2000 N			
-0.10	∅ : 1520 N			

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 3.3	4.0	0.5- 2.0	R10513204
	<b>3.2</b>	<b>6.0</b>	<b>1.0- 3.0</b>	<b>3206</b>
	d2 ∅ : 6.5 [+0/-0.7]	8.0	3.0- 5.0	3208
	k : 0.8 [+0/-0.2]	10.0	5.0- 7.0	3210
	P : ≥25	12.0	7.0- 9.0	3212
	d3 : 1.9	15.0	9.0-12.0	3215
+0.08	∅ : 2360 N			
-0.10	∅ : 1875 N	18.0	12.0-14.0	3218

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 4.1	6.0	1.5- 3.0	R10444006
	<b>4.0</b>	<b>8.0</b>	<b>3.0- 5.0</b>	<b>4008</b>
	d2 ∅ : 7.5 [+0/-0.7]	10.0	4.0- 7.0	4010
	k :	12.0	6.0- 9.0	4012
	P : ≥27			
	d3 : 2.3	14.0	9.0-11.0	4014
+0.08	∅ : 1990 N			
-0.15	∅ : 1550 N			

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 4.9	8.0	1.0- 4.0	R10444808
	<b>4.8</b>	<b>10.0</b>	<b>3.5- 5.0</b>	<b>4810</b>
	d2 ∅ : 9.0 [+0/-1]	12.0	5.0- 7.0	4812
	k :	14.0	7.0-10.0	4814
	P : ≥27	16.0	9.0-12.0	4816
	d3 : 2.9	18.0	12.0-14.0	4818
+0.08	∅ : 2920 N			
-0.15	∅ : 2305 N	20.0	12.0-15.0	4820
		22.0	15.0-17.0	4822

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 4.1	6.0	1.0- 2.5	R10514006
	<b>4.0</b>	<b>8.0</b>	<b>2.5- 4.5</b>	<b>4008</b>
	d2 ∅ : 8.0 [+0/-1]	10.0	4.5- 6.5	4010
	k : 1.0 [+/-0.3]	13.0	6.5- 9.5	4013
	P : ≥27	16.0	9.5-12.0	4016
	d3 : 2.5	18.0	11.5-14.0	4018
+0.08	∅ : 3650 N			
-0.15	∅ : 2895 N	20.0	14.0-16.0	4020

Dimensiuni (mm)

<b>d1</b> ∅	∅ : 4.9	8.0	1.5- 4.0	R10514808
	<b>4.8</b>	<b>10.0</b>	<b>4.0- 6.0</b>	<b>4810</b>
	d2 ∅ : 9.5 [+0/-1]	12.0	6.0- 8.0	4812
	k : 1.1 [+/-0.3]	14.0	8.0-10.0	4814
	P : ≥27	16.0	9.0-11.0	4816
	d3 : 3.0	18.0	10.0-13.0	4818
+0.08	∅ : 5335 N			
-0.15	∅ : 4230 N	20.0	11.0-15.0	4820
		22.0	14.0-17.0	4822
		25.0	15.0-20.0	4825
		27.0	18.0-22.0	4827
		30.0	21.0-25.0	4830
		40.0	30.0-35.0	4840

Dimensiuni (mm)


<b>d1</b> ∅	∅ : 5.1	8.0	2.0- 4.0	R10515008
	<b>5.0</b>	<b>10.0</b>	<b>4.0- 6.0</b>	<b>5010</b>
	d2 ∅ : 9.5 [+0/-1]	12.0	6.0- 8.0	5012
	k : 1.1 [+/-0.4]	16.0	8.0-11.0	5016
	P : ≥27			
	d3 : 3.0			
+0.08	∅ : 5550 N			
-0.15	∅ : 5250 N			

Dimensiuni (mm)


<b>d1</b> ∅	∅ : 6.5	12.0	4.0- 6.0	R10516412
	<b>6.4</b>	<b>15.0</b>	<b>6.0- 9.0</b>	<b>6415</b>
	d2 ∅ : 13 [+0/-1.5]	18.0	10.0-13.0	6418
	k : 1.8 [+/-0.4]	20.0	13.0-16.0	6420
	P : ≥30	25.0	15.0-20.0	6425
	d3 : 3.8			
+0.08	∅ : 7000 N			
-0.15	∅ : 5800 N			

NITURI STANDARD

## Seria R1551



DIN 7337



Dimensiuni (mm)

<b>d1</b> ∅	∅ <b>4.1</b>
<b>d2</b> ∅	: 8.0 [+0/-1]
<b>k</b>	: 1.0 [+0/-0.2]
<b>P</b>	: ≥27
<b>d3</b>	: 2.5
	: 5300 N
	: 4500 N

L			Cod Produs
[+1/-0.2]			
8.0	2.5- 4.5		R15514008
10.0	4.5- 6.5		4010
12.0	6.5- 8.5		4012
15.0	8.5-11.0		4015


Dimensiuni (mm)	L			Cod Produs
	[+1/-0.2]			
<b>d1</b> ∅	∅ <b>3.3</b>	6.0	1.0- 3.0	R15513206
<b>d2</b> ∅	: 6.5 [+0/-7]	8.0	3.0- 5.0	3208
<b>k</b>	: 0.8 [+0/-0.2]	10.0	5.0- 7.0	3210
<b>P</b>	: ≥27	12.0	7.0- 9.0	3212
<b>d3</b>	: 1.9			
	: 3000 N			
	: 2500 N			

Dimensiuni (mm)


<b>d1</b> ∅	∅ <b>4.9</b>
<b>d2</b> ∅	: 10.0 [+0/-1]
<b>k</b>	: 1.1 [+/-0.3]
<b>P</b>	: ≥27
<b>d3</b>	: 3.0
	: 7500 N
	: 5500 N

L			Cod Produs
[+1/-0.2]			
8.0	2.0- 4.0		R15514808
10.0	4.0- 6.0		4810
12.0	6.0- 8.0		4812
14.0	8.0-10.0		4814
16.0	9.0-11.0		4816
18.0	10.0-13.0		4818
20.0	11.0-15.0		4820

## Seria R1052



DIN 7337



Dimensiuni (mm)

<b>d1</b> ∅	∅ <b>4.1</b>
<b>d2</b> ∅	: 12.0 [+0.5/-1]
<b>k</b>	: 1.6 [+0.3/-0.2]
<b>P</b>	: ≥27
<b>d3</b>	: 2.5
	: 3650 N
	: 2895 N

L			Cod Produs
[+1/-0.2]			
6.0	1.0- 2.5		R10524006
8.0	2.5- 4.5		4008
10.0	4.5- 6.5		4010
13.0	6.5- 9.5		4013
16.0	9.5-12.0		4016


Dimensiuni (mm)	L			Cod Produs
	[+1/-0.2]			
<b>d1</b> ∅	∅ <b>3.3</b>	6.0	1.0- 3.0	R10523206
<b>d2</b> ∅	: 9.5 [+/-0.7]	8.0	3.0- 5.0	3208
<b>k</b>	: 1.3 [+0.3/-0.1]	10.0	5.0- 7.0	3210
<b>P</b>	: ≥26	12.0	7.0- 9.0	3212
<b>d3</b>	: 1.9	14.0	9.0-11.0	3214
	: 2360 N			
	: 1875 N			

Dimensiuni (mm)


<b>d1</b> ∅	∅ <b>4.9</b> [+0.5/-0.1]
<b>d2</b> ∅	: 14.0 [+/-0.3]
<b>k</b>	: 1.2
<b>P</b>	: ≥27
<b>d3</b>	: 3.0
	: 5335 N
	: 4230 N

L			Cod Produs
[+1/-0.2]			
8.0	2.5- 4.0		R10524808
10.0	4.0- 6.0		4810
12.0	6.0- 8.0		4812
14.0	8.0-10.0		4814
16.0	9.0-11.0		4816
20.0	11.0-15.0		4820
25.0	15.0-20.0		4825

## Seria R1053



DIN 7337




Dimensiuni (mm)

<b>d1</b> ∅	∅ <b>4.9</b>
<b>d2</b> ∅	: 16.0 [+/-0.5]
<b>k</b>	: 1.7 [+/-0.3]
<b>P</b>	: ≥27
<b>d3</b>	: 2.85
	: 4300 N
	: 2800 N


L			Cod Produs
[+1/-0.2]			
10.5	2.5- 5.0		R10534810
13.5	5.0- 8.5		4813
17.2	8.5-12.0		4817
20.5	12.0-15.5		4820
23.5	15.5-18.5		4823

## Seria R1054



DIN 7337

A2 [1.4301] A2 [1.4301]  
CAP INECAT



Dimensiuni (mm)

d1 Ø	Ø <b>3.2</b> : 3.3
d2 Ø	: 6.0 [+/-0.7]
k	:
P	: ≥25
d3	: 1.9
	⊕ : 3000 N
	⊖ : 2700 N

L	Cod Produs
[+1/-0.2]	
6.0	1.0- 3.0 R10543206
8.0	3.0- 5.0 3208
10.0	5.0- 7.0 3210
12.0	7.0- 9.0 3212

Dimensiuni (mm)


d1 Ø	Ø <b>4.0</b> : 4.1
d2 Ø	: 7.5 [+/-0.4]
k	:
P	: ≥27
d3	: 2.5
	⊕ : 4500 N
	⊖ : 4000 N

L	Cod Produs
[+1/-0.2]	
6.0	1.0- 2.5 R10544006
8.0	2.5- 4.5 4008
10.0	4.5- 6.5 4010
12.0	6.5- 8.5 4012
15.0	8.5-11.0 4015

## Seria R1081



DIN 7337



Dimensiuni (mm)

d1 Ø	Ø <b>3.2</b> : 3.3
d2 Ø	: 6.35 [+/-0.15]
k	: 1.1 [+/-0.15]
P	: ≥27
d3	: ≈1.9
	⊕ : 2206 N
	⊖ : 1560 N


L	Cod Produs
[+1/-0.2]	
5.0	0- 1.6 R10813205
6.0	1.6- 3.2 3206
8.0	3.2- 4.8 3208
9.0	4.8- 6.4 3209

Dimensiuni (mm)


d1 Ø	Ø <b>4.0</b> : 4.1
d2 Ø	: 8.05 [+/-0.15]
k	: 1.30
P	: ≤27
d3	: ≈2.4
	⊕ : 3430 N
	⊖ : 2450 N

L	Cod Produs
[+1/-0.2]	
7.0	1.6- 3.2 R10814007
9.0	3.2- 4.8 4009
10.0	4.8- 6.4 4010
13.0	7.9- 9.5 4013

## Seria R1084



DIN 7337



Dimensiuni (mm)

d1 Ø	Ø <b>3.2</b> : 3.3
d2 Ø	: 5.6 [+/-0.1]
k	:
P	: ≥27
d3	: ≈1.9
	⊕ : 2206 N
	⊖ : 1560 N

L	Cod Produs
[+1/-0.2]	
6.0	1.6- 3.2 R10843206
9.0	4.8- 6.4 3209

Dimensiuni (mm)

d1 Ø	Ø <b>4.0</b> : 4.1
d2 Ø	: 7.1 [+/-0.1]
k	:
P	: ≥27
d3	: ≈2.4
	⊕ : 3430 N
	⊖ : 2450 N

L	Cod Produs
[+1/-0.2]	
10.0	4.8- 6.4 R10814010

Dimensiuni (mm)

d1 Ø	Ø <b>4.8</b> : 4.9
d2 Ø	: 8.6 [+/-0.1]
k	:
P	: ≥27
d3	: ≈2.9
	⊕ : 4900 N
	⊖ : 3565 N

L	Cod Produs
[+1/-0.2]	
9.0	3.2- 4.8 R10814809
14.0	7.9- 9.5 4814