




NITURI ETANSE (pina la 3500 KPa)



Seria R1201



Dimensiuni (mm)

d1 ∅	∅ 4.9
d2 ∅	9.5 [+/-0.29]
k	: ≤2.0
P	: ≥27
d3	: 2.65
	⊕ : 3070 N
	⊖ : 2230 N

L	Cod Produs	
[+1/-0.2]	↓	↑
8.0	1.0- 3.5	R12014808
9.5	3.5- 5.0	4809
11.0	5.0- 6.5	4811
12.5	6.5- 8.0	4812
14.0	8.0- 9.5	4814
16.0	9.5-11.0	4816
18.0	11.0-13.0	4818
21.0	13.0-16.0	4821
25.0	16.0-19.5	4825

Dimensiuni (mm)

d1 ∅	∅ 3.3
d2 ∅	6.0 [+/-0.24]
k	: ≤1.4
P	: ≥26
d3	: 1.7
	⊕ : 1240 N
	⊖ : 1070 N

L	Cod Produs	
[+1/-0.2]	↓	↑
6.5	0.5- 2.0	R12013206
8.0	2.0- 3.5	3208
9.5	3.5- 5.0	3209
10.7	5.0- 6.5	3210
12.7	6.5- 8.0	3212

Dimensiuni (mm)

d1 ∅	∅ 6.5
d2 ∅	12.7 [+/-0.35]
k	: ≤2.5
P	: ≥31
d3	: 3.7
	⊕ : 5000 N
	⊖ : 3950 N


L	Cod Produs	
[+1/-0.2]	↓	↑
12.5	1.5- 6.0	R12016412
16.0	3.5- 9.5	6416

Dimensiuni (mm)


d1 ∅	∅ 4.1
d2 ∅	8.0 [+/-0.29]
k	: ≤1.7
P	: ≥27
d3	: 2.2
	⊕ : 2240 N
	⊖ : 1710 N

L	Cod Produs	
[+1/-0.2]	↓	↑
8.0	0.5- 3.5	R12014008
9.5	3.5- 5.0	4009
11.0	5.0- 9.5	4011
12.7	6.5- 8.0	4012
15.0	8.0-11.0	4015

Seria R1202



CAP LARG




Dimensiuni (mm)

d1 ∅	∅ 4.9
d2 ∅	14.0 [+0/-0.5]
k	: ≤2.5
P	: ≥27
d3	: 2.65
	⊕ : 3070 N
	⊖ : 2230 N


L	Cod Produs	
[+1/-0.2]	↓	↑
13.0	6.5- 8.0	R12024813
18.0	10.0-12.5	4818

Seria R1204



DIN 7337

CAP INECAT



Dimensiuni (mm)

d1 ∅	∅ 4.1
d2 ∅	: 7.5 [+/-0.5]
k	: -
P	: ≥27
d3	: 2.2
	⊕ : 2240 N
	⊖ : 1710 N

L		Cod Produs
[+1/-0.2]		
9.5	0.5- 4.5	R12044009
11.0	4.5- 6.5	4011
12.5	6.5- 8.0	4012
14.0	8.0- 9.5	4014

Dimensiuni (mm)

d1 ∅	∅ 3.3
d2 ∅	: 6.0 [+/-0.4]
k	: -
P	: ≥26
d3	: 1.7
	⊕ : 1240 N
	⊖ : 1070 N


L		Cod Produs
[+1/-0.2]		
7.5	0.5- 3.0	R12043207
9.0	3.0- 4.5	3209
10.5	4.5- 6.0	3210
12.0	6.0- 7.5	3212
13.5	7.5- 9.0	3213

Dimensiuni (mm)


d1 ∅	∅ 4.9
d2 ∅	: 9.0 [+/-0.5]
k	: -
P	: ≥27
d3	: 2.65
	⊕ : 3070 N
	⊖ : 2230 N

L		Cod Produs
[+1/-0.2]		
9.5	1.0- 4.5	R12044809
11.0	4.5- 6.5	4811
12.5	6.5- 8.0	4812
14.0	8.0- 9.5	4814
15.5	9.0-11.5	4815
19.0	11.5-14.5	4819

Seria R1211



DIN 7337



Dimensiuni (mm)

d1 ∅	∅ 4.1
d2 ∅	: 8.0 [+/-0.29]
k	: ≤1.7
P	: ≥27
d3	: 2.2
	⊕ : 820 N
	⊖ : 580 N

L		Cod Produs
[+1/-0.2]		
9.5	0.5- 5.0	R12114009
12.5	5.0- 8.0	4012

Dimensiuni (mm)

d1 ∅	∅ 3.3
d2 ∅	: 6.0 [+/-0.24]
k	: ≤1.4
P	: ≥26
d3	: 1.8
	⊕ : 490 N
	⊖ : 450 N


L		Cod Produs
[+1/-0.2]		
8.0	0.5- 3.5	R12113208
9.5	3.0- 5.0	32099

Dimensiuni (mm)

d1 ∅	∅ 4.9
d2 ∅	: 9.5 [+/-0.29]
k	: ≤2.0
P	: ≥27
d3	: 2.65
	⊕ : 1120 N
	⊖ : 900 N


L		Cod Produs
[+1/-0.2]		
9.5	1.0- 4.5	R12114809
11.5	4.5- 6.5	4811
14.5	6.5- 9.5	4814
18.0	9.5-13.0	4818

Seria R1231



DIN 7337

A2 [1.4301]



Dimensiuni (mm)

d1 ∅	∅ 4.1
d2 ∅	8.0 [+/-0.29]
k	≤ 1.7
P	≥ 27
d3	2.2
	⊕ : 2240 N
	⊖ : 1710 N

L		Cod Produs
[+1/-0.2]		
8.0	0.5- 3.5	R12314008
9.5	3.5- 5.0	4009
11.0	5.0- 6.5	4011
12.7	6.5- 8.0	4012

Dimensiuni (mm)

d1 ∅	∅ 3.3
d2 ∅	6.0 [+/-0.24]
k	≤ 1.4
P	≥ 26
d3	1.7
	⊕ : 1240 N
	⊖ : 1070 N


L		Cod Produs
[+1/-0.2]		
6.5	0.5- 2.0	12313206
8.0	2.0- 3.5	3208
9.5	3.5- 5.0	3209
11.0	5.0- 6.5	3210
12.7	6.5- 8.0	3212

Dimensiuni (mm)

d1 ∅	∅ 4.9
d2 ∅	9.5 [+/-0.29]
k	≤ 2.0
P	≥ 27
d3	2.65
	⊕ : 3070 N
	⊖ : 2230 N

L		Cod Produs
[+1/-0.2]		
8.0	1.0- 3.5	R12314808
9.5	3.5- 5.0	4809
11.0	5.0- 6.5	4811
12.5	6.5- 8.0	4812
14.0	8.0- 9.5	4814
16.0	9.5-11.0	4816
18.0	11.0-13.0	4818
21.0	13.0-16.0	4821

Seria R1234




DIN 7337


A2 [1.4301]

CAP INECAT

Seria R1241



DIN 7337



Dimensiuni (mm)

d1 ∅	∅ 4.1
d2 ∅	8.0 [+/-0.29]
k	1.4 [+/-0.3]
P	≥ 27
d3	2.3
	⊕ : 1860 N
	⊖ : 1700 N

L		Cod Produs
[+1/-0.2]		
6.0	0.5- 1.5	R12414006
8.0	1.5- 3.0	4008
10.0	3.0- 5.0	4010
12.0	5.0- 6.5	4012
15.0	6.5-10.5	4015

Dimensiuni (mm)

d1 ∅	∅ 3.3
d2 ∅	6.0 [+/-0.24]
k	1.0 [+/-0.3]
P	≥ 26
d3	1.9
	⊕ : 1200 N
	⊖ : 1150 N


L		Cod Produs
[+1/-0.2]		
6.0	0.5- 1.5	12413206
8.0	1.5- 3.0	3208
9.5	3.0- 5.0	3209
12.0	5.0- 6.5	3212

Dimensiuni (mm)

d1 ∅	∅ 4.9
d2 ∅	9.5 [+/-0.29]
k	1.7 [+/-0.3]
P	≥ 27
d3	2.3
	⊕ : 2800 N
	⊖ : 2400 N


L		Cod Produs
[+1/-0.2]		
8.0	0.5- 3.0	R12414808
9.5	3.0- 5.0	4809
12.0	5.0- 6.5	4812
16.0	6.5-10.5	4816

Seria R1242



DIN 7337

CAP LARG



Dimensiuni (mm)

d1 Ø	Ø 4.0 : 4.1
d2 Ø	: 12.0 [+/-0.35]
k	: 1.2 [+/-0.3]
P	: ≥27
d3	: 2.3
	⊕ : 1860 N
	⊖ : 1700 N

L	Cod Produs	
[+1/-0.2]		
8.0	0.5- 3.0	R12424008
10.0	3.0- 5.0	4010
12.0	5.0- 6.5	4012
16.0	6.5-10.5	4016

Dimensiuni (mm)

d1 Ø	Ø 3.2 : 3.3
d2 Ø	: 10.0 [+/-0.24]
k	: 1.0 [+/-0.23]
P	: ≥26
d3	: 1.9
	⊕ : 1200 N
	⊖ : 1100 N


L	Cod Produs	
[+1/-0.2]		
8.0	1.5- 3.0	R12423208
9.5	3.0- 5.0	3210
12.0	5.0- 7.0	3212

Dimensiuni (mm)


d1 Ø	Ø 4.8 : 4.9
d2 Ø	: 14.0 [+/-0.35]
k	: 1.4 [+/-0.3]
P	: ≥27
d3	: 2.9
	⊕ : 1860 N
	⊖ : 1700 N

L	Cod Produs	
[+1/-0.2]		
8.0	0.5- 3.0	R12424808
10.0	3.0- 5.0	4810
12.0	5.0- 6.5	4812
16.0	6.5-10.5	4816

Seria R1251



DIN 7337



Dimensiuni (mm)

d1 Ø	Ø 4.0 : 4.1
d2 Ø	: 8.0 [+/-0.29]
k	: ≤1.7
P	: ≥27
d3	: 2.2
	⊕ : 2000 N
	⊖ : 1350 N

L	Cod Produs	
[+1/-0.2]		
8.0	0.5- 3.5	R12514008
10.0	3.5- 5.0	4010

Dimensiuni (mm)

d1 Ø	Ø 3.2 : 3.3
d2 Ø	: 6.0 [+/-0.24]
k	: ≤1.4
P	: ≥26
d3	: 1.7
	⊕ : 1300 N
	⊖ : 850 N


L	Cod Produs	
[+1/-0.2]		
6.5	0.5- 2.0	R12513206
8.0	2.0- 3.5	3208
9.5	3.5- 5.0	3009
12.5	5.0- 8.0	3212

Dimensiuni (mm)


d1 Ø	Ø 4.8 : 4.9
d2 Ø	: 9.5 [+/-0.29]
k	: ≤2.0
P	: ≥27
d3	: 2.65
	⊕ : 2800 N
	⊖ : 1950 N

L	Cod Produs	
[+1/-0.2]		
9.5	1.0- 5.0	R12514809
11.5	5.0- 6.5	4811

Seria R1261



DIN 7337



Dimensiuni (mm)

d1 \varnothing	\varnothing : 3.3
d2 \varnothing	: 6.0 [+/-0.24]
k	: 0.9 [+/-0.3]
P	: ≥ 26
d3	: 1.9
	\varnothing : 2500 N
	$\triangleleft \varnothing \triangleright$: 2000 N


L	Cod Produs
[+1/-0.2]	\uparrow
6.0	0.5- 1.5 R12613206
8.0	1.5- 3.0 3208
9.5	3.0- 5.0 3209
12.0	5.0- 6.5 3212

Dimensiuni (mm)


d1 \varnothing	\varnothing : 4.1
d2 \varnothing	: 8.0 [+/-0.29]
k	: 1.3 [+/-0.3]
P	: ≥ 27
d3	: 2.3
	\varnothing : 4000 N
	$\triangleleft \varnothing \triangleright$: 3000 N

L	Cod Produs
[+1/-0.2]	\uparrow
6.0	0.5- 1.5 R12614006
8.0	1.5- 3.0 4008
9.5	3.0- 5.0 4009
12.0	5.0- 6.5 4012
16.0	6.5-10.5 4016

Seria R1262



DIN 7337



Dimensiuni (mm)

d1 \varnothing	\varnothing : 3.3
d2 \varnothing	: 10.0 [+/-0.29]
k	: 0.9 [+/-0.3]
P	: ≥ 26
d3	: 1.9
	\varnothing : 2500 N
	$\triangleleft \varnothing \triangleright$: 2000 N

L	Cod Produs
[+1/-0.2]	\uparrow
6.0	0.5- 1.5 R12623206
8.0	1.5- 3.0 3208
9.5	3.0- 5.0 3209
12.0	5.0- 6.5 3212

Dimensiuni (mm)

d1 \varnothing	\varnothing : 4.1
d2 \varnothing	: 12.0 [+/-0.35]
k	: 1.1 [+/-0.3]
P	: ≥ 27
d3	: 2.3
	\varnothing : 4000 N
	$\triangleleft \varnothing \triangleright$: 3000 N


L	Cod Produs
[+1/-0.2]	\uparrow
6.0	0.5- 1.5 R12624006
8.0	1.5- 3.0 4008
10.0	3.0- 5.0 4009
12.0	5.0- 6.5 4012
16.0	6.5-10.5 4016

Dimensiuni (mm)


d1 \varnothing	\varnothing : 4.9
d2 \varnothing	: 14.0 [+/-0.29]
k	: 1.3 [+/-0.3]
P	: ≥ 27
d3	: 2.9
	\varnothing : 5500 N
	$\triangleleft \varnothing \triangleright$: 4500 N

L	Cod Produs
8.0	0.5- 3.0 R12624809
10.0	3.0- 5.0 4810
12.0	5.0- 6.5 4812
16.0	6.5-10.5 4816

Seria R1281



DIN 7337



Dimensiuni (mm)

d1 \varnothing	\varnothing : 3.3
d2 \varnothing	: 6.0 [+/-0.29]
k	: ≤ 1.4
P	: ≥ 26
d3	: 1.7
	\varnothing : 1300 N
	$\triangleleft \varnothing \triangleright$: 850 N

L	Cod Produs
[+1/-0.2]	\uparrow
6.5	0.5- 2.0 R12813206
8.0	2.0- 3.5 3208
9.5	3.5- 5.0 3209
12.5	5.0- 8.0 3212

Dimensiuni (mm)

d1 \varnothing	\varnothing : 4.1
d2 \varnothing	: 8.0 [+/-0.29]
k	: ≤ 1.7
P	: ≥ 27
d3	: 2.2
	\varnothing : 2000 N
	$\triangleleft \varnothing \triangleright$: 1350 N

L	Cod Produs
8.0	0.5- 3.5 R12814008
10.0	3.5- 5.0 4010